




**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503



**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques



© 1981

The copy filmed here has been reproduced thanks to the generosity of:



National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

errata
to

pelure,
on à

IT
life, y
the f
hygie
point
on th
a hus
year
topic
consi
comm
night
Shall
What
priety
physi
Well
ductio
gives
childr
produ
resear
herita
The in
the av
tion o
calcul
carefu
tions f
birth,
nursin
would
with a
the da

SYNOPSIS OF THE BOOK.

IT treats in detail of the three peculiar phases of woman's life, viz., maidenhood, matrimony, and maternity. Under the first head, the subject of puberty, its dangers and hygiene, and of love, are discussed from a medical standpoint. Valuable advice is given on the marriage of cousins, on the effects of marriage on woman and man, on "choosing a husband," on "the engagement," on the right time of the year to marry, on the wedding tour, and on many kindred topics. The physiology of the marriage relation is then considered in the second part of the book, "the wife." It commences with some salutary hints upon the "wedding night." Such inquiries of universal hygienic interest as, Shall husband and wife occupy the same room and bed? What kind of bed is most healthful? the dignity and propriety of the sexual instinct, its indulgence, restraint, and physiological laws, &c., are decorously but plainly treated. Well considered views are advanced in regard to over-production and the limitation of offspring. The author also gives much useful advice to sterile wives who desire to have children, and he answers the question, Can the sexes be produced at will? in the light of the most recent scientific research. Many pages are devoted to the discussion of inheritance, how to have beautiful children, twin-bearing, &c. The information in regard to the signs of pregnancy and the avoidance of its diseases and discomforts, the prevention of "mothers' marks" and of miscarriage, is of incalculable value to every woman. Minute, practical and careful directions are laid down as to the proper preparations for confinement, how to preserve the form after childbirth, etc. Under the head of "the mother" the rules for nursing, weaning and bringing up by hand, are copious and would benefit every mother to know. The volume closes with a consideration of "The Perils of Maternity," and of the dangers and hygiene of "The change of life."

TESTIMONIALS.

The following, among others, have been received indicating the scientific value and moral worth of this book :—

FROM WILLIAM A. HAMMOND, M.D.

LATE SURGEON-GENERAL OF U. S. ARMY ; PROFESSOR OF DISEASES OF THE MIND AND NERVOUS SYSTEM, AND OF CLINICAL MEDICINE IN THE BELLEVUE HOSPITAL MEDICAL COLLEGE, NEW YORK.

NEW YORK, Aug. 1869.

DR. NAPHEYS,—

Dear Sir : I have read with much interest and satisfaction your very admirable book on "The Physical life of Woman." I am glad that the subject has been taken up by one who shows himself so thoroughly qualified for the task, and I trust the instruction and advice contained in the volume will reach every woman in the land.

Yours, sincerely,

WILLIAM A. HAMMOND.

FROM REV. HENRY WARD BEECHER.

BROOKLYN, N.Y., Sept. 1869.

DR. GEO. H. NAPHEYS,—

Dear Sir : I have examined your volume, "The Physical Life of Woman," and desire to thank you for performing a work so long needed, so difficult to perform, and now, at length, so well done by you. Every mother should have this book, nor should she suffer a child to be married without the knowledge which this work contains. Thousands have dragged through miserable lives and many have perished for want of such knowledge. It is to be hoped, too, now that these delicate topics have been so modestly and plainly treated, that your work will supersede the scores of ill-considered and often mischievous treatises addressed "to the married," which too often serve the lusts of men under the pretence of virtue.

HENRY WARD BEECHER.

FROM REV. HORACE BUSHNELL, D.D.

HARTFORD, CONN., Sept. 1869.

GEO. H. NAPHEYS, M.D.,—

Dear Sir: I have read a large part of your book with interest. I shrink from expressing any estimate of it as respects its physiological merit, but it seems to be a book well studied, and it is written with much delicacy and a careful respect, at all points, to the great interests of morality. It will certainly be a great help to intelligence on the subject, and ought, therefore, to be correspondently useful.

Very respectfully yours,

HORACE BUSHNELL.

FROM HARVEY L. BYRD, M.D.,

PROFESSOR OF OBSTETRICS IN THE MEDICAL DEPARTMENT OF WASHINGTON UNIVERSITY OF BALTIMORE, MARYLAND.

BALTIMORE, Sept. 1869.

DR. GEO. H. NAPHEYS, Philadelphia,—

Dear Sir: I have examined with much pleasure and satisfaction your work on "The Physical Life of Woman," and do not hesitate to commend it most warmly to our countrywomen, for whose benefit it is intended. I congratulate you on the felicitous manner in which you have treated so difficult a subject, and would recommend it to the public as supplying a want that has long been felt in this country.

Omne verum utile dictu, and what can be more proper, or more useful, than that woman should be made acquainted with the great laws of her being, and the duties for which she was created?

Very respectfully, your obed't servant,

HARVEY L. BYRD.

EXTRACTS FROM LETTER RECEIVED FROM
EDWIN M. SNOW, M.D., OF PROVIDENCE,
RHODE ISLAND.

PROVIDENCE, Sept. 1869.

DR. NAPHEYS,—

Dear Sir : I have examined with much interest the advance sheets of your book, "The Physical Life of Woman ;" I am highly pleased with it. The advice given seems to me to be generally correct, and judiciously expressed ; and in my opinion the wide circulation of the book would be a benefit to the community.

Truly yours,

EDWIN M. SNOW.

FROM REV. GEORGE ALEX. CROOKE, D.D., D.C.L.

PHILADELPHIA, Sept. 1869.

DR. GEO. H. NAPHEYS,—

Dear Sir : I have carefully read your work entitled "The Physical Life of Woman," and as the result, I must candidly say that I believe the information it contains is well calculated to lessen suffering and greatly benefit the human race. I know there are some falsely fastidious persons who would object to any work of the kind, but "to the pure all things are pure." You have done your part fearlessly and well, and in a popular manner, and I trust that your work may be productive of all the good you design by its publication.

Very faithfully,

GEO. ALEX. CROOKE.

OPINION OF LLOYD P. SMITH,

LIBRARIAN PHILADELPHIA LIBRARY.

LIBRARY CO. OF PHILADELPHIA, FIFTH ST. BEL. CHESTNUT,
PHILADELPHIA, Sept. 1869.

It is an open question whether books *de secretis mulierum* should be written for the general public, but there is no

doubt that when they are written, it should be done by the regular medical faculty and not by ignorant quacks. Dr. Naphey's "Physical Life of Woman" shows not only the scientific attainments of the author, but also a wide range of miscellaneous reading. The delicate subjects treated of are handled with a seriousness and earnestness becoming their importance, and the author's views are expressed in excellent English.

LLOYD P. SMITH.

OPINION OF S. W. BUTLER, M.D.,

EDITOR OF THE PHILADELPHIA "MEDICAL AND SURGICAL REPORTER."

I have carefully examined "The Physical Life of Woman," and find it a work at once thoroughly representing modern science, and eminently adapted for family instruction. It is well suited to female readers, to whom it is especially addressed both in the matter it contains and in the delicacy with which points relating to their physiological life are mentioned.

S. W. BUTLER.

EXTRACT FROM LETTER RECEIVED FROM JOHN
H. GRISCOM, M.D.

NEW YORK, Sept. 1869.

DR. NAPHEYS,—

My Dear Sir : The "Physical Life of Woman" is a very scientific and intellectually written work, and contains almost all the physiological and sanitary facts and directions needed for the preservation of the health and longevity of the maiden, wife, and mother. It must prove attractive and useful for any lady who reads it.

Your sincere friend,

JOHN H. GRISCOM.

FROM THE NATIONAL BAPTIST, PHILA., DEC.
30, 1869.

We join in the cordial welcome which this book has received. There is no other work which tells so well just what every woman,—and every considerate man also,—ought to know. Maternity is the one great function of woman, according to God's ordinance, and for this marvelous and holy mission, her physical, intellectual, and moral constitution has been designed. Dr. Napheys, in his wise "advice to maiden, wife, and mother," passes in review the cardinal facts respecting woman's physical life. The book is written in a very clear and simple style, so that no one can misunderstand it, while there is nothing to disturb or offend the most sensitive. A judicious mother would do her maturing daughters great service by first carefully reading this volume herself, and then have them read it under her guidance.

OPINION OF MRS. R. B. GLEASON M.D.

ELMIRA, N.Y., Sept. 1869.

The advanced sheets of "The Physical Life of Woman" have been read with much interest. In this book Dr. Napheys has well met a real need of the age. There are many things incident to woman's physical organization which she needs to know, and concerning which she still does not want to ask a physician, and may not have one at hand when she most desires the information. This book can be easily read and perfectly understood by those not familiar with medical terms. All matters of delicacy are treated with freedom, and still with a purity of thought and expression which is above criticism.

For many years we have been often asked for just such a book, and shall gladly commend it to the many wives and mothers who want for themselves and grown-up daughters such a book of helps and hints for home life.

MRS. R. B. GLEASON

FROM PROFESSOR JOHN S. HART, LL.D.

STATE NORMAL SCHOOL, TRENTON, N. J.

GEO. H. NAPHEYS, M.D.,—

Dear Sir : I have read with attention the advance sheets of your book, "The Physical Life of Woman;" and take pleasure in saying that you have handled a most difficult and important subject with equal delicacy and ability.

Yours truly,

JOHN S. HART.

OPINION OF MARK HOPKINS, D.D., LL.D.,

PRESIDENT OF WILLIAMS COLLEGE.

"Your book is conscientiously written, and will be likely to do good."

FROM THE N. Y. EVANGELIST, NOV. 18, 1869.

This is a plain and practical treatise prepared by a physician of skill and experience, in which he aims to furnish information to women, in their peculiar conditions and relations, married and single, so as to enable them to preserve their own health, and perform their duties to themselves and their children. The most delicate subjects are treated in language so chaste as not to offend any pure mind.

OPINION OF DR. R. SHELTON MACKENZIE.

PHILADELPHIA, Oct. 1869.

"Believing that such a work as Dr. Napheys' "Physical Life of Woman," giving a great deal of valuable information, explicitly and delicately, is likely to be of very essential importance to the fair sex, I cannot hesitate to express my favorable opinion of its object and execution."

LETTER RECEIVED FROM REV. GEO. BRING-
HURST,

RECTOR OF THE P. E. CHURCH OF THE "MESSIAH," PHILADA.

PHILADELPHIA, Sept. 1869.

DR. GEO. H. NAPHEYS,—

My Dear Sir : I have perused with considerable care and pleasure the work on the "Physical Life of Woman," and feel no hesitation in pronouncing it admirably composed, honest, succinct, refined and worthy the companionship of every lady of this age. I hail its appearance with gratitude, and look upon it as a valuable contribution to those efforts which are making in various directions to elevate the tone of morals of the nineteenth century, and to enable mothers to discharge faithfully the duties they owe their children.

Sincerely yours,

GEORGE BRINGHURST.

FROM H. N. EASTMAN, M.D.,

PROFESSOR OF PRACTICAL MEDICINE IN GENEVA MEDICAL COLLEGE.

GENEVA, Sept. 1869.

GEO. H. NAPHEYS, M.D.,—

Dear Sir : I have just completed a careful reading of your advance sheets of "The Physical Life of Woman," and I unhesitatingly pronounce it an admirable work, and one especially needed at this time.

The book is written in a chaste, elevated, and vigorous style, is replete with instructions indispensable to the welfare and happiness of woman, and should be placed in the hands of every mature maiden and matron in our land.

H. N. EASTMAN.

EDITORIAL FROM PHILADELPHIA MEDICAL
AND SURGICAL REPORTER.

It is a singular fact, that in this country, most of the

works on medical and hygienic matters have been written by irregular practitioners in order to help on its legs some ism or pathy of their own. The public is really desirous of information about the great questions of life and health. It buys whatever is offered it, and cannot tell of course the tares from the wheat. In fact, as we have said, there has been very little wheat offered it. Scientific physicians do not seem to have taken the pains in this country, as in Germany, to expand sound medical information among the people.

We therefore welcome all the more warmly a work which, under any circumstances, would command our praise, advance sheets of which are now before us. The author is Dr. George H. Napheys, of this city, well known to all the readers of the "Reporter" as a constant contributor to its pages for a number of years, a close student of therapeutics, and a pleasing writer. The title of the book is "The Physical Life of Woman; advice to the Maiden, Wife, and Mother." It is a complete manual of information for women, in their peculiar conditions and relations, married and single.

The style is simple, agreeable, and eminently proper and delicate, conspicuously so when treating of such difficult topics to handle in a popular book, yet so necessary to be handled, as the marital relations of husband and wife, the consummation of marriage, etc.

We do not doubt that this work will find as large a sale both in and out of the profession in this country, as the works of Bockh and Klencke in Germany, and of Tilt and Chavasse in England.

FROM THE NASHVILLE JOURNAL OF MEDICINE
AND SURGERY FOR NOVEMBER, 1869.

The outside of this book is more stylish and artistic than any the market has owed to the press this season. The type and paper of the inside are in keeping with the elegant exterior. The work contains much valuable matter, in a style peculiarly attractive. It is intended to treat woman as a rational being, to let her know much about herself as a

woman, that from this knowledge she may prevent and and therefore escape much of the suffering endured by her sex.

And who can do this but a physician ? This may be regarded as the first attempt of the kind in this country.

FROM THE MEDICAL RECORD, NEW YORK,
JAN 15, 1870.

Doctor Napheys, in his work on "The Physical Life of Woman," has acquitted himself with infinite credit. The subject, which for a work of its size takes a very wide range, is treated in choice, nay elegant language, and we have not noticed a single expression upon the most delicate matter, that could offend the most refined taste. There are too, a great many interesting historical facts connected with the general topic, both in an ethical and physiological point of view, which show much discrimination in their production, and a good amount of sterling scholarship. To the medical reader there are many points in the book that are worthy of attention, prominent among which are remarks bearing upon the right of limitation of offspring. We sincerely hope that for the real benefit of American women, it may meet with a hearty reception, and be productive of great good, in preventing many of those disorders now so rife in the community, which are solely the result of ignorance of the ordinary laws of female hygiene.

No one, however scrupulous, need fear to admit the work within the pale of his family circle, and place it with confidence, in the hands of his daughters.

FROM THE NEW YORK MEDICAL GAZETTE,
JAN. 8, 1870.

Though professedly written for popular instruction, this little book will not fail to instruct, as well the professional reader. We cordially recommend the perusal of Dr. Napheys' book to every woman seeking a fuller acquaintance with her physical organism.

FROM THE BOSTON MEDICAL AND SURGICAL
JOURNAL, NOV. 25, 1869.

Most valuable for the perusal of mothers, and of those fathers who may be equal to the task of advising sons liable to commit matrimony. The style—of the text—is unexceptionable. Words are not wasted, and those used are to the point. The volume is not a mere *resume* of others' opinions; but the author has made the topics of which he treats his own.

FROM THE CHICAGO MEDICAL EXAMINER OF
NOV. 19, 1869.

This work is written in a plain and pleasing style, well calculated both to please and instruct. There is nothing of the *sensational* or imaginative character in it. On the contrary, its teachings are in strict accordance with scientific facts and good sense. Though designed specially for females, yet a careful perusal would be productive of much benefit to both sexes.

FROM THE METHODIST HOME JOURNAL,
DEC. 4, 1869.

Hitherto, the subjects so honestly and so skillfully treated in this volume, have, to a very great extent, been ruled out of the realm of popular knowledge, and information of this class sought only in a clandestine manner. The people have suffered by deplorable ignorance on those topics, which should be as familiar to us as the alphabet. Dr. Napheys, by his scientific handling of the physiological points which relate to health, training, and development, has rendered a great service to the world. This, the press, and public men, have not been slow to acknowledge. This book has gained unqualified praise, and well deserves it.

FROM THE PRESBYTERIAN, OF PHILADELPHIA,
DEC. 4, 1869.

A book which treats wisely and delicately of very im-

portant subjects, and subjects which ought to be treated by competent hands, instead of being left to quacks and the vendors of nostrums. Dr. Napheys is evidently a conscientious and intelligent physician, and his counsels are such as may be put in the hands of all persons needing such counsels. We commend it for its judicious exposition of the laws of nature.

FROM THE NEW YORK CHRISTIAN UNION,
JAN. 8, 1870.

Society owes a debt of gratitude to this brave and scientific physician for the unexceptional way in which he has performed a work that has, up to the publication of this book, been a paramount need, not to be satisfied anywhere in the English language. If the volume contained only the chapter on the influence of the mother's mind upon her unborn child, we would recommend its purchase by every family in the United States.

FROM THE PHILA. EVENING TELEGRAPH,
OCT. 6, 1869.

This is a work by a physician of reputation on the hygiene of woman, designed for popular use, and introducing a variety of topics not generally discussed outside of regular scientific medical works. Dr. Napheys writes with dignity and earnestness, and there is not a chapter in his book that may not be read by persons of both sexes. Of course, such a work as this is intended for men and women of mature years, and it is not suitable to be left lying about for the gratification of idle curiosity. The author has been careful to write nothing that can possibly give offence, and he conveys much sound instruction that, if heeded by those to whom it is particularly addressed, will save much suffering.

FROM THE INDEPENDENT, NEW YORK,
NOV. 11, 1869.

It required a brave but sensitively pure man to provide

for the want which existed for some reliable medical instruction upon points which every woman and every married man ought to know, and few do. Dr. Napheys we do not know personally. But his book is at once brave and pure. It is written in such a spirit that she who really desires to learn the truths of which she cannot with justice to herself or others be ignorant, may do so without being shocked; while he who hopes to stimulate a vicious imagination by its perusal will turn from its pages disappointed away.

FROM REV. HENRY CLAY TRUMBULL.

SECRETARY OF NEW ENGLAND DEPARTMENT OF MISSIONS OF THE AMERICAN
SUNDAY SCHOOL UNION.

HARTFORD, Ct., Oct. 1869.

GEO. H. NAPHEYS, M. D.—

My Dear Sir: Understanding, from my long acquaintance with you, your thoroughness of mental culture, your delicacy of sentiment, and your sound good sense, I was prepared to approve heartily the tone and style of your new work—"The Physical Life of Woman"—when its advance sheets were first placed in my hands.

A close examination of it convinces me that it is a book which can be read by every woman to her instruction and advantage. Its manner is unexceptionable. Its style is remarkably simple. Its substance evidences your professional knowledge and your extensive study. I believe it needs only to be brought to notice to commend itself widely. I think you have done an excellent work in its preparation.

Sincerely your friend,

H. CLAY TRUMBULL.

Handwritten text, possibly a signature or date, is visible in the lower-left quadrant of the page.

I

MR

THE
PHYSICAL LIFE OF WOMAN:

Advice to the
MAIDEN, WIFE, AND MOTHER.

BY
GEO. H. NAPHEYS, A.M., M.D.

MEMBER OF PHILADELPHIA COUNTY MEDICAL SOCIETY; CORRESPONDING MEMBER OF THE
GYNECOLOGICAL SOCIETY OF BOSTON; AUTHOR OF "COMPRIDIUM
OF MODERN THERAPEUTICS," ETC., ETC.

"Je veux qu'une femme ait des clartés de tout.
MOLIERE.

TORONTO:
MACLEAR & COMPANY,
1871.

LC

HUNTER, ROSE & CO.,
PRINTERS, BOOKBINDERS, ELECTROTYPERS, ETC.

I
ator
feels
ject
dom
T
have
ogy
prop
univ
the i
expre
ferred
cian
guage
not in
He
in the
clusiv
medic
justic
neous
is of

PREFACE.

It seems well to offer, at the outset, a few words explanatory of the nature and object of this book. The author feels that its aim is novel, is daring, and will perhaps subject him to criticism. He therefore makes his plea, *pro domo sua*, in advance.

The researches of scientific men within the last few years have brought to light very many facts relating to the physiology of woman, the diseases to which she is subject, and the proper means to prevent those diseases. Such information, if universally possessed, cannot but result in great benefit to the individual and the commonwealth. The difficulty is to express one's self clearly and popularly on topics never referred to in ordinary social intercourse. But as the physician is obliged daily to speak in plain yet decorous language of such matters, the author felt that the difficulty was not insurmountable.

He is aware that a respectable though diminishing class in the community maintain that nothing which relates exclusively to either sex should become the subject of popular medical instruction. With every inclination to do this class justice, he feels sure that such an opinion is radically erroneous. Ignorance is no more the mother of purity than she is of religion. The men and women who study and prac-

tice medicine are not the worse, but the better, for their knowledge of such matters. So it would be with the community. Had every person a sound understanding of the relations of the sexes, one of the most fertile sources of crime would be removed.

A brief appendix has been added, directed more especially to the professional reader, who may desire to consult some of the original authorities upon whom the author has drawn. And here he would ask from his fellow-members of the medical profession their countenance and assistance in his attempt to distribute sound information of this character among the people. None but physicians can know what sad consequences are constantly occurring from the want of it.

This book but follows the precedent set by Dr. Bockh, Professor of Pathology in Leipsic; Ernest Legouvé, of the French Academy; Dr. Edward John Tilt, M.R.C.P., Lond.; Dr. Henry Pye Chavasse, F.R.C.S., Eng.; and others who stand in the front rank of the profession abroad.

In concluding, the author desires to express his thanks and acknowledge his obligations to a medical friend, whose name is well known in the literature of the profession as that of one alike distinguished for his general culture and scientific attainments. It is to his very material assistance in the preparation of the manuscript, and in the passage of the book through the press, that any merit which this work may possess is in a great measure owing.

PHILADELPHIA, 1869.

for their
the com-
ng of the
sources of

e especial-
o consult
uthor has
-members
assistance
this char-
an know
from the

r. Bockh,
ré, of the
P., Lond.;
hers who

s thanks
d, whose
ession as
ture and
assistance
assage of
his work

PREFACE

TO THE SECOND EDITION.

THE issue of a second edition of this work within two weeks after the publication of the first, is an evidence of its popularity, which is as gratifying to, as it was unexpected by, the author.

PHILADELPHIA, OCT., 1869.

PREFACE TO THE FIFTH EDITION.

THAT the FIFTH EDITION and the TENTH THOUSAND of this work should be called for within three months from its first appearance, can astonish no one so much as it does the author.

But the gratification which this unexpected success naturally gives, is less than the pleasure he feels in the kindly reception the book has met from the religious, the medical, and the general press, and from the hundreds of letters from private individuals, assuring him that his instructions have proved of real value to them in daily life. It is his hope that the additions and corrections which he has made in this edition will add to its usefulness and insure it a still wider popularity.

THE AUTHOR.

No. 155 NORTH NINTH STREET,
PHILADELPHIA, Dec., 1869.

IN b
able
can r
expe
right
GELIS
so ch
autho
thing
Th
of C
lately
Rev.
old a
&c. &
Th
Unit
all te
Th
know
a few

PREFACE

TO

THE CANADIAN EDITION.

IN bringing out a Canadian Edition of Dr. Naphey's invaluable Work, little need be said by way of Preface. No one can read the book without profiting by it; and no one need expect to find in its pages a single word to offend any mind rightly constituted. In the words of the New York EVANGELIST, "the most delicate subjects are treated in language so chaste as not to offend any pure mind;" and the highest authority we acknowledge declares, that "to the pure all things are pure."

The work covers the whole ground embraced in the Table of Contents: And on the great engrossing subject which lately called forth such emphatic deliverances by the Right Rev. BISHOP COXE, Right Rev. PRIMATE SPAULDING, the old and new school PRESBYTERIAN GENERAL ASSEMBLIES, &c. &c., it utters no uncertain sound.

The facts, references, &c., are mainly applied to the United States, where the book was first published, but they all tell with equal force in our own country.

That the Work is highly appreciated where it is best known, a sale approaching one hundred thousand copies in a few months amply proves.

INTRO
I
s
v

THE
V
r
o
-

LOVE
I
s
r
-
b
S
b
is
l
t

THE
T
s
-
in
w
fr
d
a
c
-
ta
V
g

CONTENTS.

	PAGE
INTRODUCTORY.....	25
Knowledge is safety—The distinction of the sexes—Persons of both sexes and of neither sex—The sphere of woman.	
THE MAIDEN. PUBERTY.....	30
What is the age of puberty?—What hastens and what retards puberty?—The change it works—The dangers of puberty—Green sickness—Hysterics—Secret bad habits—The hygiene of puberty—The age of nubility.	
LOVE.....	46
Its power on humanity—What is love?—Love a necessity—Love is eternal—What of flirtation?—Second marriages—Of divorce—Of a plurality of wives or husbands—Courtship—Love at first sight—How to choose a husband—Shall cousins marry?—The mixture of races—Shall Americans marry foreigners?—The age of a husband—His temperament—His character—The symbolism of the human body—The engagement—Concerning long engagements—The right time of the year and month to marry—The wedding tour.	
THE WIFE.....	74
The wedding night—Shall husband and wife occupy the same room and bed?—What kind of bed is most healthful?—The dignity and propriety of the sexual instinct—The indulgence and the restraint of sexual desire—Times when marital relations should be suspended or are painful—Sterility—Advice to wives who desire to have children—On the limitation of offspring—The crime of abortion—Nature of conception—The signs of fruitful conjunction—How to retain the affections of a husband—Inheritance—How to have beautiful children—Inheritance of talent and genius—Transmission of disease—Why are women redundant?—How to have boys or girls—Twin-bearing—More than two at a birth.	

	PAGE.
PREGNANCY	130
Signs of pregnancy—Miscarriage—Mothers' marks— Education of the child in the womb—Double preg- nancies—Is it a son or daughter?—How to foretell twins —Length of pregnancy—How to calculate the time of the confinement—Care of health during pregnancy—Food —Clothing—Exercise—Bathing—Ventilation—Sleep— Relation of husband and wife during pregnancy—Dis- eases of pregnancy.	
CONFINEMENT	167
Preparations for confinement—Signs of approaching labor —Symptoms of labor—The confinement—Hints to atten- dants—Attention to the mother—Attention to the child —To have labor without pain—Mortality of child-bed— Weight and length of new-born children—Duration of labor—Still-births—Imprudence after childbirth—How to preserve the form after child-birth.	
THE MOTHER	185
Nursing—When the mother should not nurse—Rules for nursing.—Influence of diet on the milk—Of preg- nancy on the milk—Of the mother's mind on the child —Quantity of milk required by the infant—Over- abundance of milk—Scantiness of milk—Wet-nursing by virgins, aged women, and men—Care of health while nursing—Relations of husband and wife during nursing— Signs of over-nursing—Directions for mothers who cannot nurse their own children—How to select a wet-nur- —Bringing up by hand—Weaning—The care of infancy— Is the race degenerating?—The perils of maternity.	
THE SINGLE LIFE	250
THE CHANGE OF LIFE	252
Its dangers, diseases, and hygiene.	
NOTES	261
INDEX	271

P

“ I
maxi
is saf
amid
Fil
Reve
whic
study
taine
It
absor
The s
nowh
this n
of tra
grapp
guide
one h
such a
destin
are pe
Esp
natur
merri
ignor
which

THE

PHYSICAL LIFE OF WOMAN.

KNOWLEDGE IS SAFETY.

185 "KNOWLEDGE is power," said the philosopher. The maxim is true ; but here is a greater truth : " Knowledge is safety,"—safety amid the physical ills that beset us, safety amid the moral pitfalls that environ us.

Filled with this thought, we write this book. It is the Revelation of Science to Woman, It tells her, in language which aims at nothing but simplicity, the results which the study of her nature, as distinct from that of man, has attained. We may call it her physical biography.

250 It is high time that such a book were written. The most absorbing question of the day is the " woman question." The social problems of chiefest interest concern her. And nowhere are those problems more zealously studied than in this new land of ours, which has thrown aside the trammels of tradition, and is training its free muscles with intent to grapple the untried possibilities of social life. Who can guide us in these experiments ? What master, speaking as one having authority, can advise us ? There is such a guide, such a master. The laws of woman's physical life shape her destiny and reveal her future. Within these laws all things are possible ; beyond them, nothing is of avail.

252
261
271 Especially should woman herself understand her own nature. How many women are there, with health, beauty, merriment, ay, morality too, all gone, lost forever, through ignorance of themselves ? What spurious delicacy is this which would hide from woman that which beyond all else it

behooves her to know? We repudiate it, and in plain but decorous language—truth is always decorous—we purpose to divulge those secrets hidden hitherto under the technical jargon of science.

THE DISTINCTION OF THE SEXES.

The distinction of the sexes belongs neither to the highest nor to the lowest forms of existence. Animals and vegetables of the humblest character have no sex. So it is with spirits. Revelation implies that beyond this life sexual characteristics cease. On one occasion the Sadducees put this question to Christ: There was a woman who lawfully had seven husbands, one after the other; now, at the resurrection, which of these shall be her husband? or shall they all have her to wife? He replied that hereafter there shall be neither marrying nor giving in marriage, but that all shall be "as the angels which are in heaven." Sexuality implies reproduction, and that is something we do not associate with spiritual life.

It further implies imperfection, which is equally far from our hopes of happiness beyond the grave. The polyp, which reproduces by a division of itself, is in one sense more complete than we are. The man is in some respects inferior to the woman; the woman in others is subordinate to man. A happy marriage, a perfect union, they twain one flesh, is the type of the independent, completed being. Without the other, either is defective. "Marriage," said Napoleon, "is strictly indispensable to happiness."

There is in fact a less difference between the sexes than is generally believed. They are but slight variations from one original plan. Anatomists maintain, with plausible arguments, that there is no part or organ in the one sex but has an analogous part or organ in the other, similar in structure, similar in position. Just as the right side resembles the left, so does man resemble woman.

Let us see what differences there really are:

The frame of woman is shorter and slighter. In the United States the men average five feet eight inches in height and one hundred and forty-five pounds in weight; the women five feet two and a half inches in height and one

hun
shou
and
is in
port
one-
cern
shou
her
by t
reas
accu
awke
H
smo
bute
She
of h
pow
of n
prot

N
It is
doub
has
They
livin
Hoh
Cath
of a
that
in h
loved
Ame
brok
affec
mak
passi

hundred and twenty-five pounds in weight. Man has broad shoulders and narrow hips ; woman has narrow shoulders and broad hips. Her skull is formed of thinner bones, and is in shape more like that of a child. Its capacity, in proportion to her height, is a very little less than in man : about one-fiftieth, it is said, which, so far as brain-power is concerned, may readily be made up by its finer texture. Her shoulders are set farther back than in the other sex, giving her greater breadth of chest in front. This is brought about by the increased length of her collar bone, and this is the reason why she can never throw a ball or stone with the accuracy of a man. Graceful in other exercises, here she is awkward.

Her contour is more rounded, her neck is longer, her skin smoother, her voice softer, her hair less generally distributed over the body, but stronger in growth than in man. She breathes with the muscles of her chest—he with those of his abdomen. He has greater muscular force—she more power of endurance. Beyond all else she has the attributes of maternity,—she is provided with organs to nourish and protect the child before and after birth.

PERSONS OF BOTH SEXES AND OF NEITHER SEX.

Nature is very sedulous in maintaining these differences. It is the rarest thing in the world to find a human being of doubtful sex. Many a physician disbelieves that there ever has been a person of both sexes—a true hermaphrodite. They are very scarce, but they do exist. There is one now living in Germany. It bears a female name, Catherine Hohmann. She was baptized and brought up a female ; but Catherine is as much man as woman. The learned professor of anatomy, Rokitansky, of Vienna, asserts most positively that this is a real hermaphrodite. Her history is sad. Born in humble circumstances, when of marriageable age she loved a man, who wished her to emigrate with him to America. But when she disclosed to him her deformity, he broke off the engagement and deserted her. Then her affections became fixed on a young girl ; but how could she make her suit to one apparently of her own sex? With passions that prompt her to seek both sexes, she belongs to

neither. "What shall I do here on earth?" she exclaimed, in tears, to a man of science who recently visited her. "What am I? In my life an object of scientific experiment, and after my death an anatomical curiosity."

There are also persons—very few indeed—who have no sex at all. They are without organs and without passions. Such creatures seem to have been formed merely to show us that this much-talked-of difference of sex is, after all, nothing inherent in the constitution of things, and that individuals may be born, live, and thrive, of both sexes or of neither.

THE SPHERE OF WOMAN.

Our province lies within the physical sphere of woman. But we will here allow ourselves a momentary digression. It will be seen that while these differences are not radical, yet they are peculiarly permanent. They hint to us the mental and intellectual character of woman. What opinion should we hold on this much-vexed question?

To this effect: The mental faculties of man and woman are unlike, but not unequal. Any argument to the contrary, drawn from the somewhat less weight of the brain of woman, is met by the fact that the most able men are often undersized, with small heads. The subordinate place which woman occupies in most states arises partly from the fact that the part she plays in re-production prevents her from devoting her whole time and energies to the acquisition of power, and partly from the fact that those faculties in which she is superior to man have been obscured and oppressed by the animal vigor and selfishness of the male. As civilization advances, the natural rights of woman will be more and more freely conceded, until the sexes become absolutely equal before the law; and finally, her superiority in many respects will be granted, and she will reap the benefits of all the advantages it brings, without desiring to encroach on those avocations for which masculine energy and strength are imperatively needed.

The most peculiar features of woman's life are hers for a limited period only. Man is man for a longer time than woman is woman. With him it is a lifetime matter; with her it is but for a score of years or so. Her child-bearing

peri
thro
her
A
then
and
life
dem
L
ceed

period is less than half her life. Within this time, she passes through all the phases of that experience which is peculiarly her own.

And these phases, what are they? Nature herself defines them. They are three in number,—the Maiden, the Wife, and the Mother. In one and then another of this triad, her life passes. Each has its own duties and dangers; each demands its own precautions; each must be studied by itself.

Let us at once commence this important study, and proceed in the order of time.

THE MAIDEN.

PUBERTY.

At a certain period in the life of the female, she ceases to be a girl, and becomes a *woman*. Hitherto she has felt no distinction between herself and the boys, her playmates. But now a crisis takes place, which is forever after to hedge her round with a mysterious, invisible, but most real barrier from all *mankind*.

This period is called *the age of puberty*; its sign is a flow of blood recurring every month; its meaning, that the female has entered upon that portion of her life whose peculiar obligations are to the whole race—no longer to herself alone. The second part of her two-fold nature is opened. Why is it that on her, the weaker sex, this extra burden is laid? Why this weakness, these pains, this recurring loss of vital fluid?

Perhaps it is a wise provision that she is thus reminded of her lowly duty, lest man should make her the sole object of his worship, or lest the pride of beauty should obscure the sense of shame. But this question concerns rather the moralist than the physician, and we cease asking *why* it is, and shall only inquire *what* it is.

To this, science returns a clear reply. In the anatomy of woman there are two small bodies, in shape and size like large almonds, called the ovaries. They lie one on each side of the womb, and are connected with it by tubes some four inches in length. These bodies are solid, but contain a great number of diminutive vesicles, which, by some mysterious law of nature, mature one at a time, every thirty days, for thirty years of woman's life. When mature, the vesicle separates from the ovary, traverses the tube into the womb,

and is thence expelled and lost, or becomes, by contact with the other sex, the germ of a living being. This process is accompanied by a disturbance of the whole system. Wandering pains are felt; a sense of languor steals over the mind; the blood rushes with increased violence through the vessels, and more or less of it escapes from the veins, causing that change which we term *menstruation*.

The ancients had a tradition that in the beginning of things the world was made from an egg; the naturalists of past generations had this maxim: Everything living comes from an egg; and science to-day says the same. For this vesicle we have mentioned is in fact an *egg*, similar in structure to those which birds, fish, and turtles deposit. The only differences are that the one is developed out of the body, the other within; the one has a shell, the other has none.

Therefore physiologists give this definition: menstruation is ovulation,—it is the laying of an egg.

WHAT IS THE AGE OF PUBERTY?

This has been a matter of careful study by physicians. They have collected great numbers of observations, and have reached this conclusion: In the middle portion of the temperate zone, the average age when the first period appears in healthy girls is fourteen years and six months. If it occurs more than six months later or earlier than this, then it is likely something is wrong, or, at least, the case is exceptional.

Exceptional cases, where this average is widely departed from in apparently perfect health, are rare. But they do occur. We have known instances where the solicitude of parents has been excited by the long delay of this constitutional change, and others in which it has taken place at an almost tender age, without causing any perceptible injury to the general health.

There is an instance recorded, on good authority, where a French child but three years old underwent all the physical changes incident to puberty, and grew to be a healthy woman. But what children can surpass our own in precocity? This French child-woman is quite left in the shade by one described in a recent number of a western medical journal, who *from*

her birth had regular monthly changes, and the full physical development which marks the perfect woman !

Thus, sometimes, a wide deviation from the average age we have stated occurs, without having any serious meaning. Yet at no time is such a deviation to be neglected. In nine out of ten instances it is owing to some fault in the constitution, the health, or formation, which should be ascertained and corrected. Otherwise years of broken health and mental misery may be the sad results. Mothers, teachers, it is with you this responsibility rests. The thousands of wretched wives who owe their wretchedness to a neglect of proper attention at this turning point of their lives, warn you how serious is this responsibility.

The foundation of old age, says a distinguished author, is laid in childhood ; but the health of middle life depends upon puberty. Never was there a truer maxim. The two years which change the girl to the woman, often seal for ever the happiness or the hopeless misery of her whole life. They decide whether she is to become a healthy, helpful, cheerful wife and mother, or a languid, complaining invalid, to whom marriage is a curse, children an affliction, and life itself a burden.

We reiterate our warning : Mothers, teachers, you to whom children are confided at this crisis of their lives, look well to it that you appreciate, understand, and observe the duties you have assumed. Let no false modesty prevent you from learning and enforcing those precautions, so necessary at this period of life.

WHAT HASTENS AND WHAT RETARDS PUBERTY ?

As a rule, we find that those who develop early, fade early. A short childhood portends a premature old age. It often foreshadows, also, a feeble middle life.

Having ascertained, therefore, what is the average age at which puberty takes place with us, let us see what conditions anticipate or retard this age.

The most important is *climate*.

In hot climates, man, like the vegetation, has a surprising rapidity of growth. Marriages are usual at twelve and fourteen years of age. Puberty comes to both sexes as early as

at ten
home
years
bloom
faded
has
plucked

Ver
far no
of his
passio
the su
leave
to the
they a
for thi
old ag

Betw
second
place
the mi
and si
deviat

Firs
from o
the con

The
noticed
examp
So are
guess t
in thei
periods
torrid

Nor
observ
sisters
slower
haired

at ten and eleven years. We even read in the life of Mahomet, that one of his wives bore him a son, when but ten years of age. Let another dozen years pass, and these blooming maidens have been metamorphosed into wrinkled, faded old women. The beauty of their precocious youth has withered almost literally like a flower which is plucked.

Very different is it in the cold and barren regions of the far north. There man, once more partaking of the nature of his surroundings, yields as slowly to the impulses of his passions as does the ice-bound earth to the slanting rays of the summer sun. Maturity, so quick to come, so swift to leave in the torrid heats, chilled by the long winters, arrives at the girls of Lapland, Norway, and Siberia, only when they are eighteen and nineteen years of age. But, in return for this, they retain their vigor and good looks to a green old age.

Between these extremes, including as they do the whole second decade of existence, this important change takes place normally in different latitudes. We have said that in the middle temperate zone the proper age is fourteen years and six months. Let us now see what conditions lead to deviations from this age in our climate.

First on the list is that sacred fire handed down to us from our ancestors, which we call, in our material language, the *constitution*.

The females of certain races, certain families, it is often noticed, mature earlier than their neighbors. Jewesses, for example, are always precocious, earlier by one or two years. So are colored girls, and those of creole lineage. We can guess the reasons here. No doubt these children still retain in their blood the tropic fire which, at comparatively recent periods, their forefathers felt under the vertical rays of the torrid zone.

Nor is this all. It is well ascertained, from numerous observations, that brunettes develop sooner than their blonde sisters; that those who will grow to be large women are slower than those whose stature will be small; that the dark-haired and black-eyed are more precocious in this respect

than the light-haired and blue-eyed ; that the fat, sluggish girl is more tardy than the slender, active one ; that, in general, what is known as the nervo-bilious temperament is ever ahead of that called the lymphatic or phlegmatic.

It is a familiar fact, that it is not a good sign to see this change before the usual average time. It betokens a weakly, excitable, diminutive frame. Hard labor, vigorous, regular muscular exertion, prime health, in other words, never tend to anticipate this epoch, but rather to retard it.

With this warning fresh in our ears, let us now rehearse what causes constantly incline unduly to hasten puberty, and thus to forestall Nature in her plans for health and beauty. They are of two kinds, physical and mental.

Idleness of body, highly-seasoned food, stimulant beverages, such as beer, wine, liquors, and, in a less degree, coffee and tea, irregular habits of sleep,—these are the physical causes of premature development. But the mental causes are still more potent.

Whatever *stimulates the emotions* leads to an unnaturally early sexual life. Late hours, children's parties, sensational novels, "flashy" papers, love stories, the drama, the ball-room, talk of beaux, love, and marriage,—that atmosphere of riper years which is so often and so injudiciously thrown around childhood in the United States,—all hasten the event which transforms the girl into the woman. A particular emphasis has been laid by some physicians on the power of music to awaken the dormant susceptibilities to passion, and on this account its too general or earnest cultivation by children has been objected to. Educators would do well to bear this caution in mind.

How powerfully these causes work is evident when we compare the average age of puberty in large cities and in country districts. The females in the former, mature from six to eight months sooner than those in the latter. This is unquestionably owing to their mode of life, physically indolent, mentally over-stimulated. The result, too, is seen with painful plainness in comparing the sturdy, well preserved farm-wife of thirty with the languid, pale, faded city lady of the same age.

Tw
fourte
Wond
has to
of bea
Let
The
fat in
round
cordir
observ
exten
additi
Par
ered v
acquir
shades
signifi
observ
within
Th
ing, s
melod
ever
physi
than
Wate
chara
Be
indic
The
new
syste
have
does
does
arou

THE CHANGES IT WORKS.

Two short years change the awkward and angular girl of fourteen into the trim and graceful maiden of sweet sixteen. Wonderful metamorphosis! The magic wand of the fairy has touched her, and she comes forth a new being, a vision of beauty to bewitch the world.

Let us analyze this change.

The earliest sign of approaching puberty is a deposit of fat in the loose cellular tissue under the skin. This gives roundness to the form, and grace to the movements. According to a distinguished naturalist (Buffon), it is first observable by a slight swelling of the groins. Thence it extends over the whole body. The breasts especially receive additions, and develop to form the perfect bust.

Parts of the body previously free from hair become covered with a soft growth, and that which covers the head acquires more vigor and gloss, usually becoming one or two shades darker. The eyes brighten, and acquire unwonted significance. These windows of the soul betray to the close observer the novel emotions which are arising in the mind within.

The voice, too, shares in the transformation. The piping, slender articulation of the child gives way to the rich, melodious, soft voice of woman, the sweetest music man ever hears. To the student of humanity, to the observant physician, nothing is more symbolical of the whole nature than the voice. Would you witness a proof of its power? Watch how a person born blind unerringly discriminates the character of those he meets by this alone.

Beyond all external modifications, we find others, which indicate how profound is the alteration now taking place. The internal organs of the body assume new functions and new powers. The taste for food changes, hinting that the system has demands hitherto unknown. Those organs we have adverted to, called the ovaries, increase in size, as also does the uterus. The very frame-work of the structure does not escape. The bones increase in weight, and those around the hips expand, and give the female her distinctive

form, upon the perfection of which her life and that of her children depend.

MENTAL CHANGES.

Such are the changes which strike the eye. But there are others which are not less significant, and which demand far more urgently our watchful heed. New thoughts, strange desires, are invading the soul. A novel relation is assumed to the world. It is vague, misunderstood, but disturbing all the same.

The once light-hearted girl inclines to reveries ; she seeks solitude ; her mother surprises her in causeless tears ; her teacher discovers an unwonted inattention to her studies, a less retentive memory, a disinclination to mental labor ; her father misses her accustomed playfulness : he, perhaps, is annoyed by her listlessness, and inertia. What does it all mean ? What is the matter with the girl ?

Mother, teacher, father, it is for you to know the answers to these questions. You have guarded this girl through years of helpless infancy and thoughtless childhood. At the peril of her life, and of what is of more value than life, do not now relax your vigilance. Every day the reaper Death reaps with his keen sickle the flower of our land. The mothers weep, indeed, but little do they realize that it is because they have neglected to cherish them, as was their duty, that the Lord of Paradise has taken them back to himself.

THE COMPLETION OF PUBERTY.

The symptoms increase until at length the system has acquired the necessary strength, and furnished itself with reserve forces enough to complete its transformation. Then the monthly flow commences.

In thoroughly healthy girls it continues to recur at regular intervals, from twenty-five to thirty days apart. This is true of about three out of four. In others, a long interval, sometimes six months, occurs between the first and second sickness. If the general health is not *in the least* impaired, this need cause no anxiety. Irregularities are found in the

first
But
ment
gent
It
sickn
the r
that
while
to se
phase
none.
We
were
thirty
such
of cor
impor
the fa
more
labou
interv
An
time t
ber o
betwe
a fra
to six
widel
In
is a
all.
again
labor
of lu
worc
thos
but
her
war

first year or two, which often right themselves afterwards. But whenever they are associated with the *slightest* signs of mental or bodily disorder, they demand instant and intelligent attention.

It used to be supposed that the periods of the monthly sickness were in some way connected with the phases of the moon. So general is this belief even yet in France, that a learned academician not long since thought it worth while carefully to compare over four thousand observations, to see whether they did bear any relations to the lunar phases. It is hardly worth while to add that he found none.

We have known perfectly healthy young women who were ill every sixteen days, and others in whom a period of thirty-five or thirty-six days would elapse. The reasons of such differences are not clear. Some inherited peculiarity of constitution is doubtless at work. Climate is of primary importance. Travellers in Lapland, and other countries in the far north, say that the women there are not regulated more frequently than three or four times a year. Hard labour and phlegmatic temperament usually prolong the interval between the periodical illnesses.

An equal diversity prevails in reference to the *length of time* the discharge continues. The average of a large number of cases observed in healthy women in this country, between the ages of fifteen and thirty-five, is four days and a fraction. In a more general way, we may say from two to six days is the proper duration. Should it diverge widely from this, then it is likely some mischief is at work.

In relation to the *amount* of the discharge, every woman is a law unto herself. Usually, it is four or five ounces in all. Habits of life are apt to modify it materially. Here, again, those exposed to prolonged cold and inured to severe labor escape more easily than their sisters petted in the lap of luxury. Delicate, feeble, nervous women, those, in other words, who can least afford the loss of blood, are precisely those who lose the most. Nature, who is no tender mother, but a stern step-mother, thus punishes them for disregarding her laws. Soft couches, indolent ease, highly spiced food, warm rooms, weak muscles,—these are the infractions of

her rules which she revenges with vigorous, ay, merciless severity.

It is well known, too, that excitement of the emotions, whether of anger, joy, grief, hatred, or love, increases the discharge. Even the vulgar are aware of this, and, misinterpreting it as half knowledge always does, suppose it a sign of stronger animal passions. It bears no such meaning. But the fact reads us a lesson how important it is to cultivate a placid mind, free from strong desire or fear, and to hold all our emotions in the firm leash of reason.

Physicians attach great importance to the *character* of the discharge. It should be thin, watery, dark colored, and never clot. If it clots, it is an indication that something is wrong.

THE DANGERS OF PUBERTY.

We have shown that there are constantly individual deviations, quite consistent with health, from any given standard. They only become significant of disease when they depart decidedly from the average, either in the frequency of the illness, its duration, the amount of the discharge, or the character. More or less pain, more or less prostration, and general disturbance at these epochs, are universal and inevitable. They are part of the sentence which at the outset He pronounced upon the woman, when He said unto her: "I will greatly multiply thy sorrow and thy conception." Yet with merciful kindness He has provided means by which the pain may be greatly lessened, and the sorrow avoided; and that we may learn and observe these means, their neglect often increases a hundred-fold the natural suffering.

At this critical period, the seeds of hereditary and constitutional diseases manifest themselves. They draw fresh malignancy from the new activity of the system. The first symptoms of tubercular consumption, of scrofula, of obstinate and disfiguring skin diseases, of hereditary insanity, of congenital epilepsy, of a hundred terrible maladies, which from birth have lurked in the child, biding the opportunity of attack, suddenly spring from their lairs, and hurry her to the grave or the madhouse. If we ask why so many fair girls of eighteen or twenty are followed by weeping friends

to an
had t

symp
pract
foes
little
mom
phys
led, c

Th
insid
shall
how
to th

If

ing, a
comp
if, in
and t
alway
if she
one s
Thes
whic

No
joint
cural
they

A
thor
dise

W
hap
mot
mea
sym

to an early tomb, the answer is chiefly from diseases which had their origin at the period of puberty.

It is impossible for us to rehearse here all the minute symptoms, each almost trifling in itself, which warn the practised physician of the approach of one of these fearful foes in time to allow him to make a defence. We can do little more than iterate the warning, that whenever at this momentous epoch, any disquieting change appears, be it physical or mental, let not a day be lost in surmising *skilled, competent* medical advice.

There is, however, a train of symptoms so frequent, so insidious, fruitful with agony of mind and body, that we shall mention them particularly. They illustrate, at once, how all-important is close observation, and how significant to the wise physician are trifles seemingly light as air.

If you notice a girl of fourteen or sixteen, who, in walking, always gives one arm in preference to the other to her companion ; if, in sleeping, she mostly lies on the same side ; if, in sitting, she is apt to prefer a chair with a low back, and throws one arm over its back ; if you perceive that she always sits with one foot a little in advance of the other ; if she, on inquiry, confesses to slight, wandering pains in one side of her chest, do not chide her for awkwardness. These are ominous portents. They mean *spinal disease*, than which a more fearful malady is hardly known to medicine.

Not less stealthy is the approach of disease of the hip joint, of white swelling of the knee, of consumption, all curable if taken at the very first, all well-nigh hopeless when they have once unmasked their real features.

Apart from these general dangers, to which those of thoroughly sound constitutions are not exposed, there are disorders called functional, to which all are subject.

GREEN SICKNESS.

When we speak of the "green sickness," we mention perhaps the most common of all, and one of which every mother has heard. Doctors call it *chlorosis* which, also, means *greenness* ; for one of its most common and peculiar symptoms is a pale complexion with a greenish tinge.

It never occurs except at or near the age of puberty, and was long supposed to be merely an impoverishment of the blood. Now, however, we have learned that it is a disease of the nervous system, and one very often confounded by physicians with other complaints.

Its attack is insidious. A distaste for exertion and society, a fitful appetite, low spirits—these are all the symptoms noticed at first. Then, one by one, come palpitation of the heart, an unhealthy complexion, irregularity, dyspepsia, depraved tastes,—such as a desire to eat slate-pencil dust, chalk or clay—vague pains in body and limbs, a bad temper; until the girl, after several months, is a peevish, wretched, troublesome invalid.

Then if a physician is called in, and gives her iron, and tells her nothing is the matter, or is himself alarmed, and imagines she has heart-disease or consumption, it is a chance if she does not rapidly sink, out of mere fright, and over-much dosing, into some fatal complaint. Let it be well understood that chlorosis, though often obstinate and obscure, is always curable if properly and promptly treated. The remedies must be addressed to the nervous system, and can be administered with intelligence only by a competent medical adviser. It can be prevented by a hygienic mode of life, and as its most common causes are anxiety, home-sickness, want of exercise, or over-work at school, nothing is so salutary in its early stages as a change of air and scene, cheerful company, a tour to the mountains or some watering place, and regular exercise.

Many young women suffer considerable pain during their monthly illness. This may arise from many different causes, such as congestion, inflammation, malformation, or a wrong position of the parts, or over-sensitive nerves. They can only be successfully treated when the cause is known; and they must rest assured that this suffering, in nearly every case, can be removed.

Sometimes a girl grows to the age of eighteen or twenty without having her periodical changes. We have already said that this is not unusual in some climates, and in some families; so, as long as the general health is good, and the spirits cheerful,—always an important point—it need cause

no a
if th
disc
be o

T
age
circ
and
more
tor a
plain
disea
frigh
were
the
atten
T
girls
hyst
at h
The
who
num
heat
told
ized

V
glac
dut
dis
gir
pas
not
vic
hov

no anxiety. But if the health grows poor, and, especially if there are pains and weakness recurring monthly without discharge, then something is wrong, and the doctor should be consulted.

HYSTERICIS.

There is a disease of the nerves to which girls about the age of puberty are very subject, particularly in the higher circles of society, where their emotions are over-educated and their organization delicate. It is called hysteria, and more commonly *hysterics*. Frequently it deceives both doctor and friends, and is supposed to be some dangerous complaint. Often it puts on the symptoms of epilepsy, or heart disease, or consumption. We have witnessed the most frightful convulsions in girls of fourteen or fifteen, which were brought on by this complaint. Sometimes it injures the mind, and it should always receive prompt and efficient attention, as it is always curable.

This disease is apt to produce a similar affection in other girls of the same age who see the attacks. For this reason, hysterical girls should not be sent to large schools, but cured at home. Often a strong mental impression restores them. The anecdote is told of a celebrated surgeon (Boerhave), who was called to a female seminary where there was a number of hysterical girls. He summoned them together, heated a number of iron instruments before their eyes, and told them that the first one who had a fit should be cauterized down the spine. They all recovered immediately.

SECRET BAD HABITS.

We now approach a part of our subject which we would gladly omit, did not constant experience admonish us of our duty to speak of it in no uncertain tone. We refer to the disastrous consequences on soul and body to which young girls expose themselves by exciting and indulging morbid passions. Years ago, Miss Catharine E. Beecher sounded a note of warning to the mothers of America on this secret vice, which leads their daughters to the grave, the mad-house, or, worse yet, the brothel.

Gladly would we believe that her timely admonition had done away with the necessity for its repetition. But though we believe such a habit is more rare than many physicians suppose, it certainly exists to a degree that demands attention. Surgeons have recently been forced to devise painful operations to hinder young girls from thus ruining themselves; and we must confess that, in its worst form, it is absolutely incurable.

The results of the constant nervous excitement which this habit produces are bodily weakness, loss of memory, low spirits, distressing nervousness, a capricious appetite, dislike of company and of study, and, finally, paralysis, imbecility, or insanity. Let it not be supposed that there are many who suffer thus severely; but, on the other hand, let it be clearly understood that any indulgence whatever in these evil courses is attended with bad effects, especially because they create impure desires and thoughts, which will prepare the girl to be a willing victim to the arts of profligacy. There is no more solemn duty resting on those who have the charge of young females than to protect them against this vice.

But, it is exclaimed, is it not dangerous to tell them any thing about it? Such a course is unnecessary. Teach them that any handling of the parts, any indecent language, any impure thought, is degrading and hurtful. See that the servants, nurses, and companions with whom they associate are not debased; and recommend scrupulous cleanliness.

If the habit is discovered, do not scold nor whip the child. It is *often* a result of disease, and induced by a disagreeable local itching. Sometimes this is connected with a disorder of the womb, and very frequently with worms in the bowels. Let the case be submitted to a judicious, skilful medical adviser, and the girl will yet be saved. But do not shut your eyes, and refuse to see this fact when it exists. Mothers are too often unwilling to entertain for a moment the thought that their daughters are addicted to such a vice, when it is only too plain to the physician.

THE HYGIENE OF PUBERTY.

Concerning the maladies of puberty, we may broadly say, that if we are obliged to have recourse to medicine, it is be-

cause we have neglected hygiene. That the period requires assiduous care, we grant ; but given that care, drugs will be needless.

In a general way, we have already emphasized the danger of indolence and the benefits of exercise or labour ; the perils of exciting the emotions and the advantages of a placid disposition ; the impropriety of premature development and the wisdom of simplicity and moderation. This is an old story—a thrice-told tale. Let us go more into minutiae.

One of the most frequent causes of disease, about the age of puberty, is *starvation*. Many a girl is starved to death. Food is given her, but not of the right quality, or in insufficient quantity, or at improper hours. The system is not nourished ; and, becoming feeble, it is laid open to the attacks of disease, and to no form of disease more readily than to consumption.

To correct this, let the food be varied, simply prepared, and abundant. Good fresh milk should be used daily, while tea and coffee should be withheld. Fat meats and vegetable oils, generally disliked by girls at this age, are exactly what they need ; and were they partaken of more freely, there would be less inquiry at the drug-stores for cod-liver oil.

A modern writer of eminence lays it down as one of the most common causes of consumption in young people that just at the age when their physical system is undergoing such important changes, that invaluable article of diet, *milk*, is generally dropped, and nothing equally rich in nitrogen substituted in its place.

Exercise, whether as games, the skipping rope, croquet, walking, dancing, riding, and callisthenics, or as regular labour, is highly beneficial, especially when it leads one into the fresh air, the sunshine, and the country. A particular kind of exercise is to be recommended for those whose chests are narrow, whose shoulders stoop, and who have a hereditary predisposition to consumption. If it is systematically practiced along with other means of health, we would guarantee any child, no matter how many relatives have died of this disease, against its invasion. It is voluntary inspiration. Nothing is more simple. Let her stand erect, throw the shoulders well back and the hands behind ; then let her

slowly inhale pure air to the full capacity of the lungs, and retain it a few seconds *by an increased effort*; then it may be slowly exhaled. After one or two natural inspirations, let her repeat the act, and so on for ten or fifteen minutes, twice daily. Not only is this simple procedure a safeguard against consumption, but, in the opinion of some learned physicians, it can even cure it when it has already commenced.

At first the monthly loss of blood exhausts the system. Therefore, plenty of food, plenty of rest, plenty of sleep are required. That ancient prejudice in favour of early rising should be discarded now, and the girl should retire early, and, if she will, should sleep late. Hard study, care, or anxiety should be spared her. This is not the time for rigid discipline.

Clothing is a matter of importance, and if we were at all sure of attention, there is much we would say of it. The thought seriously troubles us, that so long as American women consent to deform themselves and sacrifice their health to false ideas of beauty, it is almost hopeless to urge their fitness for, and their right to, a higher life than they now enjoy. No educated painter or sculptor is ignorant of what the model of female beauty is; no fashionable woman in America is content unless she departs from it as far as possible.

Now beauty implies health, and ugliness of form is attained not only at the expense of æsthetics, but of comfort. The custom of fastening growing girls in tight corsets, of flattening their breasts with pads, of distorting their feet in small high-heeled shoes, and of teaching them to stoop and mince in gait, is calculated to disgust every observer of good sense and taste, and, what is of more consequence, to render these girls, when they become women, more liable to every species of suffering connected with child-bearing.

Some young women suffer more, some less, during their periodical illnesses. Both classes should be equally cautious to *do less than usual* at that time. Over-exertion is a most fruitful cause of disease. Long walks, shopping, dancing, riding, labor, should be avoided or diminished. Iced drinks, exposure to dampness or to great heat, are likewise perilous. If there is much pain or debility, or an abundant discharge,

they should rest on the sofa or bed. If the discharge is delayed, soaking the feet in hot water, a tumbler of hot ginger tea, a brisk walk, or a gentle laxative, will often bring it on. But under no circumstances should more violent means than these be used. Properly, there is no great suffering connected with this function, and when such is present, the physician should be consulted.

THE AGE OF NUBILITY.

It does not follow because a girl is capable of marriage that she is fit for it. Science teaches us many valid objections to too early unions. It goes farther, and fixes a certain age at which it is wisest for woman to marry. This age is between twenty and twenty-five years.

Anatomists have learned that after puberty the bones of a woman's body undergo important modifications to fit her for child-bearing. This requires time, and before twenty, the process is not completed. Until the woman is perfect herself, until her full stature and completed form are attained, she is not qualified to assist in perpetuating the species.

We might urge that up to this moment neither does her self-knowledge qualify her to choose a life-companion, nor can her education be finished, nor is her experience sufficient for her to enter on the duties of a matron. But we do not appeal to these arguments. There are others still more forcible. If her own health, life, and good looks are of value to her, if she has any wish for healthy, sound-minded children, she will refrain from premature nuptials.

A too youthful wife finds marriage not a pleasure but a pain. Her nervous system is prostrated by it, she is more liable to weakness and diseases of the womb, and, if of a consumptive family, she runs great risk of finding that fatal malady manifest itself after a year or two of wedded life. It is very common for those who marry young to die young.

From statistics which have been carefully compiled, it is proven that the first labors of very young mothers are much more painful, tedious, and dangerous to life than

others. As wives, they are frequently visited either with absolute sterility, and all their lives must bear the reproach of barren women, or, what to many is hardly less distasteful, they have an excessively numerous family.

What adds to their sufferings in the latter event is that the children of such marriages are rarely healthy. They are feeble, sickly, undersized, often with some fault of mind or body, which is a cross to them and their parents all their lives. They inherit more readily the defects of their ancestors, and, as a rule, die at earlier years than the progeny of better-timed unions.

These considerations are formidable enough, it would seem, to prevent young girls from marrying, without the need of a law, as exists in some countries. Moreover, they are not imaginary but real, as many a woman finds out to her cost.

The objections to marriage after the age of twenty-five are less cogent. They extend only to the woman herself. She should know that the first labors of wives over thirty are nearly *twice* as fatal as those between twenty and twenty-five. Undoubtedly, nature points to the period between the twentieth and twenty-fifth year as the fittest one for marriage in the woman.

LOVE.

ITS POWER ON HUMANITY.

Love, pure love, true love, what can we say of it? The dream of youth; the cherished reminiscence of age; celebrated in the songs of poets; that which impels the warrior to his most daring deeds; which the inspired prophet chooses to typify the holiest sentiments,—what new thing is it possible to say about this theme?

Think for a moment on the history or the literature of the world. Ask the naturalist to reveal the mysteries of life; let the mythologist explain the origin and meaning

of all unrevealed religions; look within at the promptings of your own spirit, and this whole life of ours will appear to you as one grand epithalamium.

The profoundest of English poets has said—

“ All thoughts, all passions, all delights,
Whatever stirs this mortal frame,
All are but ministers of Love,
And feed his sacred flame.”

That life which is devoid of love is incomplete, sterile unsatisfactory. It fails of its chiefest end. Nature, in anger, blots it out sooner, and it passes like the shadow of a cloud, leaving no trace behind. Admirable as it may be in other respects, to the eye of the statesman, the physician, the lover of his species, it remains but a fragment, a torso.

Love is one thing to a woman, another to a man. To him, said Madame de Stael, it is an episode; to her, it is the whole history of life. A thousand distractions divert man. Fame, riches, power, pleasure, all struggle in his bosom to displace the sentiment of love. They are its rivals, not rarely its masters. But woman knows no such distractions. One passion only sits enthroned in her bosom; one only idol is enshrined in her heart, knowing no rival, no successor. This passion is love! this idol is its object.

This is not fancy, not rhetoric; it is the language of cold and exact science, pronounced from the chair of history, from the bureau of the statistician, from the dissecting-table of the anatomist. We shall gather up their well-weighed words, and present them, not as fancy sketches, but as facts.

This deep, all-absorbing, single, wondrous love of woman, is something that man cannot understand. This sea of unfathomed depth is to him a mystery. The shallow mind sees of it nothing but the rippling waves, the unstable foam-crests dashing hither and thither, the playful ripples of the surface, and, blind to the still and measureless waters beneath, calls woman capricious, uncertain,—*varium et mutabile*. But the thinker and seer, undeceived by such externals, knows that beneath this seeming change is stability unequalled in the stronger sex; a power of will

to which man is a stranger ; a devotion and purpose which strike him with undefined awe.

Therefore, in the myths and legends which the early races framed to express their notions of divine things, the Fates, who spin and snip the thread of life ; the Norns who

Lay down laws,
And select life,
For the children of time--
The destinies of men,

are always females. The seeresses and interpreters of oracles, those who, like the witch of Endor, could summon from the grave the shades of the departed, were women.

Therefore, also, modern infidelity, going back, as it ever does, to the ignorance of the past, and holding it up as something new, makes woman the only deity. Comte and his disciples, having reasoned away all gods, angels, and spirits, and unable to still the craving for something to adore, agree to meet once a week to worship—woman. The French revolutionists, having shut up the churches, and abolished God by a decree of the Convention, set up in His stead—a woman.

We could never exhaust this phase of world-history. Everywhere we see the unexpected hand of Love moulding, fashioning all things. The fortunes of the individual, the fate of nations, the destinies of races, are guided by this invisible thread. Let us push our inquiries as to the nature of this all-powerful agent.

WHAT IS LOVE ?

It has a divided nature. As we have an immortal soul, but a body of clay ; as the plant roots itself in decaying earth, but spreads its flowers in glorious sunlight ; so love has a physiological and a moral nature. It is rooted in that unconscious law of life which bids us perpetuate our kind ; which guards over the conservation of life ; which enforces, with ceaseless admonition, that first precept which God gave to man before the gates of Eden had been closed upon him. "Be thou fruitful, and multiply and replenish

the e
noran
looks
sequer

Do
Those
to gu
qualif
passio
totall

few c
the o
voice,
slend
was c
of sex
in ev
the p
havin
in im

Bu
obey
them.
pleas
pleas
affect
regar
whic
name
rich
have
love,
unde
true

D
at it
solic
cling
repo
no

the earth." Nothing but a spurious delicacy, or an ignorance of facts, can prevent our full recognition that love looks to marriage, and marriage to offspring, as a natural sequence.

Do we ask proofs of this? We have them in abundance. Those unfortunate beings who are chosen by Oriental custom to guard the seraglios, undergo a mutilation which disqualifies them from becoming parents. Soon all traces of passion, all regard for the other sex, all sentiments of love, totally disappear. The records of medicine contain not a few cases where disease had rendered it necessary to remove the ovaries from women. At once a change took place in voice, appearance, and mind. They spoke like men, a slender beard commenced on their faces, a masculine manner was conspicuous in all their motions, and every thought of sexual love passed away for ever. These are the results in every case. What do they signify? Undoubtedly that the passion of love is dependent upon the capacity of having offspring, and that such was the intention of Nature in implanting in our bosom this all-powerful sentiment.

But this is not all. Nature, as beneficent to those who obey her precepts as she is merciless to those who disregard them, has added to this sentiment of love a physical pleasure in its gratification; an honorable and proper pleasure, which none but the hypocrite or the ascetic will affect to contemn, none but the coarse or the lewd will regard as the object of love. There is, indeed, a passion which is the love of the body. We call it by its proper name of *lust*. There is another emotion, for which the rich tongue of the ancient Greeks had a word, to which we have nothing to correspond. Call it, if you will, Platonic love, and define it to be an exalted friendship. But understand that neither the one nor the other is *love*, in the true sense of the word, and that *both* are inferior to it.

Does the father, watching, with moistened eyes, his child at its mother's breast; does the husband, bending with solicitude over the sick bed of his wife; does the wife, clinging to her husband through evil report and good report, through broken fortunes and failing health, indicate no loftier emotion than *lust*, no warmer sentiment than

friendship? What ignorance, what perversity, is so gross as not to perceive something here nobler than either? Do you say that such scenes are, alas, rare? We deny it. We see them daily in the streets; we meet them daily in our rounds. Admitted, by our calling, to the sacred precincts of many houses in the trying hours of sickness and death, we speak advisedly, and know that this is the prevailing meaning of love in American life.

A warm, rich affection blesses the one who gives and the one who receives. Character develops under it as the plant beneath the sunlight. Happiness is an unknown word without it. Love and marriage are the only normal conditions of life. Without them, both man and woman for ever miss the best part of themselves. They suffer more, they sin more, they perish sooner. These are not hasty assertions. As a social law, let it be well understood that science pronounces that

LOVE IS A NECESSITY.

The single life is forced upon many of both sexes, in our present social condition. Many choose it from motives of economy, from timidity, or as a religious step, pleasing to God. The latter is a notion which probably arose from a belief that, somehow, celibacy, strictly observed, means chastity. It simply means continence. The chastest persons have been, and are, not the virgins and celibates, but the married. When this truth is known better, we shall have fewer sects and more religion.

We know women who refrain from marrying to keep out of trouble. The old saying is that every sigh drives a nail in one's coffin. They are not going to worry themselves to death, bearing children and nursing them. It is too great a risk, too much suffering. How often have we been told this? Yet how false the reasoning is! Very carefully prepared statistics show that between the ages of twenty and forty-five years, more unmarried women die than married, and no instance of remarkable longevity in an old maid is known. The celebrated Dr. Hufeland, therefore, in his treatise on the Art of Prolonging Life, lays it

down
marrie
As i
it out
of the
gratify
rooms
but a
them
onous
woma
no ma
" miss
you s
volun
Stupi
and, y
are sa
unfor
jump
in ot
great
some
cases
asylu
husb.
Prus
and
thre
men
of th
O
a " I
min
wou
or th
feel
posi
the
adv

down as a rule, that to attain a great age one must be married.

As for happiness, those who think they can best attain it outside the gentle yoke of matrimony are quite as wide of the mark. Their selfish and solitary pleasures do not gratify them. With all the resources of clubs, billiard-rooms, saloons, narcotics, and stimulants, single men make but a mock show of satisfaction. At heart every one of them envies his married friends. How much more monotonous and more readily exhausted are the resources of woman's single life! No matter what "sphere" she is in, no matter in what "circle" she moves, no matter what "mission" she invents, it will soon pall on her. Would you see the result? We invoke once more those dry volumes, full of lines and figures, on vital statistics. Stupid as they look, they are full of the strangest stories, and, what is more, the stories are all true. Some of them are sad stories, and this is one of the saddest:—Of those unfortunates who, out of despair and disgust of the world, jump from bridges, or take arsenic, or hang themselves, or in other ways rush unbidden and unprepared before the great Judgment of all, *nearly two-thirds* are unmarried, and in some years *nearly three-fourths*. And of those other sad cases—*deceased* yet living—who people the madhouses and asylums, what of them? Driven crazy by their brutal husbands, do you suggest? Not at all. In France, Bavaria, Prussia, and Hanover, four out of every five are unmarried, and throughout the civilized world there are everywhere three or four single to one married woman in the establishments for the insane, in proportion to the whole number of the two classes above twenty-one years of age.

Other women decline to marry because they have, forsooth, a "life work" to accomplish. Some great project fills their mind. Perchance they emulate Madame De Stael, and would electrify the country by their novel views in politics; or they have a literary vein they fain would explore; or they feel called upon to teach the freedmen, or to keep their position as leaders of fashion. A husband would trammel them. If they did marry, they would take the very foolish advice of a cotemporary, and go through life with an indig-

nant protest at its littleness. Let such women know that they underrate the married state, its powers and its opportunities. There are no loftier missions than can be carried out, no nobler games than can there be played. When we think of these objections, coming, as they have to us, from high-spirited, earnest girls, the queens of their sex, our memory runs back to the famous women of history, the brightest jewels in the coronet of time, and we find as many, ay, more, married women than single who pursued to their ends, mighty achievements.

If you speak of Judith and Joan of Arc, who delivered their fatherlands from the enemy, by a daring no man can equal, we shall recall the peaceful victories of her, wife of the barbarian Chlodwig, who taught the rude Franks the mild religion of Nazareth, and of her who extended from Byzantium the holy symbol of the cross over the wilds of Russia. The really great women of this age, are they mostly married or single? They are mostly married, and they are good wives and tender mothers.

What we have just written, we read to an amiable woman.

"But," she exclaimed, "what have you to say to her whom high duties or a hard fate condemns to a single life, and to the name of the old maid?"

Alas! what can we say to such? We feel that

"Earthlier happy is the rose distilled,
Than that which, withering on the virgin thorn,
Grows, lives, and dies in single blessedness."

Yet there is ever a blessing in store for those who suffer here, and the hope of the future must teach them to bear the present.

LOVE IS ETERNAL.

We have said love is a necessity in the life of either man or woman to complete their nature. Its effects, therefore, are eternal. We do not intend this as a figure of speech. It is a sober statement of physiology.

From the day of marriage the woman undergoes a change in her whole structure. She is similar to her former self, but not the same. It is often noticed that the children of

a wo
to he
mals
negre
ever
Cour
curio
offsp
a ma
zebr
mark
mare
mark
is pr
entir
and
If
cept
A
exte
und
in h
sens
coup
The
pres
sam
sam
gre
hav
sam
on
fac
Ev
co
w

w

a woman in her second marriage bear a marked resemblance to her first husband. In the inferior races and lower animals this obscure metamorphosis is still more apparent. A negress who has borne her first child to a white man, will ever after have children of a lighter color than her own. Count Strzelewski, in his travels in Australia, narrates this curious circumstance :—A native woman who has once had offspring by a white man, can never more have children by a male of her own race. Dr. Darwin relates that a male zebra was once brought to England, and a hybrid race marked with the zebra's stripes, was produced from certain mares. Always after, the colts of these mares bore the marks of the zebra on their skins. In some way the female is profoundly altered throughout her whole formation, and entirely independent of her will, by the act of marriage, and the alteration is never effaced.

If the body is thus influenced, shall not the far more susceptible mind and spirit be equally impressed ?

Another common observation supports what we say, and extends it farther. Not the woman alone ; the man also undergoes a change, and loses a portion of his personality in his mate. They two are one, not merely in a moral sense. We constantly notice a decided resemblance in old couples who have passed, say, two score years together. They have grown to look alike in form, feature, and expression. That for so long a time they have breathed the same air, eaten the same fare, and been subjected to the same surroundings, explains this to some extent. But the greater part of the change flows from mental sources. They have laughed and wept together ; they have shared the same joys and pleasures ; a smile or a tear on the face of one evoked a corresponding emotion and expression on the face of the other. Their co-partnership has become a unity. Even without speaking, they sympathize. Their souls are constantly *en rapport*. The man is as different as the woman from his former self.

WHAT OF FLIRTATION ?

Flirtation is an American word. They have neither the word nor the thing in foreign countries. It results from

the freedom and the daring of our women. They use as playthings those edged tools which in other lands are locked up from them. Love, engagements, and beaux, are their pastimes.

In view of what we have said of the nature of love, its necessity and eternity, is this wise?

We are not moralists, and speak as physicians merely. To us the coquette is as bad as the rake. Both waste their nature in dalliance with passion. They both suffer in body and soul, and by every new indulgence unfit themselves the more for a happy marriage. Look at the woman of thirty, who has passed her youth encouraging men to offer her the most a man can offer—all he has—in order to enjoy the vanity of refusing him. If she is married, you will see a discontented, nervous invalid; if unmarried, a cross, faded, neglected spinster.

OF SECOND MARRIAGES.

Science, therefore, seems to say to woman "your first husband is your eternal husband." How, then, about second marriages? Are we to say that they are not advisable?

Let us not answer hastily. It is yet to be seen whether ill-assorted marriages produce those impressions we have mentioned. They may, indeed, on the body, while the mind is free. One must remember, also, that the exigencies of social life must be consulted. If a woman cannot love two men equally,—and she cannot,—other motives worthy of all respect, justify her in entering the marriage life a second time. Then, the higher refinements of the emotions are not given to all alike, nor do they come at the same age to all. True love may first dawn upon a woman after one or two husbands have left her a widow. Orphan children, widowhood, want of property, or the care of property,—these are sad afflictions to the lonely woman. Do not blame her if she accepts a husband as a guardian, a protector, whom she can no longer receive to her arms as a lover. She is right.

We cherish the memory of a lady of strong character,

who
"Th
posit
all."
sank
stan
than
few

H
awa
ag
wa
agai
T
J

not
Mo
give
Sta
pre
the
join
S
La

mo
ab
be
un
we
tr
w
un

fo
w
E

who died past eighty. She had survived three husbands. "The first," she said, "I married for love, the second for position, the third for friendship. I was happy with them all." But when in her mortal illness this venerable friend sank into the delirium which preceded death, she constantly called out the name of her first husband only. More than half a century had not effaced the memory of those few years of early love. This is fidelity indeed.

OF DIVORCE.

He of Nazareth laid down the law that whoever puts away his wife for any cause except adultery, and marries again, commits adultery, and that whatever woman puts away her husband for any cause save adultery, and marries again, herself commits adultery.

This has been found a hard saying.

John Milton wrote a book to show that the Lawgiver did not mean what he said, but something quite different. Modern sects, calling themselves *christians*, after this Lawgiver, dodge the difficulty, and refer it to State legislatures. State legislatures, not troubling themselves at all about any previous law or lawgiver, allow dozens of causes, scores of them, as perfectly valid to put asunder those whom God has joined together.

Science, which never finds occasion to disagree with that Lawgiver of Nazareth, here makes his words her own.

Whether we look at it as a question in social life, in morals, or in physiology, the American plan of granting absolute divorces is dangerous, and destructive to what is best in life. It leads to hasty, ill-assorted matches, to an unwillingness to yield to each other's peculiarities, to a weakening of the family ties, to a lax morality. Carry it a trifle farther than it now is in some States, and marriage will lose all its sacredness, and degenerate into a physical union not nobler than the crossing of flies in the air.

Separation of bed and board should always be provided for by law, and whether single, married, or separated, the woman should retain entire control of her own property. But in the eyes of God and Nature, a woman or a man with

two faithful spouses living, to each of whom an eternal fidelity has been plighted, is a monster.

OF A PLURALITY OF WIVES OR HUSBANDS.

What has been said of divorce applies with tenfold force to the custom of a woman living as wife to several men, or of a man as husband to several women. We should not speak of these customs, but that we know both exist in this country, not among the notoriously wicked, but among those who claim to be the peculiarly good—the very elect of God. They prevail, not as lustful excesses, but as religious observances. Every reader of the daily press knows what sects we mean.

It is worth while to say that such practices lead to physical degradation. The woman who acknowledges more than one husband is generally sterile; the man who has several wives has usually a weakly offspring, principally males. Nature attempts to check polygamy by reducing the number of females, and failing in this, by enervating the whole stock. The Mormons of Utah would soon sink into a state of Asiatic effeminacy were they left to themselves.

COURTSHIP.

A wise provision of nature ordains that *woman shall be sought*. She flees, and man pursues. The folly of modern reformers who would annul this provision is evident. Were it done away with, man, ever prone to yield to woman's solicitations, and then most prone when yielding is most dangerous, would fritter away his powers at an early age, and those very impulses which nature has given to perpetuate the race would bring about its destruction.

To prevent such a disaster, woman is endowed with a sense of shame, an invincible modesty, her greatest protection and her greatest charm. Let her never forget it, never disregard it, for without it she becomes the scorn of her own sex and the jest of the other.

The urgency of man and the timidity of woman are tempered by the period of courtship.

This, America in conveyances of eyes of trothal. heard-of France lar pers interview never d ing wit invite h in the Americ

We countri either effect of weaker greater

Wit After less fr matter classes delive ters; action readil

It leads such know Let and

Th your she whe kno

This, as it exists with us, is something almost peculiar to Americans. On the continent of Europe, girls are shut up in convents or in seminaries, or are kept strictly under the eyes of their parents until marriage, or, at any rate, betrothal. The liberty usual in this country is something unheard-of and inconceivable there. In Spain a dueña, in France some aunt or elderly cousin, in Germany some similar person, makes it her business to be present at every interview which a young lady has with an admirer. He never dreams of walking, driving, or going out of an evening with her alone. It is taken for granted that should he invite her for such a purpose, the mother or aunt is included in the party. They would look on the innocent freedom of American girls as simply scandalous.

We have had opportunities to see society in these various countries, and have failed to perceive that the morality of either sex is at all superior to what it is with us, while the effect of this cloister-like education on young women is to weaken their self-reliance, and often prepare them for greater extravagances when marriage gives them liberty.

With us, the young woman is free until her wedding day. After that epoch, she looks forward to withdrawing more or less from society, and confining her thoughts to family matters. In France, Spain, or Italy, in the wealthier classes, precisely the contrary is the rule. Marriage brings deliverance from an irksome espionage and numberless fetters; it is the avenue to a life in public, and independent action. How injurious to domestic happiness this is can readily be imagined.

It is true that the liberty of American girls occasionally leads to improprieties. But, except in certain great cities, such instances are rare. The safeguards of virtue are knowledge and self-command, not *duennas* and *jalousies*. Let American mothers properly instruct their daughters, and they need have no apprehensions about their conduct.

The period of courtship is one full of importance. A young woman of unripe experience must decide from what she can see of a man during the intercourse of a few months whether he will suit her for a life-companion. She has no knowledge of human nature; and what would it avail her

if she had, when at such a time a suitor is careful only to show his eligible traits? "Go a-courting," says old Dr. Franklin, in his homely language, "in your every-day clothes." Not one man out of a thousand is honest enough to take his advice.

It is useless for her to ask aid of another. She must judge for herself. What, then, is she to do?

There is a mysterious instinct in a pure-minded woman which is beyond all analysis—a tact which men do not possess, and do not readily believe in. At such a crisis this instinct saves her. She feels in a moment the presence of a base, unworthy nature. An unconscious repulsion is manifest in her eye, her voice. Where a suitor is not a man of low motive, but merely quite incongruous in temper and disposition, this same instinct acts, and the man, without being able to say just why, feels that he is labouring in vain. If he blindly insists in his wooing, he has no one to chide but himself when he is finally discarded.

But if the man is worthy, and suitable, does this blessed instinct whisper the happy news with like promptness to the maiden's soul? Ah! that raises another issue. It brings us face to face with that difficult question of

LOVE AT FIRST SIGHT.

Jung Stilling, a German author of note, a religious enthusiast, and full of queer fancies, was, when young, a tutor in a private family. On one occasion his employer took him to a strange house, and introduced him to a roomful of company. Stilling had not contemplated marriage; but, in the company, he saw, for the first time, a young woman who he felt was his destined wife. Walking across the room, he addressed her with the utmost simplicity, telling her that an inward monitor advised him that she, of all womankind, was his predestined helpmeet. She blushed, was confused, but presently confessed that she had experienced the same conviction on first beholding him. They married, and the most curious part of the tale remains to tell. It is, that they proved a happy, well-matched couple.

We do not advise others to follow their example. Not

many
associa
affair o
these a
lightly
evanes
fledged
life we
We
intervi
her by
ferently
than sh
to hers
she do
matter
what if
forward
to deci
of two
That
regrets
hearse

Wo
privile
pick f
Fir
apt t
Offer
close

H
doct
man

many souls are capable of such reciprocity. Choosing an associate for life is too serious a business to be made the affair of a moment. Reason, reflection, thought, prayer,—these are aids in such a momentous question not to be lightly thrown aside. Many a passing fancy, many an evanescent preference, catches for a moment the new-fledged affections. But for the long and tedious journey of life we want a love rooted in knowledge.

We are not blind to the fact, that often from the first interview the maiden feels an undefined spell thrown around her by him who will become her husband. She feels differently in his presence ; she watches him with other eyes than she has for the rest of men. She renders no account to herself of this emotion ; she attempts no analysis of it ; she does not acknowledge to herself that it exists. No matter. Sooner or later, if true to herself, she will learn what it is, and it will be a guide in that moment, looked forward to with mingled hopes and fears, when she is asked to decide on the destiny, the temporal and eternal destiny of two human lives.

That she may then decide aright, and live free from the regrets of a false step at this crisis of life, we shall now rehearse what medical science has to say about

HOW TO CHOOSE A HUSBAND.

“ Choose well. Your choice is
Brief, and yet endless.”

Woman holds as an inalienable right, in this country the privilege of choice. It is not left to notaries, or parents, to pick for her, as in the societies of Europe.

First comes the question of relationship. A schoolgirl is apt to see more of her cousins than of other young men. Often some of them seek at an early hour to institute a far closer tie than that of blood. Is she wise to accept it ?

SHALL COUSINS MARRY ?

Hardly any point has been more warmly debated by doctors. It has been said that in such marriages the woman is more apt to be sterile ; that if she has children, they

are peculiarly liable to be born with some defect of body or mind,—deafness, blindness, idiocy, or lameness; that they die early, and that they are subject, beyond others, to fatal hereditary diseases, as cancer, consumption, scrofula, etc.

An ardent physician persuaded himself so thoroughly of these evils, resulting from marriage of relatives, that he induced the Legislature of Kentucky to pass a law prohibiting it within certain degrees of consanguinity. Many a married couple have been rendered miserable by the information that they had unwittingly violated one of nature's most positive laws. Though their children may be numerous and blooming, they live in constant dread of some terrible outbreak of disease. Many a young and loving couple have sadly severed an engagement, which would have been a prelude to a happy marriage, when they were informed of these disastrous results.

For all such we have a word of consolation. We speak it authoritatively, and not without a full knowledge of the responsibility we assume.

The fear of marrying a cousin, even a first cousin, is entirely groundless, provided there is no decided hereditary taint in the family. And when such hereditary taint does exist, the danger is not greater than in marrying into any other family where it is also found. On the contrary, a German author has urged the propriety of such unions, where the family has traits of mental or physical excellence, as a means of preserving and developing them.

So far as sterility is concerned, an examination of records shows that whereas in the average of unions one woman in *eight* is barren, in those between relatives, but one in *ten* is so. And as for the early deaths of children, while, on an average, fifteen children in a hundred die under seven years, in the families of nearly-related parents but twelve in a hundred is the mortality.

The investigations about idiotic and defective children are by no means satisfactory, and are considered by some of the most careful writers as not at all proving a greater tendency to such misfortunes in the offspring of cousins. Among a thousand idiotic children recently examined in Paris, not one was descended from a healthy consanguinity.

But
predis-
risk of
breeder
are pro
tain nu
unions
been th
How
consum
fact, th
Smith,
parents

Man
races,
white,
In this
races.
Shall a

We
a write
the mo
intend
Moreo
and is

The
such a
aversio
injurio
origin
Shaks
in his
which
husba
make

But as few families are wholly without some lurking predisposition to disease, it is not well, as a rule, to run the risk of developing this by too repeated unions. Stock-breeders find that the best specimens of the lower animals are produced by crossing nearly-related individuals a certain number of times; but that, carried beyond this, such unions lead to degeneracy and sterility. Such, also, has been the experience of many human families.

How slight a cause even of that most insidious disease, consumption, such marriages are, may be judged from the fact, that of a thousand cases inquired into by Dr. Edward Smith, of London, in only six was there consanguinity of parents.

THE MIXTURE OF RACES.

Mankind, say the school geographies, is divided into five races, each distinguished by its own color. They are the white, the black, the red, the yellow, and the brown races. In this country we have to do with but the white and black races. Shall we approve of marriages between them? Shall a white woman choose a black man to be her husband?

We are at the more pains to answer this, because recently a writer,—and this writer a woman, and this woman one of the most widely known in our land,—has written a novel intended to advocate the affirmative of this question. Moreover, it is constantly mooted in certain political circles, and is one of the social problems of the day.

The very fact that it is so much discussed, shows that such a union runs counter to a strong prejudice. Such aversions are often voices of nature, warning us against acts injurious to the species. In this instance it is not of modern origin, created by our institutions. Three centuries ago, Shakspeare, who had probably never seen a score of negroes in his life, with the divination of genius, felt the repugnance which a refined woman would feel to accepting one as her husband. The plot of one of his plays turns on it. He makes Iago say of Desdemona:

“Not to affect many proposed matches,
Of her own clime, complexion, and degree,
Whereto we see in all things nature tends:
Foh! one may smell, in such, a will most rank,
Fou! disproportion, thoughts unnatural.”

It is, indeed, "nature erring from itself" which prompts to these marriages. They are not sterile, but the children are sickly and short-lived. Very few mulattoes reach an old age.

Then, it is well known that the black race cannot survive a northern climate. Dr. Snow, of Providence, R. I., who has given great attention to the study of statistics, says emphatically that, in New England, the colored population inevitably perish in a few generations, if left to themselves. This debility no woman should wish to give to her children.

A mental inferiority is likewise apparent. Friends of the negro are ready to confess this, but attribute it to his long and recent period of servitude. We deal with facts only. The inferiority is there, whatever be its cause; and she who would willingly curse her offspring with it, manifests, indeed, "thoughts unnatural."

The children born of a union of the black and red race, negroes and Indians, are, on the contrary, remarkable for their physical vigor and mental acuteness; though, of course, the latter is limited to the demands of a semi-barbarous life.

SHALL AMERICAN WOMEN MARRY FOREIGNERS?

When we narrow the question of race to that of nationality, quite new elements come in.

In speaking of the intermarriage of relatives, we showed that a certain number of such unions in healthy stocks was advantageous rather than otherwise, but that too many of them lead to deterioration. This law can be applied to nations. Historians have often observed that the most powerful States of the world arose from an amalgamation of different tribes. Rome, Greece, England, are examples of this. On the other hand, Russia, China, Persia, which have suffered no such crosses of blood, are either stationary or depend for their progress on foreigners.

Physicians have contributed other curious testimony on this point, the bearing of which they themselves have not understood. Marriages between nationalities of the same race are more fertile, and the children more vigorous, than

those b
stance, i
"Pilgrim
probably
marries

So it
commun
sessed t
marriage
tive, un
districts

Amer
they do
writers
shall m
duction

As it
a famil
and for
one the
our sh
Germa
wegian
about
further

The
age it
even g
it is p
No
only
accun
a wi
those
grow
tutio

those between descendants of the same nation. For instance, it has been proved that if two descendants of the "Pilgrim Fathers" in Massachusetts marry, they will probably have but three children; while if one of them marries a foreigner, the children will number five or six.

So it is well ascertained that in the old and stationary communes of France, where the same families have possessed their small farms for generation after generation, the marriages have become gradually less and less productive, until it has seriously interfered with the quota those districts send to the army.

American women have suffered many hard words because they do not have more children. Several New England writers have accused them of very bad practices, which we shall mention hereafter. But the effect of the law of production just now laid down has been quite overlooked.

As it is best that there should be four or five children in a family in ordinary circumstances, the union of American and foreign blood is very desirable. We need to fuse in one the diverse colonies of the white race annually reaching our shores. A century should efface every trace of the German, the Irish, the Frenchman, the English, the Norwegian, and leave nothing but the American. To bring about this happy result, free inter-marriage should be furthered in every possible way.

THE AGE OF THE HUSBAND.

The epoch of puberty comes to a boy at about the same age it does to a girl—fourteen or fifteen years. And an even greater period passes between this epoch and the age it is proper for a man to marry—his age of nubility.

Not only has he a more complete education to obtain, not only a profession or trade to learn, and some property to accumulate, some position to acquire, ere he is ready to take a wife, but his physical powers ripen more slowly than those of a woman. He is more tardy in completing his growth, and early indulgence more readily saps his constitution.

We have placed the best age for woman to marry between twenty and twenty-five years ; for similar reasons, man is best qualified to become a husband between twenty-three and thirty-three years.

Previous to the twenty-third year, many a man is incapable of producing healthy children. If he does not destroy his health by premature indulgence, he may destroy his happiness by witnessing his children the prey to debility and deformity. An old German proverb says, "Give a boy a wife, and a child a bird, and death will soon knock at the door." Even an author so old as Aristotle warns young men against early marriage, under penalty of disease and puny offspring.

From the age of thirty-three to fifty years, men who carefully observe the laws of health do not feel any weight of years. Nevertheless they are past their prime. Then, also, with advancing years the chances of life diminish, and the probability increases that they will leave a young family with no natural protector. The half century once turned their vigor rapidly diminishes. The marriages they then contract are either sterile, or yield but few and sickly children. Many an old man has shortened his life by late nuptials, and the records of medicine contain accounts of several who perished on the very night of marriage.

The relative age of man and wife is next to be considered. Nature fits woman earlier for marriage, and hints thereby that she should, as a rule, be younger than her husband. So, too, the bard of Nature speaks :

"Let still the woman take
An elder than herself ; so wears she to him
So swaps the level in her husband's heart."

The woman who risks her happiness with a man many years younger than herself, violates a precept of life, and when her husband grows indifferent, or taunts her with her years, or seeks companions of more suitable age, she is reaping a harvest sown by her own hand.

So commonly do such matches turn out badly, that in 1828 the kingdom of Wurtemberg prohibited unions where

the woman was more than twelve years the senior, except by special dispensation.

After forty-five years most women cannot hope for children. A marriage subsequent to this period can at best be regarded as a close friendship. Marriage in its full meaning has no longer an existence.

The relative age of man and wife has another influence, and quite a curious one. It influences the sex of the children. But this point we reserve for discussion on a later page.

The folly of joining a young girl to an old man is happily not so common in this country as in Europe. It would be hard to devise any step more certain to bring the laws of nature and morality into conflict.

“What can a young lassie do wi’ an auld man?”

What advice can we give to a woman who barter her youthful charms for the fortune of an aged husband. Shall we be cynical enough to agree with “auld auntie Katie?”

“My auld auntie Katie upon me takes pity,
I’ll do my endeavour to follow her plan;
I’ll cross him, and rack him, until I heart-break him;
And then his auld brass will buy me a new pan.”

No! she has willingly accepted a responsibility. It is her duty to bear it loyally, faithfully, uncomplainingly to the end.

Let us sum up with the maxim that the husband should be the senior, but that the difference of age should not be more than ten years.

WHAT SHOULD BE HIS TEMPERAMENT?

It is often hard to make out what doctors mean by *temperaments*. It is supposed that our mental and physical characters depend somehow on the predominance of some organ or system—that it controls the rest. Thus a person who is nervous, quick, sensitive to impressions, is said to have a *nervous* temperament; one who is stout, full-blooded, red-faced, has a *sanguine* temperament; a thin, dark-featured,

reticent person, is of a *bilious* temperament ; while a pale, fat, sluggish nature, is called *phlegmatic*, or *lymphatic*.

In a general way these distinctions are valuable, but they will not bear very exact applications. They reveal in outline the constitution of mind and body, and, what is to our present purpose, they are of more than usual importance in the question of selecting a husband.

Nature, hating incongruity, yet loves variety. She preserves the limits of species, but within those limits she seeks fidelity to one type. Therefore it is that in marriage a person inclines strongly to one of a different temperament—to a person quite unlike themselves.

So true is this, that a Frenchman of genius, Bernardin de St. Pierre, vouches for this anecdote of himself. He was in a strange city, visiting a friend whom he had not seen for years. The friend's sister was of that age when women are most susceptible. She was tall, a blonde, deliberate in motion, with blue eyes and fair hair. In a jesting way St. Pierre, who had never seen her before, and knew nothing of her personal life, said,—

“Mademoiselle, you have many admirers. Shall I describe him on whom you look with most favor?”

The lady challenged him to do so.

“He is short of stature, of dark complexion, dark hair and eyes, slight in figure, active and nervous in all his movements.”

The lady blushed to the eyes, and cast a glance of anger at her brother, who she thought had betrayed her secret. But no! St. Pierre's only informant was his deep knowledge of the human heart.

This instinct is founded upon the truth that the perfect temperament is that happily balanced one which holds all the organs in equilibrium,—in which no one rules, where all are developed in proportion. Nature ever strives to realize this ideal. She instils in the nervous temperament a preference for the lymphatic, in the sanguine a liking for the bilious constitutions. The offspring should combine the excellencies of both, the defects of neither. We do well to heed her admonitions here, and to bear in mind that those matches are, as a rule, most fortunate which combine opposite temperaments.

THE MORAL AND MENTAL CHARACTER.

Very few words are necessary here. We have already said we speak as physicians, not as moralists. But there are some false and dangerous ideas abroad which it is our duty as physicians to combat.

None is more false, none more dangerous, than that embodied in the proverb, "A reformed rake makes the best husband." What is a rake? A man who has deceived and destroyed trusting virtue,—a man who has entered the service of the devil to undermine and poison that happiness in marriage which all religion and science are at such pains to cultivate. We know him well in our capacity as physicians. He comes to us constantly the prey to loathsome diseases, the results of his vicious life, which diseases he will communicate to his wife, for they are contagious, and to his children, for they are hereditary; which no reform can purge from his system, for they are ineradicable.

Is this the man a pure woman should take to her arms? Here repentance avails nothing. We have witnessed the agony unspeakable which overwhelmed a father when he saw his children suffering under horrible and disgusting diseases, the penalty of his early sins.

Very few men of profligate lives escape these diseases. They are alarmingly prevalent among the "fast" youths of our cities. And some forms of them are incurable by any effort of skill. Even the approach of such men should be shunned—their company avoided.

A physician in central Pennsylvania, lately had this experience: A young lady of unblemished character asked his advice for a troublesome affection of the skin. He examined it, and to his horror, recognized a form of one of the loathsome diseases which curse only the vilest or the most unfortunate of her sex. Yet he could not suspect this girl. On inquiry he found that she had a small but painful sore on her lip, which she first noticed a few days after being at a picnic with a young man. Just as he was bidding her good night, he had kissed her on the lips.

At once every thing was clear. This young man was a patient of the physician. He was a victim to this vile disease, and even his kiss was enough to convey it.

The history of the sixteenth century contains the account of an Italian duke who, on one occasion, was forced by his ruler, to reconcile himself with an enemy. Knowing he could not escape obedience, he protested the most cheerful willingness, and in the presence of the king embraced his enemy, and even kissed him on the lips. It was but another means of satisfying his hatred. For he well knew that his kiss would taint his enemy's blood with the same poison that was undermining his own life.

How cautious, therefore, should a woman be in granting the most innocent liberties ! How solicitous should she be to associate with the purest men !

Would that we could say that these dangerous and loathsome diseases are rare. But, alas ! daily professional experience forbids us to offer this consolation. Every physician in our large cities, and even in smaller towns, knows that they are fearfully prevalent.

We have been consulted by wives, pure innocent women, for complaints which they themselves, and some times their children, suffered from, the nature of which we dared not tell them, but which pointed with fatal finger to the unfaithfulness of her husband. How utterly was their domestic happiness wrecked when they discovered the cause of their constant ill-health !

Nor are such occurrences confined to the humbler walks of life. There, perhaps, less than in any other do they occur. It is in the wealthy, the luxurious, the self-indulgent class that they are found.

Are we asked how such a dreadful fate can be averted ?

There are, indeed, certain signs and marks which such diseases leave, with which physicians are conversant. As if nature intended them as warnings, they are imprinted on the most visible and public parts of the body. The skin, the hair, the nose, the voice, the lines on the face, often divulge to the trained observer, more indubitably than the confessional, a lewd and sensual life.

Such signs, however, can only be properly estimated by the medical counsellor, and it were useless to rehearse them here. Those women who would have a sure guide in choosing a man to be their husband, have they not Moses and

the prophets? What is more, have they not Christ and the apostles? Rest assured that the man who scoffs at Christianity, who neglects its precepts and violates its laws, runs a terrible risk of bringing upon himself, his wife, and his children, the vengeance of nature, who knows justice but not mercy. Rest assured that the man who respects the maxims of that religion, and abstains from all uncleanness, is the only man who is worthy the full and confiding love of an honourable woman.

THE SYMBOLISM OF THE HUMAN BODY.

Philosophers say that every idle word which is spoken, continues to vibrate in the air through all infinity. So it is with the passions and the thoughts. Each impresses on the body some indelible mark, and a long continuance of similar thoughts leaves a visible imprint.

Under the names phrenology, physiognomy, palmistry, and others, attempts have been made at divers times to lay down fixed principles by which we could judge of men by their outsides. But only vague results have been obtained. A learned German author, of high repute in exact science, has gone a different way to work. He has studied the body as a whole, and sought, with the eye of an anatomist how different avocations, passions, temperaments, habits, mould and fashion the external parts of man. His results are embraced in a curious volume which he entitles "The Symbolism of the Human Body." We shall borrow some hints from it, germane to our present theme.

As to size, large-bodied and large-boned men possess greater energy, a more masculine character, but often less persistence, and are usually devoid of the more delicate emotions. Fat people are good-tempered, but indolent; thin people, full of life, but irascible.

The neck is a significant part of the body. View it from in front, and it discloses the physical constitution. There are the conduits of the food and the air; there the great blood-vessels pass to the head, and its base is modified by their form as they pass from the heart. When broad and full, it denotes a vigorous physical life—a plethoric consti-

tion. A distinguished teacher of midwifery, Professor Pajot, of Paris, says that when he sees one of those necks full in front, like that of Maria Antoinette, as shown in her portraits, he prepares himself to combat child-bed convulsions. That queen, it is well known, nearly perished with them.

The back of the neck contains the vertebral column, and is close to the brain. It reveals the mental constitution. The short, round neck of the prize-fighter betrays his craft. The slender, arched, and graceful neck of the well-proportioned woman is the symbol of health and a well-controlled mind. Burke, in his *Essay on the Beautiful*, calls it the most beautiful object in nature. It is a common observation that a sensual character is shown by the thick and coarse development of this portion of the body.

The hair, also, has a significance. Fine whitish hair, like that of a child, goes with a simple, child-like disposition; black hair denotes a certain hardness of character; red hair has long been supposed to be associated with a sensual constitution, but it rather indicates a physical weakness,—a tendency to scrofula. This is, however, a tendency merely. Thin hair is often the result of protracted mental labor, though many other causes produce it.

Every great man, says Herder, has a glance which no one can imitate. We may go farther, and say that every man of decided character reveals it in his eyes. They are the most difficult organs for the hypocrite to control. Beware of the man who cannot look you in the eyes, and of him in whose eyes there lurks an expression which allures yet makes you shudder. The one has something he dares not tell you, the other something you dare not listen to.

Symmetry, strength, grace, health, these are admirable qualities in a man. From the remotest ages they have been the marks of heroes. Secondary though they are to moral and mental qualities, they should ever be highly valued. A *manly* man! Nature designs such to be the sires of future generations. No danger that we shall fall to worshipping physical beauty again. The only fear is that in this lank, puny, scrawny generation of ours we shall, out of vanity, underrate such beauty. Let it be ever remembered that

this
tion

I
pap
for
frie

in
gre
one
sho
So
sui
vic
suc
tha

th
kn
th
ge
to
w
at

P
a
l
l

this is the ideal, from which any departure is deterioration.

THE ENGAGEMENT.

In this country a young lady engages herself, and tells papa or not as she sees fit. Often it is a profound secret for months between her lover and herself, with perhaps, a friend or two on either side.

When our grandmothers were engaged, the minister rose in his pulpit on Sunday morning, before the assembled congregation, and proclaimed the "bans," stating, that if any one knew just cause or lawful impediment why the lovers should not be married, he should state it there and then. Sometimes a great hubbub was created when some discarded suitor rose and claimed that the capricious maiden had previously promised herself to him. Perhaps it was to avoid such an uncomfortable check on the freedom of flirtation that the ancient custom was dropped.

Certain it is, that to be "engaged" sits very lightly on the minds of both young men and maidens now-a-days. We know some of either sex who make it a boast how often they have made and unmade this slender tie. It is a dangerous pastime. "The hand of little use hath the daintier touch," and he or she who thus trifles with their affections, will end by losing the capacity to feel any real affection at all.

Undoubtedly there occur instances where a woman has pledged herself in all seriousness, and afterwards sees her affianced in a light which warns her that she cannot be happy with him: that the vows she will be called upon to pronounce at the altar will be hollow and false. What is she to do?

We are not inditing the decrees of the Court of Love. Here is the advice of another to her hand:

"First to thine own self be true,
And then it follows, as the night the day,
That thou canst ne'er be false to any man."

CONCERNING LONG ENGAGEMENTS.

They are hurtful, and they are unnecessary. Is love so

vagrant that it must be tied by such a chain? Better let it go. True love asks no oath; it casteth out fear, and believes without a promise.

There are other reasons, sound physiological reasons, which we could adduce, if need were, to show that the close personal relations which arise between persons who are engaged should not be continued too long a time. They lead to excitement and debility, sometimes to danger and disease. Especially is this true of nervous, excitable, sympathetic dispositions, such as many of us Americans have.

If we are asked to be definite, and give figures, we should say that a period not longer than a year, nor shorter than three months, should intervene between the engagement and the marriage.

THE RIGHT TIME OF YEAR TO MARRY.

Woman, when she marries, enters upon a new life, and a trying one. Every advantage should be in her favor. The season is one of those advantages. Extreme heat and extreme cold both wear severely on the human frame. Mid-winter and mid-summer are, therefore, alike objectionable, especially the latter.

Spring and fall are usually chosen in this country, as statistics show, and the preference is just. On the whole, the spring is rather to be recommended than the autumn. In case of a birth within the year, the child will have attained sufficient age to weather its period of teething more easily ere the next summer.

THE RIGHT TIME IN THE MONTH TO MARRY.

We mean the woman's own month, that which spans the time between her periodical sicknesses, be it two or five weeks. Let her choose a day about equi-distant from two periods. The reasons for this we shall specify hereafter.

THE WEDDING TOUR.

The custom of our country prescribes a journey immediately after marriage, of a week or a month or two. It is

an un-
enough
er, stov
gage, a
and ha
times,

The
wedding
her ex
husban
really
revuls
the ve
poet,
crosse
nounc
one th
prosaic

Let
requir
shoul
A few
the m
fessed
ding-
foun
such

Y
escap
mon
a jo
acqu
cha

an unwise provision. The event itself is disturbance enough for the system ; and to be hurried hither and thither, stowed in berths and sleeping-cars, bothered with baggage, and annoyed with the importunities of cabmen, waiters, and hangers-on of every description, is enough, in ordinary times, to test the temper of a saint.

The foundation of many an unhappy future is laid on the wedding tour. Not only is the young wife tried beyond all her experience, and her nervous system harrassed, but the husband, too, partakes of her weakness. Many men, who really love the women they marry, are subject to a slight revulsion of feeling for a few days after marriage. "When the veil falls, and the girdle is loosened," says the German poet, Schiller, "the fair illusion vanishes." A half regret crosses their minds for the jolly bachelorhood they have renounced. The mysterious charms which gave their loved one the air of something more than human, disappear in the prosaic sunlight of familiarity.

Let neither be alarmed, or lose their self-control. Each requires indulgence, management, from the other ; both should demand from themselves patience and self-command. A few weeks, and this danger is over ; but a mistake now is the mistake of a lifetime. More than one woman has confessed to us that her unhappiness commenced from her wedding-tour ; and when we inquired more minutely, we have found that it arose from an ignorance and disregard of just such little precautions as we have been referring to.

Yet it is every way advisable that the young pair should escape the prying eyes of friends and relatives at such a moment. Let them choose some quiet resort, not too long a journey from home, where they can pass a few weeks in acquiring that more intimate knowledge of each other's character so essential to their future happiness.

THE WIFE.

THE WEDDING NIGHT.

WE now enter upon the consideration of the second great period in the life of woman. The Maiden becomes a Wife. She is born into a new world. She assumes new relationships, the sweetest, and, at the same time, the most natural of which she is capable.

The great object of the conjugal union is the transmission of life—a duty necessary in order to repair the constant ravages of death, and thus perpetuate the race. In the fulfilment of the sublime obligation, woman plays the more prominent part, as she is the source and depository of the future being. It is of moment, therefore, that she should not be altogether ignorant of the nature and responsibilities of her position. Ignorance here means suffering, disease, and sometimes death. Let us then interrogate science in regard to these matters, among the most interesting of all human concerns.

The initiation into marriage, like its full fruition, maternity, is attended with more or less suffering. Much, however, may be done to avert and to lessen the pain which waits upon the first step in this new life. For this purpose regard must be had to the selection of the day. We have said that a time about midway between the monthly recurring periods is best fitted for the consummation of marriage. As this is a season of sterility, it recommends itself on this account, in the interest of both the mother and offspring. The first nuptial relations should be fruitless, in order that the indispositions possibly arising from them shall have time

to sub
to pre
succee
shoul
It s
difficu
forbee
precip
of un
cases
overc
contr
only
Med
assis
A
comp
way
of b
Isra
phat
the
is a
wel
the
men
tem
cha
pai
nev
of
ab
ch
of
w
di
su
to
w

to subside before the appearance of the disturbances incident to pregnancy. One profound change should not too quickly succeed the other. About the tenth day after menstruation should, therefore, be chosen for the marriage ceremony.

It sometimes happens that marriage is consummated with difficulty. To overcome this, care, management, and forbearance should always be employed, and anything like precipitation and violence avoided. Only the consequences of unrestrained impetuosity are to be feared. In those rare cases in which greater resistance is experienced than can be overcome by gentle means, the existence of a condition contrary to nature may be suspected. Violence can then only be productive of injury, and is not without danger. Medical art should be appealed to, as it alone can afford assistance in such an emergency.

Although the first conjugal approaches are ordinarily accompanied by slight flooding, a loss of blood does not always occur. Its absence proves nothing. The appearance of blood was formerly regarded as a test of virginity. The Israelites, Arabs, and others carefully preserved and triumphantly exhibited the evidence of it as an infallible sign of the virtue of the bride. They were in error. Its presence is as destitute of signification as its absence, for it is now well known that widows, and wives long separated from their husbands, often have a like experience. The temperament is not without its influence. In those of lymphatic temperament, pale blondes, who often suffer from local discharge and weakness, the parts being relaxed, there is less pain and little or no hemorrhage. In brunettes, who have never had any such trouble, the case is reversed. The use of baths, unguents, &c., by the young wife, however serviceable it might prove, is obviously impracticable. This great change sometimes, also, produces swelling and inflammation of the glands of the neck.

Marital relations ordinarily continue during the first few weeks to be more or less painful. General constitutional disturbance and disorders of the nervous system often result. These troubles are all increased by the stupid custom of hurrying the bride from place to place, at a time when the bodily quiet and mental calmness and serenity so

desirable to her should be the only objects in view. Too frequent indulgence at this period is a fruitful source of various inflammatory diseases, and often occasions temporary sterility and ill-health. The old custom requiring a three days' separation after the first nuptial approach was a wise one, securing to the young wife the soothing and restoring influence of rest. Nothing was lost by it, and much gained.

In a little while, however, all irritation should subside and no suffering or distress of any kind, whether general or local, should attend upon the performance of this important function. The presence of suffering now becomes indicative of disease. Of this we will speak hereafter.

SHALL HUSBAND AND WIFE OCCUPY THE SAME ROOM
AND BED ?

One-third of life is passed in sleep. This period of unconsciousness and rest is necessary for the renewal of vital strength, and upon its proper management depends much of the health not merely of the husband and wife, but of their offspring. A great deal has been written upon the effect on health and happiness of occupying separate apartments, separate beds in the same apartment, or the same bed. This vexed question it is impossible to settle by absolute rules, suitable to all cases. In general, it may be asserted that there are no valid physiological reasons for desiring to change the custom which now prevails in this and most other countries. When both parties are in good health, and of nearly the same age, one bed-chamber, if it is sufficiently roomy, may be used without any disadvantage to either. Such an arrangement is also to be commended because it secures closer companionship, and thus developes and sustains mutual affection.

It is said that in Zurich, in the olden time, when a quarrelsome couple applied for a divorce, the magistrate refused to listen to them at first. He ordered that they should be shut up together in one room for three days, with one bed, one table, one plate, and one cup. Their food was passed in by attendants, who neither saw nor spoke to

them.
find t
As
ing to
of fre
breath
tions
are in
small
that t
apart
least
venti
chang
per n
feet
adult
Th
Whe
in re
apart
Ce
The
sour
after
Tub
tran
tic c
pare
ing
befo
ema
Wh
con
the
sam

them. On the expiration of the three days, it was usual to find that neither of them wanted a separation.

As before stated, there are conditions under which sleeping together is prejudicial to the health. A certain amount of fresh air during the night is required by every one. Re-breathed air is poisonous. During sleep constant exhalations take place from the lungs and from the skin, which are injurious if absorbed. A room twelve feet square is too small for two persons, unless it is so thoroughly ventilated that there is a constant change of air. In fact, a sleeping apartment for two persons should contain an air-space of at least twenty-four hundred cubic feet, and the facilities for ventilation should be such that the whole amount will be changed in an hour; that is, at the rate of forty cubic feet per minute: for it has been ascertained that twenty cubic feet of fresh air a minute are required for every healthy adult.

The young and old should never occupy the same bed. When the married couple hold the relation to each other, in regard to age, of grandfather and granddaughter, separate apartments should be insisted upon.

Certain diseases can be produced by sleeping together. The bed of a consumptive, it is well known, is a powerful source of contagion. In Italy it is the custom to destroy, after death, the bed-clothing of consumptive patients. Tubercular disease has, within the past few years, been transferred from men to animals by inoculation. Authentic cases are upon record of young robust girls, of healthy parentage, marrying men effected with consumption, acquiring the disease in a short time, and dying in some instances, before their husbands. In these significant cases, the sickly emanations have apparently been communicated during sleep. When, therefore, either husband or wife is known to have consumption, it would be highly imprudent for them to pass the long hours of the night either in the same bed or in the same room.

WHAT KIND OF BED IS MOST HEALTHFUL?

Feather-beds are not conducive to the health of either sex.

Mattresses made of wool, or of wool and horsehair, are much better. The bed should be opened, and its contents exposed to the air and sunlight, once every year. Beds long saturated with the night exhalations of their occupants are not wholesome. A number of ancient writers have alleged—and it has been re-asserted by modern authorities—that sleeping on sponge is of service to those who desire to increase their families. The mattresses of compressed sponge recently introduced, therefore, commend themselves to married people thus situated. Hemlock boughs make a bed which has a well-established reputation for similar virtues.

The odor of cone-bearing trees has a well-known influence upon the fruitfulness of wedlock. Those who live in pine forests have ordinarily large families of children.

Excessive clothing at night is highly injurious. So, also, is a fire in the bed-room, excepting in case of sickness. If the body be too much heated during sleep, perspiration occurs, or the action of the heart is increased, and the whole economy becomes excited. Either condition prevents sound sleep and re-invigoration of the body. Wives in feeble health, and those liable to attacks of flooding, should, therefore, have a particular regard to the quantity of clothing on their beds.

THE DIGNITY AND PROPRIETY OF THE SEXUAL INSTINCT.

A distinguished medical writer has divided women into three classes in regard to the intensity of the sexual instinct. He asserts that a larger number than is generally supposed have little or no sexual feeling. A second class of women, more numerous than these, but still small as compared with the whole of their sex, are more or less subject to strong passion. Those of the first class can no more form an idea of the strength of the impulse in other women than the blind can of colors. They, therefore, often err, in their judgments. The third class comprises the vast majority of women, in whom the sexual appetite is as moderate as all other appetites.

It is a false notion, and contrary to nature, that this

passion
of phy
There
or the
of the
were r
confor
to the
pay th
selves
sufferi
to be
specia
for on
The fr
is as
indiv
parti
the h
anim
joine
ness
M
imp
ever
won
ligh
that
wh
por
tru
pov
ph
ter
by
“
pr
us
T

passion in a woman is a derogation to her sex. The science of physiology indicates most clearly its propriety and dignity. There are wives who plume themselves on their repugnance or their distaste for their conjugal obligations. They speak of their coldness and of the calmness of their senses, as if these were not defects. Excepting those afflicted with vices of conformation or with disorders of sensibility,—which amount to the same thing,—all wives are called upon to receive and pay the imposts of love, and those who can withdraw themselves from the operation of this mysterious law without suffering and with satisfaction, show themselves by that fact to be incomplete in their organization, and deficient in the special function of their being. There should be no passion for one which is not shared by both. Generation is a duty. The feeling which excites to the preservation of the species is as proper as that which induces the preservation of the individual. Passionate, exclusive, and durable love for a particular individual of the opposite sex is characteristic of the human race, and is a mark of distinction from other animals. The instinct of reproduction in mankind is thus joined to an affectionate sentiment, which adds to its sweetness and prolongs infinitely its duration.

Many physiologists have assigned to the feelings an important role in conception, the possibility of which has even been doubted if there be no passion on the side of the woman. Although this extreme view is not tenable in the light of modern research, yet all recent authorities agree that conception is more assured when the two individuals who co-operate in it participate at the same time in the transports of which it is the fruit. It is, also, without doubt true that the disposition of the woman at that time has much power in the formation of the fœtus, both in modifying its physical constitution and in determining the character and temperament of its mind. The influence long ago attributed by Shakspeare to "a dull, stale, tired bed" in creating a "tribe of fops" is not a mere poet's fancy.

In this manner, also, may be explained the results of prolonged continence upon the offspring, for desires are usually vivid in proportion to the previous period of rest. The father of Montaigne returning after an absence of

thirty-two years, during which he was engaged in the wars of Italy, begot his son, so justly celebrated in French literature. The father of J. J. Rousseau, after a considerable absence in Constantinople, brought to his wife the reward of a long fidelity.

Sexual passion exerts, therefore, a marked influence upon the future being, before conception, by the impression made upon the elements which came together to form it. The question now occurs, what effect do its presence and gratification produce upon the parents? We answer, it is a natural and healthful impulse. Its influence is salutary. A marked improvement in the physical condition of delicate women often follows a happy marriage. This sometimes occurs even in those cases where, from the nature of the disorder, the reverse might be expected. The utility of the passions well directed has become a maxim in medicine as in morality. And what passion is more important and fervent than that of which we write? The fathers in medicine, and their modern followers, agree in ascribing to the pleasures of love, indulged in with moderation, activity and lightness of the body, vigor and vivacity of the mind.

Music, apart from its immense influence on the nervous system in general, seems sometimes to exercise a special action on the sexual instinct. Science possesses at the present day some facts beyond dispute which prove the great power of music in this respect.

CN THE INDULGENCE AND THE RESTRAINT OF SEXUAL DESIRE.

The act of generation is a voluntary one. But nature has so placed it under the empire of pleasure, that the voice of discretion is no longer heard, and the will is often led captive. Hence it is well, for hygienic reasons, to consider its laws.

The too frequent repetition of the reproductive act is known to be followed by consequences injurious to the general health. Too rigid continence is not unattended, in many constitutions, with danger, for the victory over passion may be dearly bought. Science recommends the adop-

tion of a
tive. H
hysteri
excess a
satisfac

As m
be surp
History
not fail
conjug
the ma
least t
once a
her hu
divorce
which
princip
valuab
often s
maker

Mod
and st
of sea
cious v
sophy

Pro
physic
practi
herea
only,
more
profit
and
The
guish
mina
itself
plea
W
Ven

tion of a wise mean between two extremes equally destructive. By following her council, women may escape from the hysterical and other disorders which often wait as well upon excess as upon too great denial of that passion, which claims satisfaction as a natural right.

As men have made laws upon all subjects, we need not be surprised to learn that they have legislated upon this. History informs us that the legislators of ancient times have not failed to occupy themselves with this grave question of conjugal economy. The ordinances of Solon required that the married should acquit themselves of their duties at least three times a month; those of Zoroaster prescribed once a week. Mahomet ordained that any wife neglected by her husband longer than a week could demand and obtain a divorce. It is not, however, in these and other enactments which might be quoted that guidance is to be sought. The principles derived from nature and experience are more valuable than human laws, however venerable, for these too often serve only to reflect the profound ignorance of their makers.

Moderation should here prevail. Health is thus preserved and strengthened, and the gratification doubled. The art of seasoning pleasures in general consists in being avaricious with them. To abstain from enjoyment is the philosophy of the sage, the epicurism of reason.

Proper self-denial in the gratification of the wants of physical love is a source of good, not only to the individual practicing it, but to the community, as we shall show hereafter. It may be practiced for one's own advantage only, or for the benefit of another. The latter is in the end more conducive to self-interest than the former. A double profit grows therefrom: gratitude and sympathy returned, and increase of appetite and power of future enjoyment. The love which first united any pair soon becomes extinguished through excess of indulgence, and sometimes terminates in the pain of a surfeit. Earnest love, satisfying itself with small gratifications, is a more copious source of pleasure than that frequently quenched by full gratification.

What, then, is this moderation which both Hygeia and Venus command? Here, again, invariable rules are not

possible. Science rarely lays down laws as inflexible as those of the Medes and Persians. She designates limits. The passage between Scylla and Charybdis is often a wide one. The folly of the ancient statutes which have been referred to consist mainly in their failure to recognize the diverse influence of age, temperament, seasons, etc.

It almost appears as if there were but one season for generation, that in which the sun rewarms and vivifies the earth, trees dress in verdure, and animals respire the soft breath of spring. Then every living thing reanimates itself. The impulse of reproduction is excited. Now, also, its gratification is most beneficial to the individual, and to the species. Children conceived in the spring-time have greater vitality, are less apt to die during infancy, than those conceived at any other time of the year. The statistics of many thousand cases recently carefully collated in England prove this beyond peradventure. It is well known that a late calf, or one born at the end of the summer, is not likely to become a well-developed and healthy animal. This has been attributed to the chilling influence of approaching winter; but it is capable of another, and, perhaps, a truer explanation. Nature's impulses, therefore, in the spring of the year are for the good of the race, and may then be more frequently indulged without prejudice to the individual. Summer is the season which agrees the least with the exercise of the generative functions. The autumn months are the most unfruitful. Then, also, derangements of the economy are readily excited by marital intemperance.

The temperaments exert over reproduction, as over all the other functions of the body, a powerful influence. Love is said to be the ruling passion in the sanguine temperament, as ambition is in the bilious. There is also in some cases a peculiar condition of the nervous system which impels to or diverts from sexual indulgence. In some women, even in moderation, it acts as a poison, being followed by headache and prostration, lasting for days.

With advancing years, the fading of sexual desire calls attention to the general law, that animals and plants when they become old, are dead to reproduction. What in early

life is
succee
durab

The
who h
tion o
sever

All
tion.

The f
amou
falls.

not to
tain t

their
these

of fig
exces
vulsi

that
mem

most
"dev
the

that
with
terce

T
grea
are
hav

TI

5
imp
bar
tio
leg

life is followed by temporary languor, in matured years is succeeded by a train of symptoms much graver and more durable.

Those who are in feeble health, and particularly those who have delicate chests, ought to be sober in the gratification of love. Sexual intercourse has proved mortal after severe hemorrhages.

All organized beings are powerfully affected by propagation. Animals become depressed and dejected after it. The flower which shines so brilliantly at the moment of its amours, after the consummation of that act, withers and falls. It is wise, therefore, in imparting life, to have a care not to shorten one's own existence. Nothing is more certain than that animals and plants lessen the duration of their lives by multiplied sexual enjoyments. The abuse of these pleasures produces lassitude and weakness. Beauty of figure and grace of movement are sacrificed. When the excess is long-continued, it occasions spasmodic and convulsive affections, enfeeblement of the senses, particularly that of sight, deprivation of the mental functions, loss of memory, pulmonary consumption, and death. One of the most eminent of living physiologists has asserted that "development of the individual and the reproduction of the species stand in a reverse ratio to each other," and that "the highest degree of bodily vigor is inconsistent with more than a very moderate indulgence in sexual intercourse."

The general principles we have just enunciated are of great importance in the regulation of the health. They are more suggestive and useful than the precise rules which have from time been laid down on this subject.

TIMES WHEN MARITAL RELATIONS SHOULD BE SUSPENDED.

There are times at which marital relations are eminently improper. We are told, 1 Corinth. vii. 3, 4, that the husband and wife are equally bound to fulfil the conjugal obligation when the debt is demanded. But there are certain legitimate causes for denial by the wife.

A condition of intoxication in the husband is a proper

ground for refusal. Fecundation taking place while either parent has been in this state has produced idiots and epileptics. This has happened again and again. The cases on record are so numerous and well authenticated, as to admit of no doubt in regard to the fatal effect upon the mind of the offspring of conception under such circumstances.

Physical degeneracy is also often a consequence of procreation during the alcoholic intoxication of one or both parents. A peculiar arrest of growth and development of body and mind takes place, and, in some instances, the unfortunate children, although living to years of manhood, remain permanent infants, just able to stand by the side of a chair, to utter a few simple sounds, and to be amused with childish toys.

During convalescence from a severe sickness, or when there is any local or constitutional disease which would be aggravated by sexual intercourse, it should be abstained from. There is reason for believing that a being procreated at a period of ill-humor, bodily indisposition, or nervous debility, may carry with it, during its whole existence, some small particles of these evils. When there exists any contagious disease, refusals are of course valid, and often a duty to the unborn. Poverty, or the wish to have no more children, cannot lawfully be urged against the rendering of conjugal rites.

The opinion that sexual relations practiced during the time of the menses engender children liable to scrofulous disease is a mere popular prejudice. But there are other and better-founded reasons for continence during these periods.

The question of intercourse during pregnancy and suckling will come up for consideration when speaking of these conditions hereafter.

CONDITIONS WHEN MARITAL RELATIONS ARE PAINFUL.

Nature has not designed that a function of great moment to the human race—one involving its very existence—should be attended with pain. The presence of pleasure is indicative of health, its absence, of disease. But to a woman who has systematically displaced her womb by years of imprudence in

conduct
one, an
of distr
which
excessi
extent b
parts h
Gaillar
woman
and lu
place, a
marked
strual
The tal
ence or
dyspep
Wh
nervou
certai
which
doing,
ferenc
troubl

Wi
barre
unha
every
even
the a
into
rem
D
rese
dren
mor
firs
ste
she

conduct or dress, this act, which should be a physiological one, and free from any hurtful tendencies, becomes a source of distress, and even of illness. The diseases of the womb which sometimes follow matrimony are not to be traced to excessive indulgence in many cases, but to indulgence *to any extent* by those who have altered the natural relation of the parts before marriage. A prominent physician, Prof. T. Gaillard Thomas, of New York, has said that "upon a woman who has enfeebled her system by habits of indulgence and luxury, pressed her uterus entirely out of its normal place, and who, perhaps, comes to the nuptial bed with some marked uterine disorder, the result, of imprudence at menstrual epochs, sexual intercourse has a *poisonous* influence. The taking of food into the stomach exerts no hurtful influence on the digestive system; but the taking of food by a dyspeptic, who has abused and injured that organ, does so."

When excessive pain exists, and every attempt occasions nervous trepidation and apprehension, it is absolutely certain that there is some diseased condition present, for which proper advice should be secured at once. Delay in doing so, will not remove the necessity for medical interference in the end, while it will assuredly aggravate the trouble.

STERILITY.

Wives who never become mothers are said to be sterile or barren. This condition is frequently a cause of much unhappiness. Fortune may favor the married couple in every other respect, yet if she refuse to accord the boon of even a single heir to heart and home, her smiles will bear the aspect of frowns. It is, then, of some interest to inquire into the causes of this condition, and how to prevent or remedy their operation.

Dr. Duncan, of Edinburgh, has shown by elaborate research that in those wives who are destined to have children, there intervenes, on the average, about seventeen months between the marriage ceremony and the birth of the first child, and that the question whether a woman will be sterile is decided in the first three years of married life. If she have no children in that time, the chances are thirteen

to one against her having any. In those cases, therefore, in which the first three years of married life are fruitless, it is highly desirable for those wishing a family, to ascertain whether or not the barrenness is dependent upon any defective condition capable of relief.

The age of a wife at the time of marriage has much to do with the expectation of children. As the age increases over twenty-five years, the interval between the marriage and the birth of the first child is lengthened. For it has been ascertained that not only are women most fecund from twenty to twenty-four, but that they begin their career of child-bearing sooner after marriage than their younger or elder sisters. Early marriages (those before the age of twenty) are sometimes more fruitful than late ones (those after twenty four). The interesting result has further been arrived at in England, that about one in fourteen of all marriages of women between fifteen and nineteen are without offspring; that wives married at ages from twenty to twenty-four inclusive are almost all fertile; and that after that age the chances of having no children gradually increase with the greater age at the time of marriage.

There are two kinds of sterility which are physiological, natural to all women, that of young girls before puberty and that of women who are past the epoch of the cessation of the menses. In some very rare cases conception takes place after cessation. In one published case it occurred nine months afterwards, and in another, eighteen months. In some very rare cases, also, conception has taken place before the first menstruation.

The older a woman is at the time of her marriage the longer deferred is the age at which she naturally becomes sterile. She bears children later in life, in order to compensate, as it were, for her late commencement. But, although she continues to have children until a more advanced age than the earlier married, yet her actual child-bearing period is shorter. Nature does not entirely make up at the end of life for the time lost from the duties of maternity in early womanhood. For, the younger married have really a longer era of fertility than the older, though it terminates at an earlier age.

A wife
years to
bability
take pla
to be fe

Nursi
the first
vital for
milk.

longed
not take

Clima
riages.

in north

tion to

In Belg

number

deaths.

The

tion.

the mo

day an

The

the siz

fewer o

Wealth

the tit

But

the ca

than t

fertilit

discus

is alm

is alw

for it

lifer,

it fol

child

eight

to ac

A wife who, having had children, has ceased for three years to conceive, will probably bear no more, and the probability increases as time elapses. After the first, births take place with an average interval, in those who continue to be fertile, of about twenty months.

Nursing women are generally sterile, above all during the first months which follow accouchment, because the vital forces are then concentrated on the secretion of the milk. In a majority of instances, when suckling is prolonged to even nineteen or twenty months, pregnancy does not take place at all, until after weaning.

Climate has also an influence upon the fertility of marriages. In southern regions more children are born, fewer in northern. The number of children is in inverse proportion to the amount of food in a country and in a season. In Belgium, the higher the price of bread, the greater the number of children, and the greater the number of infant deaths.

The seasons exert a power over the increase of population. The spring of the year, as has already been stated, is the most favorable to fecundity. It is not known whether day and night have any effect upon conception.

The worldly condition seems to have much to do with the size of a family. Rich and fashionable women have fewer children than their poor and hard-worked neighbors. Wealth and pleasure seem to be often gladly exchanged for the title of mother.

But it is our more particular object now to inquire into the causes of absolute sterility in individual cases, rather than to discuss the operation of general laws upon the fertility of the community at large, however inviting such a discussion may be. When marriages are fruitless, the wife is almost always blamed. It is not to be supposed that she is always in fault. Many husbands are absolutely sterile: for it is a mistake to consider that every man must be prolific, who is vigorous and enjoys good health. Neither does it follow because a woman has never given birth to a living child, that she has not conceived. About one marriage in eight is unproductive of living children, and therefore fails to add to the population. The seeds of life have, however,

been more extensively sown among women than these figures would seem to indicate. If the life of an infant for a long time after birth is a frail one, before birth its existence is precarious in the extreme. It often perishes soon after conception. A sickness, unusually long and profuse, occurring in a young married woman, a few days beyond the regular time, is often the only evidence she will ever have that a life she has communicated has been ended almost as soon as begun. A tendency to miscarriage may, therefore, be all that stands in the way of a family. This is generally remediable.

It is a well-known fact that frigidity is a frequent cause of barrenness, as well as a barrier to matrimonial happiness. Its removal, so desirable, is in many cases possible by detecting and doing away with the cause. The causes are so various that their enumeration here would be tedious and unprofitable, for most of them can only be discovered and remedied by a practical physician who has studied the particular case under consideration. So, also, in regard to the various displacements and diseases of the womb preventing conception. Proper medical treatment is usually followed by the best results.

While the fact that pleasure is found in the marital relation is a favorable augury for impregnation, it has been long noticed that Messalinas are sterile. It was observed in Paris, that out of one thousand, only six bore children in the course of a year, whereas the ordinary proportion in that city, for that time, is three and a half births for every one hundred of the population.

In some women nothing seems amiss but too intense passion. Such cases are much more rare than instances of the opposite extreme producing the same effect.

A condition of debility, or the presence of certain special poisons in the blood, may prevent conception, or, what is to all intents the same thing, cause miscarriage. Many apparently feeble women have large families. But in numerous instances a tonic and sometimes an alterative constitutional treatment is required before pregnancy will take place. On the contrary, there are well-authenticated cases of women

who
prolif

The
parte
saluta

To
fertil
the fa
child

This
not a

in an

tain

both

and r
comm

advis
with

Ba
come

they
and t

they
this

whom
work

Med
ren

tions
alth

heal
eigh

wher
bear

F
ized

cour
wher

pag
sev

who are stout and barren in opulence becoming thin and prolific in poverty.

The stimulus of novelty to matrimonial intercourse imparted by a short separation of husband and wife is often salutary in its influence upon fertility.

To show upon what slight constitutional differences infertility often depends, it is merely necessary to allude to the fact, known to every one, that women who have not had children with one husband often have them with another. This condition of physiological, incompatibility is evidently not altogether one of the emotional nature, for it is observed in animals, among whom it is by no means rare to find certain males and females who will not breed together, although both are known to be perfectly fruitful with other females and males. The ancients, believing that sterility was more common with couples of the same temperament and condition, advised, with Hippocrates, that blond women should unite with dark men, thin women with stout men, and vice versa.

Barren women should not despair. They sometimes become fecund after a long lapse of years. In other words, they are sterile only during a certain period of their lives, and then, a change occurring in their temperament with age, they become fruitful. History affords a striking example of this eccentricity of generation in the birth of Louis XIV, whom Anne of Austria, Queen of France, brought into the world after a sterility of twenty-two years. Catherine de Medicis, wife of Henry II., became the mother of ten children after a sterility of ten years. Dr. Tilt, of London, mentions the case of a woman who was married at eighteen, but, although both herself and her husband enjoyed habitual good health, conception did not take place until she was forty-eight, when she bore a child. Another case is reported where a well-formed female married at nineteen, and did not bear a child until she had reached her fiftieth year.

Families often suffer from the effects of sterility. Civilized nations never do. It has been found by observation in countries where the loss of life by war is inconsiderable, and where the pressure of the population, through excess of propagation, against the bounds of subsistence, is not very severe, that annual births equal in number to the annual

deaths of the total population are obtained by means of one-half only of the women exerting their full procreating power. Nature, therefore, has made ample provision for preventing a decrease of population through failure of reproduction.

She has also instituted laws to prevent its undue increase. It would seem as if the extension of material, mental and social comfort and culture has a tendency to render marriage less prolific, and population stationary, or nearly so. So evident is this tendency, that it has been laid down as a maxim in sociology, by Sismondi, that "where the number of marriages is proportionably the greatest, where the greatest number of persons participate in the duties and the virtues and the happiness of marriage, the smaller number of children does each marriage produce." Thus, to a certain extent, does nature indorse the opinions of those political economists who assert that increase of population beyond certain limits is an evil, happily averted by wars, famines, and pestilences, which hence become national blessings in disguise. She, however, points to the extension of mental and moral education and refinement as gentler and surer means of reducing plethoric population than those suggested by Malthus and Mill.

Many causes of sterility, it will, therefore, be seen, are beyond the power of man to control. They operate on a large scale for the good of the whole. With these we have little concern. But there are others which may be influenced by intelligent endeavor. Some have been already alluded to, and the remedy suggested: but we will proceed to give more specific,

ADVICE TO WIVES WHO DESIRE TO HAVE CHILDREN.

It has long been known that menstruation presents a group of phenomena closely allied to fecundity. The first eruption of the menses is an unequivocal sign of the awakening of the faculty of reproduction. The cessation of the menstrual epochs is a sign equally certain of the loss of the faculty of reproduction. When conception has taken place, the periodical flow is interrupted. Labor occurs at about the time in which the menses would have appeared. In short, it is a

fact,
befor
sickn
is sai
by th
cured
refer
can p
he ha
for y
their

Re
after
pocra
laid

Th

stron

late

of se

simil

advic

Fom

pond

brea

trua

auth

occa

T

the

be e

ster

—is

phy

the

M

few

of t

fact, now completely established, that the time immediately before and particularly that immediately after the monthly sickness is the period the most favorable to fecundation. It is said that, by following the counsel to this effect given him by the celebrated Fernel, Henry II., the King of France, secured to himself offspring after the long sterility of his wife referred to. Professor Bedford, of New York, says that he can point to more than one instance in which, by this advice, he has succeeded in adding to the happiness of parties who for years had been vainly hoping for the accomplishment of their wishes.



Repose of the woman, and, above all, sojourn on the bed after the act of generation, also facilitates conception. Hippocrates, the great father of medicine, was aware of this, and laid stress upon it in his advice to sterile wives.

The womb and the breasts are bound together by very strong sympathies; that which excites the one will, stimulate the other. Dr. Charles Loudon mentions that four out of seven patients by acting on this hint became mothers. A similar idea occurred to the illustrious Marshall Hall, who advised the application of a strong infant to the breast. Fomentations of warm milk, to the breasts and the corresponding portion of the spinal column, and the use of the breast-pump two or three times a day, just before the menstrual period, have also been recommended by good medical authorities. Horseback exercise carried to fatigue seems occasionally to have conduced to pregnancy.




The greatest hope of success against sterility is to change the dominant state of the constitution. But this can only be effected under suitable medical advice. The treatment of sterility—thanks to the recent researches of Dr. Marion Sims—is much more certain than formerly, and the intelligent physician is now able to ascertain the cause, and point out the remedy, where before all was conjecture and experiment.

ON THE LIMITATION OF OFFSPRING.

No part of our subject is more delicate than this. Very few people are willing to listen to a dispassionate discussion of the propriety or impropriety of limiting within certain



**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4502

1.5 1.8 2.0 2.2 2.5
2.8 3.2 3.6 4.0

5
11 10
6 7

bounds the number of children in a family. On the one side are many worthy physicians and pious clergymen who, without listening to any arguments, condemn every effort to avoid large families ; on the other, are numberless wives and husbands who turn a deaf ear to the warnings of doctors and the thunders of divines, and eager to escape a responsibility they have assumed, hesitate not to resort to the most dangerous and immoral means to accomplish this end.

We ask both parties to lay aside prejudice and prepossession, and examine with us this most important social question in all its bearings.

Let us first inquire whether there is such a thing as *over-production*—having *too many* children. Unquestionably there is. Its disastrous effects on both mother and children are known to every intelligent physician. Two-thirds of all cases of womb disease, says Dr. Tilt, are traceable to child-bearing in feeble women. Hardly a day passes that a physician in large practice does not see instances of debility and disease resulting from over much child-bearing. Even the lower animals illustrate this. Every farmer is aware of the necessity of limiting the offspring of his mares and cows. How much more severe are the injuries inflicted on the delicate organization of woman ! A very great mortality, says Dr. Duncan, of Edinburgh, attends upon confinements when they become too frequent.

The evils of a too rapid succession of pregnancies are likewise conspicuous in the children. There is no more frequent cause, says Dr. Hillier,—whose authority in such matters none will dispute,—of rickets than this. Puny, sickly, short-lived offspring, follows over-production. Worse than this, the carefully-compiled statistics of Scotland show that such children are peculiarly liable to idiocy. Adding to an already excessive number, they come to overburden a mother already overwhelmed with progeny. They cannot receive at her hands the attention they require. Weakly herself, she brings forth weakly infants. "Thus," concludes Dr. Duncan, "are the accumulated evils of an excessive family manifest."

Apart from these considerations, there are certain social relations which have been thought by some to advise small

fami
is tr
unbe
child
selve
that
The
tortu
fatal
riaga
life.

It
Mill
shou
this
but
exp
is re
othe
Lon
" In
"

hist
whe
not
man

S

stro

The

it i

sho

from

late

alit

fash

vil

sla

the

ver

de

families. When either parent suffers from a disease which is transmissible, and wishes to avoid inflicting misery on an unborn generation, it has been urged that they should avoid children. Such diseases not unfrequently manifest themselves after marriage, which is answer enough to the objection that if they did not wish children they should not marry. There are also women to whom pregnancy is a nine months' torture, and others to whom it is nearly certain to prove fatal. Such a condition cannot be discovered before marriage, and therefore cannot be provided against by a single life. Can such women be asked to immolate themselves?

It is strange, says that distinguished writer, John Stuart Mill, that intemperance in drink, or in any other appetite, should be condemned so readily, but that incontinence in this respect should always meet not only with indulgence but praise. "Little improvement," he adds "can be expected in morality until the producing too large families is regarded with the same feeling as drunkenness, or any other physical excess. A well-known medical writer of London, Dr. Drysdale, in commenting on these words, adds: "In this error, if error it be, I also humbly share."

"When dangerous prejudices," says Sismondi, the learned historian of Southern Europe, "have not become accredited, when our true duties towards those to whom we give life are not obscured in the name of a sacred authority, no married man will have more children than he can bring up properly."

Such is the language of physicians and statesmen. But a stronger appeal has been made for the sake of morality itself. The detestable crime of *abortion* is appallingly rife in our day; it is abroad in our land to an extent which would have shocked the dissolute women of pagan Rome. Testimony from all quarters, especially from New England, has accumulated within the past few years to sap our faith in the morality and religion of American women. This wholesale, fashionable murder, how are we to stop it? Hundreds of vile men and women in our large cities subsist by this slaughter of the innocents, and flaunt their ill-gotten gains—the price of blood—in our public thoroughfares. Their advertisements are seen in the newspapers; their soul and body destroying means are hawked in every town. With such

temptation strewn in her path, what will the woman threatened with an excessive family do? Will she not yield to evil, and sear her conscience with the repetition of her wickedness? Alas! daily experience in the heart of a great city discloses to us only too frequently the fatal ease of such a course.

In view of the injuries of excessive child-bearing on the one hand, and of this prevalent crime on the other, a man of genius and sympathy, Dr. Raciborski, of Paris, took the position that the avoidance of offspring to a certain extent is not only legitimate, but should be recommended as a measure of public good. "We know how bitterly we shall be attacked," he says, "for promulgating this doctrine; but if our ideas only render to society the services we expect of them, we shall have effaced from the list of crimes the one most atrocious without exception, that of child-murder, before or after birth, and we shall have poured a little happiness into the bosoms of despairing families, where poverty is allied to the knowledge that offspring can be born only to prostitution or mendicity. The realization of such hopes will console us under the attacks upon our doctrines."

It has been eagerly repeated by some, that the wish to limit offspring arises most frequently from an inordinate desire of indulgence. We reply to such that they do not know the human heart, and that they do it discredit. More frequently the wish springs from a love of children. The parents seek to avoid having more than they can properly nourish and educate. They do not wish to leave their sons and daughters in want. "This," says a writer in *The Nation* (of New York,) in an article on this interesting subject,—“this is not the noblest motive of action, of course, but there is something finely human about it.”

“Very much, indeed, is it to be wished,” says Dr. Edward Reich,—after reviewing the multitudinous evils which result to individuals and society from a too rapid increase in families,—“that the function of reproduction be placed under the dominion of the will.”

Men are very ready to find an excuse for self-indulgence, and if they cannot get one anywhere else, they seek it in religion. They tell the woman it is her duty to bear all the

childr
wome
who e
wife t
she h
her o
has n

Me
them
said a
a few
she s
medi
man
a bre
wise
again
impo
by t

A
Hen
tive
com
act
app
inst
con
plac
fore

T
on t
is s
tim
in
thi
a d
mo
are
wh
ch

children she can. They refer her to the sturdy, strong-limbed women of the early colonies, to the peasant women of Europe, who emigrate to our shores, and ask and expect the American wife to rival them in fecundity. They do not reflect that she has been brought up to light indoor employment, that her organization is more nervous and frail, that she absolutely has not the stamina required for many confinements.

Moreover, they presume too much in asking her to bear them. "If a woman has a right to decide on any question." said a genial physician in the Massachusetts Medical Society a few years since, "it certainly is as to how many children she shall bear." "Certainly," say the editors of a prominent medical journal of our country, "wives have a right to demand of their husbands at least the same consideration which a breeder extends to his stock." "Whenever it becomes unwise that the family should be increased," say Sismondi again, "*justice* and *humanity* require that the husband should impose on himself the same restraint which is submitted to by the unmarried."

An eminent English writer on medical statistics, Dr. Henry MacCormack, says: "The brute yields to the generative impulse when it is experienced. He is troubled by no compunction about the matter. Now, a man ought not to act like a brute. He has reason to guide and control his appetites. Too many, however, forget, and act like brutes instead of us men. It would, in effect prove very greatly conducive to man's interests, were the generative impulses placed absolutely under the sway of right, reason, chastity, forecast, and justice."

There is no lack of authorities, medical and non-medical, on this point. Few who weigh them well will deny that there is such a thing as too large a family, that there does come a time when a mother can rightfully demand rest from her labors in the interest of herself, her children and society. When is this time? Here again the impossibility meets us, of stating a definite number of children, and saying, This many and no more. As in every other department of medicine, averages are of no avail in guiding individuals. There are women who require no limitation whatever. They can bear healthy children with rapidity, and suffer no ill results; there are

others—and they are the majority—who should use temperance in this, as in every other function; and there are a few who should bear no children at all. It is absurd for physicians or theologians to insist that it is either the physical or moral duty of the female to have as many children as she possibly can have. It is time that such an injurious prejudice was discarded, and the truth recognized, that while marriage looks to offspring as its natural sequence, there should be inculcated such a thing as marital continence, and that excess here as elsewhere is repugnant to morality, and is visited by the laws of physiology with certain and severe punishment on parent and child.

Continence, self-control, a willingness to deny himself,—that is what is required from the husband. But a thousand voices reach us from suffering women in all parts of our land, that this will not suffice; that men refuse thus to restrain themselves; that it leads to a loss of domestic happiness and to illegal amours, or that it is injurious physically and mentally,—that, in short, such advice is useless, because impracticable.

To such sufferers we reply that nature herself has provided to some extent against over-production, and that it is well to avail ourselves of her provisions. It is well known that women when nursing rarely become pregnant, and for this reason, if for no other, women should nurse their own children, and continue the period until the child is at least a year old. Be it remembered, however, that nursing, continued too long, weakens both mother and child, and, moreover, ceases to accomplish the end for which we now recommend it.

Another provision of nature is, that for a certain period between her monthly illnesses every woman is sterile. The vesicle which matures in her ovaries, and is discharged from them by menstruation, remains some days in the womb before it is passed forth and lost. How long its stay is, we do not definitely know, and probably it differs in individuals. From ten to twelve days at most, are supposed to elapse after the *cessation* of the flow before the final ejection of the vesicle. For some days after this, the female is incapable of reproduction. But for some days *before* her monthly illness

she is
male e
a varia
its obs

Wha
band d
does n
from p

Is it
and ce
sound
her far

Such
by cha
to intel
a consc
them e
be abu
discuss

Let
against
in the
the alm
shorter
than o
this as
Thoma
adjust
inappr

Non
the use
certain
prepar
medica
cases v
mation
directl

Equ
pleted
ture d

she is liable to conception, as for that length of time the male element can survive. This period, therefore, becomes a variable and an undetermined one, and even when known, its observation demands a large amount of self-control.

What, then, is left to her whom an inconsiderate husband does not spare, and in whom the condition of nursing does not offer—as sometimes it does not—any immunity from pregnancy?

Is it amiss to hope that science will find resources, simple and certain, which will enable a woman to let reason and sound judgment, not blind passion, control the increase of her family?

Such resources are not patents, or secrets hawked about by charlatans or advertised by quacks. Were they familiar to intelligent physicians, yet with a wise discrimination, and a conscientious regard for morality, they could not reveal them except where they were convinced that they will not be abused. Therefore, they, as a rule, have refrained from discussing the subject.

Let women be warned in the most emphatic manner against the employment of the secret methods which quacks in the newspapers are constantly offering. Such means are the almost certain cause of painful uterine diseases, and of shortened life. They are productive of more misery by far, than over-production itself. "The workings of nature in this as in all other physiological processes," says Dr. Gaillard Thomas, "are too perfect, too accurately and delicately adjusted, to be interfered with materially by clumsy and inappropriate measures adopted to frustrate her laws."

None of these clumsy expedients is more frequent than the use of injections. None is more hurtful. It is almost certain to bring on inflammation and ulceration. "We are prepared to assert," says the editor of an ably-conducted medical journal in the west, "that fully *three-fourths* of the cases we have met of the various forms and effects of inflammation of the uterus and appendages in married women are directly traceable to this method of preventing pregnancy."

Equally injurious to the husband, is the habit of uncompleted intercourse. Nervous prostration, paralysis, premature debility and decay, are its frequent consequences.

On the contrary, when that due moderation which medical skill inculcates is employed to attain the same end, the danger seems less. "Long observation proves to us," says the editor of a prominent medical journal of this country, "that such women are the healthiest women in the world."*

There is one method widely in use in this country for the limitation of offspring, which deserves only the most unqualified condemnation, which is certain to bring upon the perpetrators swift and terrible retribution, and which is opposed to every sentiment of nature and morality. We mean

THE CRIME OF ABORTION.

From the moment of conception a new life commences; a new individual exists; another child is added to the family. The mother who deliberately sets about to destroy this life, either by want of care, or by taking drugs, or using instruments, commits as great a crime, is just as guilty, as if she strangled her new-born infant, or as if she snatched from her own breast her six-months' darling and dashed out its brains against the wall. Its blood is upon her head, and as sure as there is a God and a judgment, that blood will be required of her. The crime she commits is *murder, child murder*,—the slaughter of a speechless, helpless being, whom it is her duty, beyond all things else, to cherish and preserve.

This crime is common. It is fearfully prevalent. Hundreds of persons in every one of our largest cities are devoted to its perpetration. It is their trade. In nearly every village its ministers stretch out their bloody hands to lead the weak woman to suffering, remorse and death. Those who submit to their treatment are not generally unmarried women who have lost their virtue, but the mothers of families, respectable, *Christian* matrons, members of churches, and walking in the better class of society.

We appeal to all such with earnest and with threatening words. If they have no feeling for the fruit of their womb, if maternal sentiment is so callous in their breasts, let them know that such produced abortions are the constant cause

* Dr. N. K. Bowling, Nashville Journal of Medicine and Surgery. October, 1868.

of viole
early de
insanity
domesti
to bear
such a v
in the p
of sin o

Ther
mention
of an
ality.

We
sin, be
within
morals.
rance i

Bish
bishop
an add
Baltim
at a r
the se
infant
physic
should

The
men v
offere
sive c
and t
neith
motiv
howe
views
in thi
warn
evil,
negle
evil i

of violent and dangerous womb diseases, and frequently of early death; that they bring on mental weakness, and often insanity; that they are the most certain means to destroy domestic happiness which can be adopted. Better, far better, to bear a child every year for twenty years than to resort to such a wicked and injurious step; better to die, if needs be, in the pangs of childbirth, than to live with such a weight of sin on the conscience.

There is no need of either. By the moderation we have mentioned it is in the power of any woman to avoid the evils of an excessive family, without injury and without criminality.

We feel obliged to speak in plain language of this hidden sin, because so many are ignorant that it is a sin. Only within a few years have those who take in charge the public morals, spoken of it in such terms that this excuse of ignorance is no longer admissible.

Bishop Coxe, of New York, in a pastoral letter, Archbishop Spaulding, Catholic Primate of the United States, in an address at the close of the last Provincial Council at Baltimore, the Old and New School Presbyterian Churches at a recent meeting in Philadelphia, have all pronounced the severest judgments against those guilty of ante-natal infanticide. Appeals through the press have been made by physicians of high standing, and by eminent divines, which should be in the hands of every one.

The chiefest difficulty, hitherto, has been, that while women were warned against the evils of abortion, they were offered no escape from the exhaustion and dangers of excessive child-bearing. This difficulty we have fully recognized and fairly met, and, we believe, in such a manner that neither the accuracy of our statements nor the purity of our motives can be doubted. Should our position be attacked, however, the medical man must know that in opposing our views, he opposes those of the most distinguished physicians in this country and in Europe; and the theologian should be warned that when a neglect of physical laws leads to moral evil, the only way to correct this evil is to remedy the neglect. In this case the neglect is in over-production,—the evil is abortion.

NATURE OF CONCEPTION.

The theories which have been advanced to explain the manner in which the human species is continued and reproduced are very numerous. Including the hypothesis of the ancient philosophers, some two hundred and fifty have been promulgated by the greatest thinkers of all times. The older ones do not deserve mention, as they are replete with absurdities. Such, for instance, is that of Pythagoras, which supposed that a vapor descended from the brain and formed the embryo. The Scythians therefore took blood from the veins behind the ears to produce impotence and sterility. Modern science has shown the total error of this and many other views formerly entertained on this subject. Has galvanism or electricity any share in the mysterious function? Some among the modern physiologists have supposed that there is an electrical or magnetic influence which effects generation. Even within a few months, Dr. Harvey L. Byrd, Professor of Obstetrics in the Medical Department of Washington University of Baltimore, Md., has asserted that he has "every reason for believing that fecundation or impregnation is always an electrical phenomenon, * * * it results from the completion of an electric circle,—the union of positive and negative electricities. This, however, is not accepted by all, as the dictum of modern science. Physiology has clearly established that the new being is the result of contact between the male element, an independent, living animal, on the one part, and the female element, a matured egg, on the other, involving the union of the contents of two peculiar cells. Without such contact fecundation cannot take place.

The only matter of practical moment in connection with this most interesting function which we have to announce, is the influence of the mind on the offspring, at the time of generation. This influence has long been remarked in regard to animals as well as men. Jacob was aware of it when he made his shrewd bargain with Laban for "all the speckled and spotted cattle" as his hire. For we are told that then "Jacob took him rods of green poplar, and of the hazel and chesnut tree; and pilled white strakes in them, and

made th
the rod
in the v
they sh
flocks o
ringstra
the lam
straked
put his
Laban's
cattle d
of the
the rod
in: so

The
of sigh
influen
young
eyes.
sition;
day, n

The
seeme
in thei
repres
with t

Did
beaut
order

The
magis
child
at the
the fa
Galer
couns
jugal
order
feaste
strict

made the white appear which was in the rods. And he set the rods which he had pilled before the flocks in the gutters, in the watering troughs when the flocks came to drink, that they should conceive when they came to drink. And the flocks conceived before the rods, and brought forth cattle ringstraked, speckled and spotted. And Jacob did separate the lambs and set the faces of the flocks towards the ringstraked, and all the brown in the flock of Laban; and he put his own flocks by themselves, and put them not unto Laban's cattle. And it came to pass, wherever the stronger cattle did conceive, that Jacob laid the rods before the eyes of the cattle in the gutters, that they might conceive among the rods. But when the cattle were feeble, he put them not in: so the feebler were Laban's and the stronger Jacob's."

The impressions conveyed to the brain through the sense of sight are here asserted by the writer of Genesis to have influenced the system of the ewes so that they brought forth young in the same manner as the rods placed before their eyes. It is not said that there was any miraculous interposition; but the whole account is given as if it were an everyday, natural and well-known occurrence.

The Greeks, a people renowned for their physical beauty, seemed to be aware of the value of mental impressions; for in their apartments they were lavish of statues and paintings representing the gods and goddesses, delineated in accordance with the best models of art.

Dionysius, tyrant of Syracuse, caused the portrait of the beautiful Jason to be suspended before the nuptial bed, in order to obtain a handsome child.

The following is related of the celebrated Galen. A Roman magistrate, little, ugly and hunchbacked, had by his wife a child exactly resembling the statue of Æsop. Frightened at the sight of this little monster, and fearful of becoming the father of a posterity so deformed, he went to consult Galen, the most distinguished physician of his time, who counseled him to place three statues of love around the conjugal bed, one at the foot, the others, one on each side, in order that the eyes of his young spouse might be constantly feasted on these charming figures. The magistrate followed strictly the advice of the physician, and it is recorded that

his wife bore him a child surpassing in beauty all his hopes.

The fact that the attributes of the child are determined to an important extent by the bodily and mental condition of the parents at the time of conception, explains the marked difference almost constantly observed between children born to the same parents, however strong the family likeness may be among them. The changes constantly going on in the physical, intellectual and emotional states of the parents produce a corresponding alteration in offspring conceived at successive intervals. Twins generally resemble each other very closely in every respect.

Inasmuch, therefore, as the moment of generation is of much more importance than is commonly believed, in its effect upon the moral and physical life of the future being, it is to be wished that parents would pay some attention to this subject. It is the moment of creation, that in which the first vital power is communicated to the new creature. Not without reason has nature associated with it the highest sensual exaltation of our existence. Dr. Hufeland, the author of the "Art of Prolonging Life," has said, "In my opinion it is of the utmost importance that this moment should be confined to a period when the sensation of collected powers, ardent passion, and a mind cheerful and free from care invite to it on both sides."

SIGNS OF FRUITFUL CONCEPTION.

There are some women in whom the act of conception is attended with certain sympathetic affections, such as faintness, vertigo, &c., by which they know that it has taken place.

Swelling of the neck was regarded in ancient times as a sign of conception. Its truthfulness has been reaffirmed by modern authorities.

It has also been asserted that impregnation generally excites a universal tremor in all parts of the body, and that it is associated with more than an ordinary degree of pleasure.

It must not be supposed, however, that enjoyment and impregnation bear necessarily to each other the relation of

cause an
too imp
often in

It is
manifest
dation.
oning th
of nause

In co
often e
explain
value.

satisfie
place ;
nothing

From
knowle
by the
until "
part of

HO

Ah !
magici
fairy.

love of
is it tr
of Bru

My
his du
going

Yes

But
and w
from
that r
purch

cause and effect, although this is the popular opinion. From too implicit a reliance upon this current belief, wives are often incredulous as to their true condition.

It is a fact that in some cases sickness at the stomach manifests itself almost simultaneously with the act of fecundation. Authentic instances are on record of wives reckoning their confinement nine months from the first feeling of nausea, without ever making a mistake.

In conclusion, it may be said that peculiar sensations are often experienced, frequently of a character difficult to explain, and many modern authors attach to them a marked value. In this manner it is possible for a woman to be satisfied at the moment as to the change which has taken place; yet the evidence is often deceptive, and sometimes nothing peculiar is noticed.

From the period of conception the mother has no direct knowledge of the process that is going on within, excepting by the effects of the increasing pressure upon other parts, until "quickenings" takes place, which belongs to another part of our subject.

HOW TO RETAIN THE AFFECTIONS OF A HUSBAND.

Ah! this is a secret indeed!—worth the wand of the magician, the lamp of Aladdin, or the wishing-cap of the fairy. What could any of these give in exchange for the love of a husband? Yet this pearl of great price, how often is it treated as lightly and carelessly as if it was any bauble of Brummagem?

My husband! we have heard young wives say, why it is his duty to love me. Why did he marry me if he is not going to love me, love me fondly, love me ever?

Yes, we all know

Love the gift, is love the debt.

But in this world of ours it is often hard to get one's own, and when got, our care must never cease lest it be wrested from us. The plant you bought at the green-house, and that now blossoms on your window-sill, became yours by purchase, but it has required your daily care to keep it

alive and persuade it to unfold its blossoms. Infinitely more delicate is this plant of love. It, too, you purchased. You gave in exchange for it your own heart. It, too, you must daily tend with constant solicitude, lest it wither and die.

In this country some women think that anything is good enough to wear at home. They go about in slatternly morning dresses, unkempt hair, and slippers down at heel. "Nobody will see me," they say, "but my husband." Let them learn a lesson from the wives of the Orient.

In those countries a wife never goes abroad except in long sombre robes and thick veil. An English lady visiting the wife of one of the wealthy merchants, found her always in full dress, with toilet as carefully arranged as if she were going to a ball.

"Why," exclaimed the visitor at length, "is it possible that you take all this trouble to dress for nobody but your husband?"

"Do, then," asked the lady, in reply, "the wives of Englishmen dress for the sake of pleasing other men?"

The visitor was mute.

Not that we would wish American ladies to be forever in full costume at home. That would be alarming. But she who neglects neatness in attire, and, above all, cleanliness of person, runs a great danger of creating a sentiment of disgust in those around her. Nothing is more repugnant to the senses than bad odors and, for reasons which every woman knows, women who neglect cleanliness are peculiarly liable to them. When simple means do not remove them, recourse should be promptly had to a physician.

So it is with bad breath. This sometimes arises from neglect of the teeth, sometimes from diseases of the stomach, lungs, etc. A man of delicate olfactories is almost forced to hold at arm's length a wife with a fetid breath.

There are some women—we have treated several—who are plagued with a most disagreeable perspiration, especially about the feet, the arms, etc. Such should not marry until this is cured. It is a rule among army surgeons to be chary about giving men their discharge from military service on surgeon's certificate. But fetid feet are at times so horribly offensive, that they are considered an allowable cause for

discha
receiv
quite
allege
In
arts o
which
embel
or sin
the g
almos
and
years
woul
canno

W
subje
both
great
indiv
In
neces
kind
cogn
part
child
strik
dire
its g
is st
teris
inhe
from
curi
sem
sire
cert

discharge. No doubt in some of our States they would be received as a valid ground for divorce!—certainly with quite as much reason as many of the grounds usually alleged.

In short, the judicious employment of all the harmless arts of the toilet, and of those numerous and effective means which modern science offers, to acquire, to preserve, and to embellish beauty, is a duty, which women, whether married or single, should never neglect. With very little trouble, the good looks and freshness of youth can be guarded almost to old age, and even when hopelessly gone, simple and harmless means are at hand to repair the injuries of years, or at least to conceal them. But this is an art which would require a whole volume to treat of, and which we cannot here touch upon.

INHERITANCE.

We now come to the consideration of a very wonderful subject, that of inheritance. It is one of absorbing interest, both because of the curious facts it presents and of the great practical bearing it has upon the welfare of every individual.

In order to the better understanding of this matter, it is necessary at the outset to make a distinction between four kinds or varieties of inheritance. The most generally recognized is direct inheritance, that in which the children partake of the qualities of the father and mother. But a child may not resemble either parent, while it bears a striking likeness to an uncle or aunt. This constitutes indirect inheritance. Again, a child may be more like one of its grand-parents than either its father or mother. Or, what is still more astonishing, it may display some of the characteristics possessed only by a remote ancestor. This form of inheritance is known by the scientific term *atavism*, derived from the Latin word *atavus*, meaning an ancestor. It is curious to note in this connection that sometimes a son resembles more closely his maternal, than his paternal grand-sire in some male attribute, as a peculiarity of beard, or certain diseases confined to the male sex. Though the

mother cannot possess or exhibit such male qualities, she has transmitted them, through her blood, from her father to her son.

The fourth variety of inheritance is that in which the child resembles neither parent, but the first husband of its mother. A woman contracting a second marriage transmits to the offspring of that marriage the peculiarities she has received through the first union. Breeders of stock know this tendency, and prevent their brood-mares, cows, or sheep, from running with males of an inferior stock. Thus the diseases of a man may be transmitted to children which are not his own. Even though dead, he continues to exert an influence over the future offspring of his wife by means of the ineffaceable impress he had made in the conjugal relation, upon her whole system, as we have previously mentioned. The mother finds in the children of her second marriage

“ * * * the touch of a vanished hand
And the sound of a voice that is still.”

A child may, therefore, suffer, through the operation of this mysterious and inexorable law, for sins committed, not by its own father, but by the first husband of its mother. What a serious matter, then, is that relation between the sexes called marriage! How far-reaching are its responsibilities!

A distinction must here be drawn between hereditary transmission and the possession of qualities at birth which have not been the result of any impression received from the system of father or mother, but due to mental influences or accidents operating through the mother. A child may be born idiotic or deformed, not because either parent or one of its ancestors was thus affected, but from the influence of some severe mental shock received by the mother during her pregnancy. This subject of maternal impressions will come up for separate consideration in the discussion of pregnancy. Again, a child may be epileptic, although there is no epilepsy in the family, simply because of the intoxication of the father or mother at the time of the intercourse resulting in conception. Such cases are not due

to her
which
other
In
pass i
tion.
know
herite

Go
biades
descer
well a
this r
ancier
tiful
and f
beaut
paren
nose l
Bourk
Hapsl
speak

he sca
some
domi

Th
hered
two
Fred
of gig
only
often
Yet s

to hereditary transmission, for that cannot be hereditary which has been possessed by neither the parents nor any other relatives.

In considering the effects of inheritance, we will first pass in review those connected with the physical constitution. These are exceedingly common and universally known. Fortunately, not merely are evil qualities inherited, but also beauty, health, vigor, and longevity.

BEAUTY.

Good looks are characteristic of certain families. Alcibiades, the handsomest among the Grecians of his time, descended from ancestors remarkable for their beauty. So well and long has the desirable influence of inheritance in this respect been recognised, that there existed in Crete an ancient law which ordained that each year the most beautiful among the young men and women should be chosen and forced to marry in order to perpetuate the type of their beauty. Irregularities of feature are transmitted from parent to child through many generations. The aquiline nose has existed some centuries, and is yet hereditary in the Bourbon family. The hereditary under lip of the house of Hapsburg is another example. When the poet Savage speaks of

“The tenth transmitter of a foolish face,”

he scarcely exaggerates what is often seen in families where some strongly-marked feature or expression is long predominant or reappears in successive generations.

NECK AND LIMBS.

The form and length of the neck and limbs are frequently hereditary, as is also the height of the body. The union of two tall persons engenders tall children. The father of Frederick the Great secured for himself a regiment of men of gigantic stature by permitting the marriage of his guards only with women of similar height. A tendency to obesity often appears in generation after generation of a family. Yet such cases are within the reach of medical art.

COMPLEXION.

Even the complexion is not exempt from this influence. Blondes ordinarily procreate blondes, and dark parents have dark-skinned children. An union in marriage of fair and dark complexions results in an intermediate shade in the offspring. Not always, however, for it has been asserted that the complexion chiefly follows that of the father. The offspring of a black father and a white mother is much darker than the progeny of a white father and a dark mother. In explanation of this fact, it has been said that the mother is not impressed by her own color, because she does not look upon herself, while the father's complexion attracts her attention, and thus gives a darker tinge to the offspring. Black hens frequently lay dark eggs; but the reverse is more generally found to be the case.

PHYSICAL QUALITIES TRANSMITTED BY EACH PARENT.

In general, it may be said that there exists a tendency on the part of the father to transmit the external appearance, the configuration of the head and limbs, the peculiarities of the senses, and of the skin and the muscular condition; while the size of the body, and the general temperament or constitution of the child, is derived from the mother. Among animals, the mule, which is the produce of the male ass and the mare, is essentially a modified ass, having the general configuration of its sire but the rounded trunk and larger size of its dam. On the other hand, the hinny, which is the offspring of the stallion and the she ass, is essentially a modified horse, having the general configuration of the horse, but being a much smaller animal than its sire, and therefore approaching the dam in size as well as in the comparative narrowness of its trunk. The operation of this principle, though general, is not universal. Exceptions may easily be cited. In almost every large family it will be observed that the likeness to the father predominates in some children, while others most resemble the mother. It is rare to meet with instances in which some distinctive traits of both parents may not be traced in the offspring.

HAIR.

Peculiarities in the color and structure of the hair are transmitted. Darwin mentions an English family in which, for many generations, some of the members had a single lock differently colored from the rest of the hair.

TEMPERAMENT.

The law of inheritance rules in regard to the production of the temperament. The crossing of one temperament with another in marriage produces a modification in the offspring generally advantageous.

FERTILITY.

A peculiar aptitude for procreation is sometimes hereditary. The children of prolific parents are themselves prolific. It is related that a French peasant woman was confined ten times in fifteen years. Her pregnancies, always multiple, produced twenty-eight children. At her last confinement she had three daughters, who all lived, married, and gave birth to children; the first to twenty-six, the second to thirty-one, and the third to twenty-seven. On the contrary, sometimes a tendency to sterility is found fixed upon certain families, from which they can only escape by the most assiduous care.

LONGEVITY.

In the vegetable kingdom, the oak inherits the power to live many years, while the peach-tree must die in a short time. In the animal kingdom, the robin becomes gray and toothless at ten years of age; the rook caws lustily until a hundred. The ass is much longer-lived than the horse. The mule illustrates in a striking manner the hereditary tendency of longevity. It has the size of the horse, the long life of the ass. The weaker the ass, the larger, the stronger, and the shorter-lived and more horse-like, the mule. It is also a curious and instructive fact, that this animal is the

toughest after it has passed the age of the horse ; the inherited influence of the horse having been expended, the vitality and hardiness of the ass remains.

It is universally conceded that longevity is the privileged possession of some lineages. That famous instance of old age, Thomas Parr, the best authenticated on record, may be mentioned in illustration. It is vouched for by Harvey, the distinguished discoverer of the circulation of the blood. Parr died in the reign of Charles the First, at the age of 152, after having lived under nine sovereigns of England. He left a daughter aged 127. His father had attained to a great age, and his great-grandson died at Cork at the age of 103.

DEFORMITIES.

Deformities are undoubtedly sometimes transmitted to the progeny. It is by no means rare to find that the immediate ancestors of those afflicted with superfluous fingers and toes, club feet, or hare lips, were also the subject of these malformations. There are one or two families in Germany whose members pride themselves upon the possession of an extra thumb ; and there is an Arab chieftain whose ancestors have from time immemorial been distinguished by a double thumb upon the right hand. Darwin gives many similar instances. A case of curious displacement of the knee-pans is recorded, in which the father, sister, son, and the son of the half brother by the same father, had all the same malformation.

PERSONAL PECULIARITIES.

Gait, gestures, voice, general bearing, are all inherited. Peculiar manners, passing into tricks, are often transmitted, as in the case, often quoted, of the father who generally slept on his back with his right leg crossed over the left, and whose daughter, whilst an infant in the cradle, followed exactly the same habit, though an attempt was made to cure her. Left-handedness is not unfrequently hereditary. It would be very easy to go on multiplying instances, but we forbear.

A p
can th
The a
name
perha
Quille
works
writte
turies
We
trans
excep
not b
of the
partic
pleasa
effect
Th
and t
in the
them
know
too la
cross
offspr
tries
they
high
tain
wher
prop
have
preg
enr
her
shou
mar
caut

HOW TO HAVE BEAUTIFUL CHILDREN.

A practical question now naturally suggests itself. How can the vices of conformation be avoided and beauty secured? The art of having handsome children, known under the name of *callipædia*, has received much attention, more, perhaps, in years gone by, than of late. The noted Abbot Quillet wrote a book in Latin on the subject. Many other works, in which astrology plays a prominent part, were written on this art in the sixteenth and seventeenth centuries.

We have already stated that well-formed parents will transmit these qualities to their children, with scarcely an exception. Like begets like. Unfortunately all parents are not beautiful. Yet all desire beautiful offspring. The body of the child can be influenced by the mind of the parent, particularly of the mother. A mind habitually filled with pleasant fancies and charming images is not without its effect upon the offspring.

The statues of Apollo, Castor and Pollux, Venus, Hebe, and the other gods and goddesses which were so numerous in the gardens and public places in Greece, reproduced themselves in the sons and daughters of the passers-by. We know also that marriages contracted at an age too early or too late are apt to give imperfectly developed children. The crossing of temperaments and of nationalities beautifies the offspring. The custom which has prevailed in many countries among the nobility of purchasing the handsomest girls they could find for their wives, has laid the foundation of a higher type of features among the ruling classes. To obtain this desired end, conception should take place only when both parents are in the best physical condition, at the proper season of the year, and with mutual passion. (We have already hinted how this can be regulated). During pregnancy the mother should often have some painting or engraving representing cheerful and beautiful figures before her eyes, or often contemplate some graceful statue. She should avoid looking at or thinking of ugly people, or those marked with disfiguring diseases. She should take every precaution to escape injury, fright, and disease of any kind, espe-

cially chicken-pox, erysipelas, or such disorders as leave marks on the person. She should keep herself well-nourished, as want of food nearly always injures the child. She should avoid ungraceful positions and awkward attitudes, as by some mysterious sympathy these are impressed on the child she carries. Let her cultivate grace and beauty in herself at such a time, and she will endow her child with them. As anger and irritability leave imprints on the features, she should maintain serenity and calmness.

INHERITANCE OF TALENT AND GENIUS. •

The effects of inheritance are perhaps more marked upon the mind than upon the body. This need not surprise us. If the peculiar form of the brain can be transmitted, the mental attributes, the result of its organization, must necessarily also be transmitted.

It is a matter of daily observation that parents gifted with bright minds, cultivated by education, generally engender intelligent children; while the offspring of those steeped in ignorance are stupid from birth. It may be objected that men, the most remarkable in ancient or modern times, as Socrates, Plato, Aristotle, Shakespeare, Milton, Buffon, Cuvier, etc., have not transmitted their vast intellectual powers to their progeny. In explanation, it has been stated that what is known as genius is not transmissible. The creation of a man of genius seems to require a special effort of nature, after which, as if fatigued, she reposes a long time before again making a similar effort. But it may well be doubted whether even those complex mental attributes on which genius and talent depend are not inheritable, particularly when both parents are thus endowed. That distinguished men do not more frequently have distinguished sons, may readily be accounted for when it is recollected that the inherited character is due to the combined influence of both parents. The desirable qualities of the father may therefore be neutralized in the offspring by the opposite or defective qualities of the mother. That contrasts in the disposition of parents are rather the rule than the exception, we have already shown. Every one tends to unite himself in friend-

ship
there
own
weak
the fa
may
tion o
preve
natur
these
ed, w
talent

Of
phical
found
there
or on
accou
and A
eighty
one in
of the
an's
hundr
are ne
ers an
Univ
hundr
or on
been
tingu
lative
fater
the t
men
emin
three
of in
regar
and

ship or love with a different character from its own, seeking thereby to supplement the qualities in which he feels his own nature to be deficient. The mother, therefore, may weaken and perhaps obliterate the qualities transmitted by the father. Again, the influence of some remote ancestors may make itself felt upon the offspring, through the operation of the law of atavism, before alluded to, and thus prevent the children from equalling their parents in their natural endowments. Notwithstanding the workings of these opposing forces, and others which might be mentioned, we find abundant illustration of the hereditary nature of talent and character.

Of six hundred and five names occurring in the Biographical Dictionary devoted to men distinguished as great founders and originators, between the years 1453 and 1853, there were no less than one hundred and two relationships, or one in six. Walford's "Men of the Time" contains an account of the distinguished men in England, the Continent, and America, then living. Under the letter A there are eighty-five names, and no less than twenty-five of these, or one in three and a half, have relatives also in the list; twelve of them are brothers and eleven fathers and sons. In Bryan's "Dictionary of Painters," the letter A contains three hundred and ninety-one names of men, of whom sixty-five are near relatives, or one in six; thirty-three of them are fathers and sons, and thirty are brothers. In Fetis' "Biographie Universelle des Musiciens," the letter A contains five hundred and fifteen names, of which fifty are near relatives, or one in ten. Confining ourselves to literature alone, it has been found that it is one to six and a half that a very distinguished literary man has a very distinguished literary relative. And it is one in twenty-eight that the relation is father and son or brother and brother respectively. Out of the thirty-nine Chancellors of England, sixteen had kinsmen of eminence; thirteen of them had kinsmen of great eminence. These thirteen out of thirty-nine, or one in three, are certainly remarkable instances of the influences of inheritance. A similar examination has been instituted in regard to the judges of the Supreme Court of Massachusetts, and other States, with like results. The Greek poet

Æschylus counted eight poets and four musicians among his ancestors. The greater part of the celebrated sculptors of ancient Greece descended from a family of sculptors. The same is true of the great painters. The sister of Mozart shared the musical talent of her brother. As there are reasons, to be detailed hereafter, for believing that the influence of the mother, is even greater than that of the father, how vastly would the offspring be improved if distinguished men united themselves in marriage to distinguished women for generation after generation !

INFLUENCE OF FATHERS OVER DAUGHTERS ; OF MOTHERS
OVER SONS.

We have already called attention to the parts of the physical organization transmitted by the father and by the mother. It would seem, moreover, that each parent exercises a special influence over the child according to its sex. The father transmits to the daughters, the form of the head, the frame work of the chest and of the superior extremities, while the conformation of the lower portion of the body and the inferior extremities are transmitted by the mother. With the sons this is reversed. They derive from the mother the shape of the head and of the superior extremities, and resemble the father in the trunk and inferior extremities. From this it therefore results, that boys procreated by intelligent women will be intelligent, and that girls procreated by fathers of talent, will inherit their mental capacity. The mothers of a nation, though unseen and unacknowledged in the halls of legislation, determine in this subtle manner the character of the laws.

History informs us that the greater part of the women who have been celebrated for their intelligence, reflected the genius of their fathers. Arete, the most celebrated woman of her time, on account of the extent of her knowledge, was the daughter of the distinguished philosopher Aristippus, disciple of Socrates. Cornelia, the mother of the Gracchi, was a daughter of Scipio. The daughter of the Roman emperor Caligula, was as cruel as her father. Marcus Aurelius inherited the virtues of his mother, and Com-

modus
the fau
Gengis
mother
of the
by the
deceitf
She ha
the Pr
Her da
gentle
death
meekn
himsel
Sand,
mother
often s
poets
Byron
for the
his jo
taint,
most f
of sui
nal g
daugh
mor.
lent n
to her
John
mer o
may
the a
deriv
or tel
unmo
easil
rect
moth

modus the vices of his. Charlemagne shut his eyes upon the faults of his daughters, because they recalled his own. Gengis-Khan, the renowned Asiatic conqueror, had for his mother a warlike woman. Tamerlane, the greatest warrior of the fourteenth century, was descended from Gengis-Khan by the female side. Catherine de Medicis was as crafty and deceitful as her father, and more superstitious and cruel. She had two sons worthy of herself, Charles IX, who shot the Protestants, and Henry III, who assassinated the Guises. Her daughter, Margaret of Valois, recalled her father by her gentle manners. Henry VIII, who put two of his wives to death on the scaffold, had two sons distinguished for the meekness of their characters, and two daughters as cruel as himself. Arete, Hypatia, Madame de Stael, and George Sand, all four had philosophers for their fathers. The mother of Bernardo Tasso, had the gift of poetry. Buffon often speaks of the rich imagination of his mother. The poets Burns, "Rare Ben Jonson," Goethe, Walter Scott, Byron and Lamartine,—all were born of women remarkable for their vivacity, and brilliancy of language. Byron, in his journal, attributes his hypochondria to an hereditary taint, derived from his mother, who was its victim in its most furious form; and her father "was strongly suspected of suicide." He was said to have resembled more his maternal grandfather than any of his father's family. The daughter of Molière, was like her father in her wit and humor. Beethoven had for a maternal grandmother an excellent musician. The mother of Mozart gave the first lessons to her son. A crowd of composers have descended from John Sebastian Bach, who long stood unrivalled as a performer on the organ, and composer for that instrument. It may be remarked here that it is almost invariably true that the ability or inability to acquire a knowledge of music is derived from the ancestry. Parents who cannot turn a tune or tell one note from another, bring forth children equally unmoved "with concord of sweet sounds." Examples could easily be adduced at still greater length, illustrating the direct influence of the father over the daughter, and of the mother over the son. Those given will suffice.

INFLUENCE OF EDUCATION OVER INHERITED QUALITIES.

In correcting the evil effects of inheritance on the mind, education plays a very important part. A child born with a tendency to some vice or intellectual trait, may have this tendency entirely overcome, or at least modified, by training. So, also, virtues implanted by nature, may be lost during the plastic days of youth, in consequence of bad associations and habits.

Education can therefore do much to alter inherited mental and moral qualities. Can it be invoked to prevent the transmission of undesirable traits, and secure the good? Everything that we have at birth, is an heritage from our ancestors. Can virtuous habits be transmitted? Can we secure virtues in our children by possessing them ourselves? Science sadly says, through her latest votaries, that we are scarcely more than passive transmitters of a nature we have received, and which we have no power to modify. It is only after exposure during several generations to changed conditions or habits that any modification in the offspring ensues. The son of an old soldier learns his drill no more quickly than the son of an artizan. We must, therefore, come to the conclusion that, to a great extent, our own embryos have sprung immediately from the embryos whence our parents were developed, and these from the embryos of their parents, and so on forever. Hence, we are still barbarians in our nature. We show it in a thousand ways. Children, who love to dig and play in the dirt, have inherited that instinct from untold generations of ancestors. Our remote forefathers were barbarians, who dug with their nails to get at the roots on which they lived. The delicately-reared child reverts to primeval habits. In like manner, the silk-haired, parlor-nurtured spaniel springs from the caressing arms of its mistress, to revel in the filth of the roadside. It is the breaking out of inherited instinct.

TRANSMISSION OF DISEASE.

Perhaps the most important part of the subject of inheritance, is that which remains for us to consider, in relation to the transmission of or the predisposition to, disease.

Const
most fre
of inher
nent ph
other w
obesity,
brain a
are all
fusely a
with as

The i
by the s
childrer
posite s
liar to t
to his s
several
supernu
ties and
during
ited by
site.
in rega

How
of part
ing the
have b
herited
their r
immer
gashes
reason
ited.
men a
busine
Victor
took a

Consumption, that dread foe of American life, is the most frequently encountered of all affections as the result of inherited predisposition. Indeed, some of the most eminent physicians have believed it is never produced in any other way. Heart disease, disease of the throat, excessive obesity, affections of the skin, asthma, disorders of the brain and nervous system, gout, rheumatism, and cancer, are all hereditary. A tendency to bleed frequently, profusely and uncontrollably from trifling wounds is often met with as a family affection.

The inheritance of diseased conditions, is also *influenced by the sex*. A parent may transmit disease exclusively to children of the same sex, or exclusively to those of the opposite sex. Thus, a horn-like projection on the skin, peculiar to the Lamel family, was transmitted from the father to his sons and grandsons alone. So mothers have through several generations, transmitted to their daughters alone, supernumerary fingers, color-blindness, and other deformities and diseases. As a general rule, any disease acquired during the life of either parent strongly tends to be inherited by the offspring of the same sex rather than the opposite. We have spoken of the apparently reverse tendency in regard to the transmission of genius and talent.

ARE MUTILATIONS INHERITABLE ?

How, it may be inquired, is it in regard to the inheritance of parts mutilated and altered by injuries and disease during the life of either parent. In some cases mutilations have been practiced for many generations without any inherited result. Different races of men have knocked out their upper teeth, cut off the joints of their fingers, made immense holes through their ears and nostrils, and deep gashes in various parts of their bodies, and yet there is no reason for supposing that these mutilations have been inherited. The *Comprachicos*, a hideous and strange association of men and women, existed in the seventeenth century, whose business it was to buy children, and make of them monsters. Victor Hugo, in his last work, has graphically told how they took a face and made of it a snout, how they bent down

growth, kneaded the physiognomy, distorted the eyes, and in other ways disfigured "the human form divine," in order to make fantastic playthings for the amusement of the noble-born. But history does not state that these deformities were inherited; certainly no race of monsters has resulted. The pits from small-pox are not inherited, though many successive generations must have been thus pitted by that disease before the beneficent discovery of the immortal Jenner. Children born with the scars left by pustules have had small-pox in the womb, acquired through the system of the mother. On the other hand, the lower animals, cats, dogs, and horses, which have had their tails and legs artificially altered or injured, have produced offspring with the same condition of parts. A man who had his little finger on the right hand almost cut off, and which in consequence grew crooked, had sons with the same finger on the same hand similarly crooked. The eminent physiologist, Dr. Brown-Séquard, mentions that many young guinea-pigs inherited an epileptic tendency from parents which had been subjected to an operation at his hands, resulting in the artificial production of fits; while a large number of guinea-pigs bred from animals which had not been operated on, were not thus affected. At any rate, it cannot but be admitted that injuries and mutilations which cause disease, are occasionally inherited. But many cases of deformities existing at birth, as hare-lip, are not due to inheritance, although present in the father. They arise from a change effected in the child while in the womb through an impression made upon the mind of the mother, as will be shown hereafter.

LATE MANIFESTATIONS OF THE EFFECTS OF INHERITANCE.

Not only are diseases inherited which make their appearance at birth, but those which defer their exhibition until a certain period of life corresponding with that at which they showed themselves in the parents. Thus in the Lambert family, before referred to, the porcupine excrescence on the skin began to grow in the father and sons at the same age, namely, about nine weeks after birth. In an extraordin-

arily ha
produce
father,
old; in
year; a
in life,
hair at
some fa
baldnes

HO

Thes
those d
and wh
altoget
veloped
ited ter
until a
use of
proper
the pra
warm,
practic
the yea
the de
only b
in wh
those v
Let ou

Wh

ses an
the m
thorou
ures o
order.
child
inheri
shoul
reco

arily hairy family, which has been described, children were produced during three generations with hairy ears ; in the father, the hair began to grow over his body at six years old ; in his daughter, somewhat earlier, namely, at one year ; and in both generations the milk teeth appeared late in life, the permanent teeth being deficient. Grayness of hair at an unusually early age has been transmitted in some families. So, also, has the premature appearance of baldness.

HOW TO AVOID THE TENDENCY OF INHERITANCE.

These facts suggest the practical consideration that in those diseases the predisposition to which alone is inherited, and which break out only after a lapse of time, it is often altogether possible to prevent the predisposition being developed into positive disease. Thus, for instance, the inherited tendency to *consumption* remains asleep in the system until about the age of puberty or later. Therefore, by the use of a diet in which animal food forms a large portion, properly regulated, and systematic exercise in the open air, the practice of the long inhalations before recommended, warm, comfortable clothing, together with a residence, if practicable, during the changeable and inclement seasons of the year, in an equable climate, we can often entirely arrest the development of the disease. Prevention here is not only better than cure, but often all that is possible. Those in whom the disease has become active, must too often, like those who entered Dante's infernal regions, "abandon hope." Let our words of caution therefore be heeded.

When there is reason to believe that an individual possesses an inherent tendency to any disease, it is the duty of the medical adviser to study the constitution of the patient thoroughly, and after such study to recommend those measures of prevention best suited to avert the threatened disorder. Above all, let the physician look closely to the child at the period of life when any grave constitutional inheritable disease attacked the parent. This supervision should be carried into adult years, for there are instances on record of inherited diseases coming on at an advanced age,

as in that of a grandfather, father, and son who all became insane and committed suicide near their fiftieth year. Gout, apoplexy, insanity, chronic disease of the heart, epilepsy, consumption, asthma, and other diseases, are all more or less under the control of preventive measures. Some hereditary diseases, such as idiocy and cancer, we are impotent to prevent, in the present state of our knowledge.

A singular fact in connection with the transmission of disease, is the readiness with which a whole generation is passed over, the affection appearing in the next. A father or mother with consumption may, in some instances, have healthy children, but the grand children will die of the disease. Nature kindly favors one generation, but only at the expense of the next.

Some diseases require, in addition to the general means of prevention to be found in a strict observance of the laws of health, some special measures in order to effectually ward off their appearance. But the extent of this work will not admit of their discussion. Already, indeed, have we unduly, perhaps, extended our remarks upon inheritance. The interest and importance of the facts must be our justification.

WHY ARE WOMEN REDUNDANT ?

It cannot be without interest, to look into the relative proportion of men and women now living. It will interest us still more to inquire into the reason why one sex preponderates over the other, in numbers. This done, we will answer the question, is the production of the sex at all under the influence of the human will?

The female sex is the more numerous in all parts of the world, where we have reliable statistics. In Austria, England and Wales, there are nearly one hundred and five women for every one hundred men. In Sweden, they are as one hundred and nine to one hundred. In all cities the disproportion is greater than in the country. In London, there are one hundred and thirteen women, to every one hundred men, and in the large towns of Sweden, they stand as one hundred and sixteen to one hundred.

This is not true, however, of newly-populated regions.

The relative number of females to males in Colorado were, at three times on the more w

The due to also un

How women than bo millions living b of Rho years, f boys bo the wor tional n their liv ity, tho male si or five from th greater number male of more m three to applied misnom succum

Havi actually number momen number

The relative difference is reversed in recent and thinly-settled localities. In our western States, for instance, the number of the men exceeds that of the women. In California they are as three to one; in Nevada, as eight to one; in Colorado, twenty to one. In the State of Illinois there were, according to the last United States census, ninety-three thousand more men than women. In Massachusetts, on the contrary, there are between fifty and sixty thousand more women than men.

The disproportion of men to women in new countries is due to the disinclination of women to emigrate. They are also unfitted for the hardships of pioneer life.

How is this general preponderance in the number of women produced? Is it because there are more girls born than boys? Not at all. The statistics of over fifty-eight millions of persons show that there are one hundred and six living boys born, to every one hundred girls. In the State of Rhode Island, for instance, the proportion for three years, from 1853 to 1855, was one thousand and sixty-four boys born to one thousand girls. But now we meet with the wonderful arrangement of nature that a larger proportional number of male infants die during the first year of their lives than of females. In the second year, the mortality, though less excessive, still remains far greater on the male side. It subsequently decreases, and at the age of four or five years is nearly equal for both sexes. In after life, from the age of fifteen to forty, the mortality is something greater among women, but not sufficiently so to make the number of the two sexes equal. The greater tendency of male offspring to die early is seen even before birth, for more male children are still-born than female, namely, as three to two. For this reason, the term "the stronger sex," applied to men, has been regarded by some authors as a misnomer. They are physically weaker in early life, and succumb more readily to noxious influences.

Having thus pointed out that there are more women actually living in the world than men, although a larger number of boys are born than girls, we will consider for a moment some of the laws of nature which determine the number of the sexes. Without giving the figures,—which

would make dry reading,—we will state in brief the conclusions derived from many observations, extending over many years and many nationalities. The relative age of the parents has an especial influence upon the sex of the children. Seniority on the father's side gives excess of male offspring. Equality in the parents' age gives a slight preponderance of female offspring. Seniority on the mother's side gives excess of female offspring. This tallies with the fact that in all civilized countries, as has been stated, the proportion of male births is greater than that of females; for, in accordance with the customs of society, the husband is generally older than the wife. A curious instance in confirmation of this law has recently come under our own observation. A patient, married for the second time, is ten years older than her husband. She has two children by him, both girls. Singular to relate, her former husband was ten years older than herself, and by him she had four children, of whom three were boys and the fourth, a girl, had a twin brother.

Still the relative age is not the sole cause which fixes the sex of the child. Its operation is sometimes overruled by conflicting agencies. In some districts of Norway, for example, there has been a constant deficiency in boys, while in others the reverse has been the case. The circumstance is well known that after great wars, and sometimes epidemics, in which a disproportionate number of men have died, more boys are born than usual. Men who pass a sedentary life, and especially scholars who exhaust their nervous force to a great extent, beget more girls than boys. So also a very advanced age on the man's side diminishes the number of males among the offspring. The quantity and the quality of the food: the elevation of the abode; the conditions of temperature; the parents' mode of life, rank, religious belief, frequency of sexual intercourse, have all been shown to be causes contributing to the disproportion of the sexes, besides the relative ages of the parents.

Some writers have stated that a southerly or warm and humid constitution of the year is most favorable to the birth of female infants; while in cold and dry years most males are produced. This statement has not been supported by reliable statistics in regard to the human race, but among

dome
serve
the w
ewes,
site n

Th
or da
that
in an
Th
necti

Th
hard
quite
autho
has s
accor
Sor
arden
matte
sexes
devou
tion
want
ject is

It
and
eggs
stallid
fillies

Pro
other
wish
heat
But i
taine
certif

domestic animals the agriculturists of France have long observed that the season has much to do with the sex. When the weather is dry and cold, and the wind northerly, mares, ewes, and heifers produce more males than when the opposite meteorological condition prevails.

The saying among nurses that "This is the year for sons or daughters," is based upon the erroneous supposition that mothers bring forth more male infants in one year than in another.

That, however, which concerns us the most in this connection is the question,

CAN THE SEXES BE PRODUCED AT WILL ?

This question was asked many centuries ago. It was a hard one, and remained without a satisfactory answer until quite recently. Science has at last replied to it with authority. M. Thury, Professor in the Academy of Geneva, has shown how males and females may be produced in accordance with our wishes.

Some families are most anxious for male offspring, others ardently desire daughters. And would it not often be a matter of national concern to control the per centage of sexes in the population? Is it not a "consummation most devoutly to be wished" to bring about that Utopian condition when there would be no sighing maids at home nor want of warriors in the field? The discussion of this subject is therefore important and allowable.

It has been observed that queen bees lay female eggs first and male eggs afterwards. So with hens: the first laid eggs give female, the last, male products. Mares shown the stallion late in their periods, drop horse-colts rather than fillies.

Professor Thury, from the consideration of these and other like facts, formed this law for stock-raisers. "If you wish to produce females, give the male at the first signs of heat; if you wish males, give him at the end of the heat." But it is easy to form a theory. How was this law sustained in practice? We have now in our possession the certificate of a Swiss stock-grower, son of the President of

the Swiss Agricultural Society, Canton de Vaud, under date of February, 1867, which says:

"In the first place, on twenty-two successive occasions I desired to have heifers. My cows were of Schurtz breed, and my bull a pure Durham. I succeeded in these cases. Having bought a pure Durham cow, it was very important for me to have a new bull, to supersede the one I had bought at great expense, without leaving to chance the production of a male. So I followed accordingly the prescription of Professor Thury, and the success has proved once more the truth of the law. I have obtained from my Durham bull six more bulls (Schurtz-Durham cross) for field work; and having chosen cows of the same color and height, I obtained perfect matches of oxen. My herd amounted to forty cows of every age.

"In short, I have made in all twenty-nine experiments, after the new method, and in every one I succeeded in the production of what I was looking for—male and female. I had not one single failure. All the experiments have been made by myself, without any other person's intervention; consequently, I do declare that I consider as real and certainly perfect, the method of Professor Thury."

A perfectly trustworthy observer of this city communicates to the Medical and Surgical Reporter of this city for May 2nd, 1868, the results of similar experiments on animals with like conclusions.

The plan of M. Thury has also been tried on the farms of the Emperor of the French, with, it is asserted, the most unvarying success.

What is the result of the application of this law to the human race? Dr. F. J. W. Packman, of Wimborne, England, has stated in the *London Lancet* that "in the human female, conception in the first half of the time between menstrual periods produces female offspring, and male in the latter. When a female has gone beyond the time she calculated upon, it will generally turn out to be a boy."

In the Philadelphia Medical and Surgical Reporter, for February 8th, 1868, a respectable physician writes that in numerous instances that have come under his observation, Professor Thury's theory has proved correct "Whenever

into
cess
, whe
day
duc
at w
whe
inte
men
A
20th
A
Farr
able
infar
pred
prov
T
of h

shou
half
T
now
skilf
ed in

A
they
The
in p
foun
has
port
gene
bodi
the r

intercourse has taken place in from two to six days after the cessation of the menses, girls have been produced ; and whenever intercourse has taken place in from nine to twelve days after the cessation of the menses, boys have been produced. In every case I have ascertained not only the date at which the mother placed conception, but also the time when the menses ceased, the date of the first and subsequent intercourse for a month or more after the cessation of the menses," etc.

Again, a physician writes to the same journal for June 20th, 1868, recording the result of his own experience.

A farmer in Louisiana states, in the "Turf, Field and Farm," in support of this law, that "I have already been able in many cases to guess with certainty the sex of a future infant. More than thirty times, among my friends, I have predicted the sex of a child before its birth, and the event proved nearly every time that I was right."

The wife, therefore, who would wish, as Macbeth desired of his, to

"Bring forth men-children only,"

should avoid exposing herself to conception during the first half of the time between her menstrual periods.

The prediction of the sex of the child before birth can now be with some accuracy made by the intelligent and skilful physician. The method of doing so will be mentioned in treating of pregnancy.

TWIN-BEARING.

As a rule, a woman has one child at a time. Twins, when they occur, are looked upon with disfavor by most people. There is a popular notion that they are apt to be wanting in physical and mental vigor. This opinion is not without foundation. A careful scientific examination of the subject has shown that of imbeciles and idiots a much larger proportion is actually found among the twins born than in the general community. In families where twinning is frequent, bodily deformities likewise occur with frequency. Among the relatives of imbeciles and idiots twin-bearing is common.

In fact, the whole history of twin-births is of an exceptional character, indicating imperfect development and feeble organization in the product, and leading us to regard twins in the human species as a departure from the physiological rule, and therefore injurious to all concerned. Monsters born without brains have rarely occurred except among twins.

The birth of twins occurs once in about eighty deliveries. A woman is more apt to have no children than to have more than one at a time. In view of the increased danger to both mother and child, this rarity of a plural birth is fortunate.

WHY ARE TWINS BORN ?

What are the causes or favoring circumstances bringing about this abnormal child-bearing ? For it is brought about by the operation of laws. It is not an accident. There are no accidents in nature. By some it is supposed to be due to the mother, by some to the father. There are facts in favor of both opinions. Certain women married successively to several men have always had twins, while their husbands with other wives have determined single births. Certain men have presented the phenomenon. We can scarcely cite an example more astonishing than that of a countryman who was presented to the Empress of Russia, in 1755. He had had two wives. The first had fifty-seven children in twenty-one confinements. The second, thirty-three in thirteen. All the confinements had been quadruple, triple or double. A case has come under our own observation in which the bearing of twins has seemed to be due to a constitutional cause. The wife has nine children. The first was a single birth, a girl. The others were all twin births, and boys.

It has been asserted that compound pregnancies are more frequent in certain years than in others. But what seems to exert the greatest actual influence over the production of twins is the age of the mother. Very extensive statistics have demonstrated that from the earliest child-bearing period until the age of forty is reached, the fertility of mothers in twins gradually increases.

Between the ages of twenty and thirty, fewest wives have

twin
gen
grea
thre
year
over
like
The
bear
from
five
and
ed.

R
The
lish

D
than
wou
ply
esta
read
fam
not
how
wor

V
nan
bea
the
exc

stil
eve
thi

twins. The average age of the twin-bearer is older than the general run of bearers. It is well known that by far the greater number of twins are born of elderly women. While three-fifths of all births occur among women under thirty years of age, three-fifths of all the twins are born to those over thirty years of age. Newly-married women are more likely to have twins at the first labor, the older they are. The chance that a young wife from fifteen to nineteen shall bear twins is only as one to one hundred and eighty-nine; from thirty-five to thirty-nine the chance is as one to forty-five; that is, the wives married youngest have fewest twins, and there is an increase as age advances, until forty is reached.

Race seems to have some influence over plural births. They occur relatively oftener among the Irish than the English.

INFLUENCE OF TWIN-BEARING ON SIZE OF FAMILIES.

Do women bearing twins have in the end larger families than those having but one at a time? Popular belief would answer this question in the affirmative. Such a reply would also seem to receive support from the fact, well established, that twins are more frequent additions to an already considerable family than they are either the first of a family or additional to a small family. But statistics have not answered this question as yet positively. They seem, however, in favour of the supposition that twin-bearing women have larger families than their neighbours.

Women are more apt to have twins in their *first pregnancy* than any other, but after the second confinement the bearing of twins increases in frequency with the number of the pregnancy. It becomes, therefore, an indication of an excessive family, and is to be deplored.

MORE THAN TWO CHILDREN AT A BIRTH.

Cases of the birth of more than two children at a time are still less frequently met with than twins. They are scarcely ever encountered, excepting in women who have passed their thirtieth year.

THREE AT A BIRTH.

The births of triplets are not exclusively confined to women above thirty years, but in those younger they are so rare as to be great curiosities. Neither are they apt to occur in the first pregnancy. In this respect they differ from twins, who, as has just been said, are peculiarly prone to make their appearance at the first child-birth. Only four cases of treble births occurred among the thirty-six thousand accouchements which have taken place in the Hospice de Maternité of Paris, in a determined time. Out of forty-eight thousand cases of labour in the Royal Maternity Charity of London, only three triplets occurred. History informs us that the three Roman brothers, the Horatii, were triplets. They fought and conquered the Curiatii of Alba (667 B.C.), who were likewise triplets.

As an interesting fact in connection with this subject, we may mention that in the St. Petersburg Midwives' Institute, between 1845-59, there were three women admitted, who, in their fifteenth pregnancies, had triplets, and each had triplets, three times in succession. Happily, the fifteenth pregnancy is not reached by most women.

FOUR AT A BIRTH.

Instances of quadruplets are fewer than triplets. But four vigorous infants have been born at one birth.

FIVE AT A BIRTH.

The birth of *five* living children at a time is very exceptional, and is usually fatal to the offspring. A remarkable case of this kind is reported in a late English medical journal. A woman aged thirty, the wife of a labourer, and the mother of six children, was taken in labour about the seventh month of her pregnancy. Five children, and all alive, were given birth to—three boys and two girls. Four of the children survived an hour, and died within a few moments of each other. The fifth, a female, and the last born, lived six hours, and was so vigorous that, notwith-

standi
surviv
And
journa
twins
pregna
wome
close
were
All fi
as fœt
birth.
five a
scienc

Som
dren a
incred
do not
extrac
of the
writen
in a c
the H
count
at one
three
by Gu
the fe
on the
churc
by th
twins
at one
in the
by a
other
credu

standing its diminutive size, hopes were entertained of its surviving.

Another case is reported in a recent French medical journal. The woman was forty years old. She had had twins once, and five times single children. On her seventh pregnancy, when five months gone, she was as large as women usually are at the end of their full term. At the close of the month she was delivered of five children. They were all born alive, and lived from four to seven minutes. All five children were males, well built, and as well developed as fetuses of five and one-half months usually are in a single birth. The woman made a good recovery. Other cases of five at a birth might be quoted. They are known to medical science as very singular and noteworthy occurrences.

INCREDIBLE NUMBERS.

Some books speak of seven, eight, nine, ten and more children at a birth. But these statements are so marvellous, so incredible and unsupported by proper testimony, that they do not merit any degree of confidence. The climax of such extraordinary assertions is reached, and a good illustration of the credulity of the seventeenth century, furnished by a writer named Goftr. This traveller, in 1630, saw a tablet in a church at Leusdown (Lausdunum), about five miles from the Hague, with an inscription stating that a certain illustrious countess, whose name and family he records, brought forth, at one birth, in the fortieth year of her age, in the year 1276, three hundred and sixty five infants. They were all baptized by Guido, the Suffragan. The males were called John and the females Elizabeth. They all, with their mother, died on the same day, and were buried in the above-mentioned church. This monstrous birth was said to have been caused by the sin of the countess in insulting a poor woman with twins in her arms, who prayed that her insulter might have at one birth the same number of children as there were days in the year. Of course, notwithstanding the story is attested by a tablet in a church, it must be placed among the many other instances of superstition afforded by an ignorant and credulous era.

We may remark, in closing this subject, that fewer plural births come to maturity than pregnancies with single children. Miscarriages are comparatively more frequent in such pregnancies than in ordinary ones.

PREGNANCY.

We have been considering woman hitherto as maiden and wife. She now approaches the sacred threshold of maternity. She is with child. In no period of her life is she the subject of an interest so profound and general. The young virgin and the new wife have pleased by their grace, spirit and beauty. The pregnant wife is an object of active benevolence and religious respect. It is interesting to note how, in all times and in all countries, she has been treated with considerate kindness and great deference. She has been made the subject of public veneration, and sometimes even of religious worship. At Athens and at Carthage the murderer escaped from the sword of justice, if he sought refuge in the house of a pregnant woman. The Jews allowed her to eat forbidden meats. The laws of Moses pronounced the penalty of death against all those who by bad treatment, or any act of violence caused a woman to abort. Lycurgus compared women who died in pregnancy, to the brave dead on the field of honor, and accorded to them sepulchral inscriptions. In ancient Rome, where all citizens were obliged to rise and stand during the passage of a magistrate, wives were excused from rendering this mark of respect, for the reason that the exertion and hurry of the movement might be injurious to them in the state in which they were supposed to be. In the kingdom of Pannonia all enceinte women were in such veneration that a man meeting one on the road was obliged, under penalty of a fine, to turn back and accompany and protect her to her place of destination. The Catholic Church has in all times exempted pregnant wives from fasts. The Egyptians decreed, and in most christian countries the law at the present time obtains, that if a woman shall be convicted of an offence the punishment of which is death, the sentence shall not be executed if it be proved that she is pregnant.

The
picion
conclus
which
ferred

It sh
someti
their f
frequen
ment.

come a
or two
tempor
cases,
system

It n
with r
ception
wifery
at no c

As a
sicknes
strong
regard

2. M
in the
of pre
that i
eously
few w
or unt
some c
follow
tual s
called
gree,
There

“HOW CAN I TELL WHETHER I AM PREGNANT?”

The first sign which is calculated to give rise to the suspicion is the *ceasing to be unwell*. This, taken alone, is not conclusive. There are many other conditions of the system which produce it besides pregnancy. We have already referred to several.

It should be borne in mind that young [married women sometimes have a slight show, for two or three periods after their first impregnation. Ignorance of this fact has very frequently led to a miscalculation of the time of confinement. On the other hand, the menses will sometimes become arrested soon after marriage, and continue so for one or two months, without there existing any pregnancy. The temporary disappearance of the monthly sickness in such cases, is due to the profound impression made upon the system by the new relations of the individual.

It not unfrequently happens that menstruation continues with regularity, during the whole period of pregnancy. Exceptional cases are given, by distinguished writers on midwifery, of women menstruating during their pregnancy and at no other time.

As a general rule, when a healthy wife misses her monthly sickness, she is pregnant. But this symptom, though a strong one, must be supported by others, before it can be regarded as establishing anything.

2. *Morning sickness* is a very common, a very early, and, in the opinion of most mothers, a very conclusive symptom of pregnancy. We have already had occasion to remark that it sometimes makes its appearance almost simultaneously with conception. It usually comes on in the first few weeks, and continues until the third or fourth month, or until quickening. This symptom is apt to be a troublesome one. Often the vomiting is slight, and immediately followed by relief. But it may produce violent and ineffectual straining for some time. It is, however, not to be called a disease. Unless it proceeds to an exhausting degree, it must be looked upon as favorable and salutary. There is an old and true proverb, that “a sick pregnancy is

a safe one." The absence of nausea and vomiting is a source of danger to the mother and child. Women who habitually fail to experience them, are exceedingly apt to miscarry. In such cases, medical skill should be invoked to bring about the return of these symptoms, of such importance to healthful pregnancy.

Morning sickness is therefore a very general, almost constant, accompaniment of the pregnant condition, and great reliance may be placed upon it as a sign.

3. *Changes in the breasts* are valuable as symptoms. They become larger and firmer, and the seat of a pricking or stinging sensation. The nipples are swollen, prominent, and sometimes sore or painful. The veins beneath the skin appear more conspicuous, and of a deeper blue than ordinary. The peculiar circles of rose-colored skin which surround the nipples increase in extent, change to a darker color, and become covered with a number of little elevations. Subsequently numerous mottled patches or round spots of a whitish hue, scatter themselves over the outer part of this circle.

The time at which these changes make their appearance is variable. They may begin to develop themselves in two or three weeks, oftener not until the second or third month, and in women of a delicate build, sometimes not until the latter end of pregnancy. Occasionally no alteration whatever occurs in the breasts until after confinement, in which cases the secretion of milk is delayed for several days after the birth of the child. In some rare instances, the breasts never assume maternal proportions, and the mother is debarred from the pleasure and duty of nursing her own child.

4. *Quickening* is the next symptom we will consider. By this term is meant the arrival of that time when the mother first becomes conscious by the movements of the child of its presence. The ancients thought that then life was imparted to the new being. Modern physiology emphatically condemns this absurdity. The embryo is as much alive in the very earliest moments of pregnancy as at any future stage of its existence. Let every woman therefore remember that she who produces ABORTION, IS EQUALLY

GUILT
be con

How
mover
muscu
to mo
cientl
the m
impar
which
skille
mover
know

Tim
the m
wome
third
Cases
the e
sugg
in th
mover
such
supp

TH
debil
walls

A
ed, v
bow
insta
Hun
desir
mov
of th
cour
was
mal
pray
vig

GUILTY in the eyes of science and of Heaven, whether the act be committed before or after the period of quickening.

How is quickening produced? Undoubtedly by the movements of the child. So soon as its nervous and muscular systems become sufficiently developed to enable it to move its limbs, the mother, if the movements be sufficiently active, is rendered sensible of her situation. But the muscular contractions may not be strong enough to impart any sensation to the mother. In many cases in which they are too feeble to be noticed by herself, the skilled accoucheur is capable of recognizing them. And the movements of the foetus may be excited in various ways known to physicians.

Time of quickening.—This symptom usually occurs about the middle of pregnancy, near the eighteenth week. Some women feel the movements of the foetus as early as the third month of pregnancy; others not till the sixth month. Cases occur in which no movement whatever is felt until the eighth or ninth month, or even not at all. It has been suggested that a foetus which does not indicate its presence in this way, is a kind of "Lazy Lawrence," too indolent to move. Certainly many of both sexes exhibit, after birth such indomitable love of repose, that it can readily be supposed they were equally passive in foetal life.

The non-occurrence of this sign may, however, be due to debility of the young child, or to a want of sensibility in the walls of the womb itself.

A woman may be deceived, and suppose she has quickened, when her sensations are to be traced to flatulence of the bowels, or, perhaps, a dropsical effusion. Many ludicrous instances of self-deception are on record. The historian Hume, states that Queen Mary of England, in her extreme desire to have issue, so confidently asserted that she felt the movements of the child, that public proclamation was made of the interesting event. Dispatches were sent to foreign courts; national rejoicings were had; the sex of the child was settled, for every body was certain it was going to be a male, and Bonner, Bishop of London, made public prayers, praying that Heaven would pledge to make him beautiful, vigorous and witty. But all those high hopes and eager

expectations were destined never to be realized. The future disclosed that the supposed quickening was merely a consequence of disordered health and commencing dropsy.

Some women possess the power of imitating the movement of a foetus by a voluntary contraction of the abdominal muscles. A well-known colored woman of Charleston, "Aunt Betty," had a great reputation as having "been pregnant for fifteen years." She made a good deal of money by exhibiting to those who were curious, the pretended movements of her unborn child. She was repeatedly exhibited to the medical classes in the city. No pregnancy existed, as was revealed by a post-mortem examination. She imposed upon the credulous by the habit she had acquired of jerking her muscles at pleasure, and thus closely simulating the movements of an embryo.

5. *Changes in the abdomen.*—In the first two months of pregnancy the abdomen is *less* prominent than usual: it recedes, and presents a flat appearance. The navel is also drawn in and depressed. About the third month a swelling frequently shows itself in the lower part of the abdomen, and then diminishes, thus leading the wife to suppose that she was mistaken in her condition, for she finds herself at the fourth month smaller than at the third. After this, however, there is a gradual increase in the size and hardness of the abdomen. What is of more value is the peculiar form of the swelling. It is pear-shaped, and is thus distinguished from the swelling of dropsy and other affections. The navel begins to come forward and finally protrudes. The pouting appearance it then presents is very characteristic.

In this connection it may be remarked that towards the change of life, childless married women often think they perceive that "hope deferred" is about to be gratified. An enlargement of the abdomen takes place at this time, from a deposit of fatty matter. The nervous perturbations and the cessation of menses, which are natural to this period, are looked upon as confirmations of the opinion that pregnancy exists. But the day of generation with them has passed. These symptoms herald the approach of the winter

of life,
system

6. C
skin an
catecor
vice ve
appear
men ;
quent
led, gi
looks.
dry, r
moist
strong
appear
and a
appear
hand,
their
These
nanci

7.
tant a
ings f
mouth
succe
comp
sleepi
side,
as ev

Ar
most
A m
this
look
natio
W
the
chan
beer
preg

of life, which brings with it death to the reproductive system.

6. *Changes in the skin.*—The alterations occurring in the skin are worth observing. Those women who have a delicate complexion and are naturally pale, take a high color, and vice versa. In some cases a considerable quantity of hair appears on those parts of the face occupied by the beard in men; it disappears after labor, and returns on every subsequent pregnancy. Oftentimes the skin becomes loose and wrinkled, giving a haggard, aged air to the face, and spoiling good looks. Women who ordinarily perspire freely have now a dry, rough skin, whereas those whose skin is not naturally moist have copious perspiration, which may be of a peculiar strong odor. Copper-colored or yellow blotches sometimes appear upon the skin, mole spots become darker and larger, and a dark ring develops itself beneath the eyes. The whole appearance is thus in many cases altered. On the other hand, obstinate, long-existing skin affections sometimes take their departure during pregnancy, perhaps never to return. These alterations do not occur in all women, nor in all pregnancies of the same woman.

7. We may now group together a number of less important and less constant signs, such as *depraved appetite, longings for unnatural food, excessive formation of saliva in the mouth, heartburn, loss of appetite* in the first two or three months, succeeded by a voracious desire for food, which sometimes compels the woman to rise at night in order to eat, *toothache, sleepiness, diarrhœa, palpitation of the heart, pain in the right side*, etc. These when they occur singly, are of little value as evidence.

Among these, that of *depraved appetite* is by far the most important, and may be regarded as quite significant. A married woman in her ordinary health, suddenly feeling this morbid taste for chalk, charcoal, slate pencil, etc., may look upon it as strong presumptive evidence of impregnation.

When any or all of this group of symptoms accompany the ceasing to be "regular," the morning sickness, the changes in the breasts and the other signs which have been enumerated, the wife may be quite sure that she is pregnant.

8. *Changes in the mind.*—The most wonderful of all the changes which attend pregnancy are those in the nervous system. The woman is rendered more susceptible, more impressible. Her character is transformed. She is no longer pleasant, confiding, gentle and gay. She becomes hasty, passionate, jealous and bitter. But in those who are naturally fretful and bad-tempered a change for the better is sometimes observed, so that the members of the household learn from experience to hail with delight the mother's pregnancy as a period when clouds and storms give place to sunshine and quietness. In some rare cases, also, pregnancy confers increased force and elevation to the ideas and augmented power to the intellect.

As this book is written for women only, we do not mention any of the signs or symptoms of pregnancy which the physician alone can recognise. We will merely state that there are many other signs besides those referred to, of great value to the doctor. One, the sound of the heart of the child, which the practiced ear can detect at about the fifth month, is positive and conclusive.

MISCARRIAGE.

Miscarriage is a fruitful source of disease and often of danger to wives. It also causes a frightful waste of human life. Unborn thousands annually die in this manner.

Frequency.—Miscarriage is by no means a rare occurrence. Statistics show that thirty-seven out of one hundred mothers miscarry before they attain the age of thirty years. But this accident is much more apt to occur during the latter than the first half of the child-bearing period, and therefore it is estimated that ninety out of one hundred of all women who continue in matrimony until the change of life miscarry.

Influence of age of mother.—A woman who marries at forty is very much disposed to miscarry, whereas had she married at thirty, she might have borne children when older than forty. As a mother approaches the end of her child-bearing period, it is likely that she will terminate her career of fertility with a premature birth. The last preg-

nancie
is also
child
the la
conne
First
carria
excep
miscar
nervo

Inf
frequ
to th
sixth
who
ter it

H
a ru
worl
Fran
after
mate
man
chil
mos
Fort
sixt
sea.
his
it h
pre
sev
Yor
me
six
our
It
Af
wa
ing

nancies are not only most commonly unsuccessful, but there is also reason to believe that the occurrence of idiocy in a child may be associated with the circumstance of its being the last born of its mother. It has been asserted, in this connection, that men of genius are frequently the first born. First pregnancies are also fraught with the danger of miscarriage, which occurs more often in them than in others, excepting the latest. A woman is particularly apt to miscarry with her first child, if she be either exceedingly nervous or full-blooded.

Influence of period of pregnancy.—Miscarriage is most frequent in the earlier months of pregnancy—from the first to the third. It is also very prone to happen about the sixth month. Habit makes itself felt here: for women who have many times experienced this sad accident, encounter it nearly always at the same epoch of their pregnancy.

How early can the child live?—The infant is incapable, as a rule, of an independent existence if brought into the world before the end of the sixth month. The law of France regards a child born one hundred and eighty days after wedlock as not only capable of living, but as legitimate and worthy of all legal and civil rights. There are many cases mentioned, by the older medical writers, of children born previous to this period living. One of the most curious is that recorded by Van Swieten. The boy, Fortunio Liceti, was brought into the world before the sixth month, in consequence of a fright his mother had at sea. When born, it is said, he was the size of a hand, and his father placed him in an oven, for the purpose, probably, it has been suggested, of making him *rise*. Although born prematurely, he died late, for we are told he attained his seventy-ninth year. Professor Gunning S. Bedford, of New York, records the case of a woman, in her fourth confinement, who was delivered before she had completed her sixth month, of a female infant weighing two pounds nine ounces. The surface of the body was of a scarlet hue. It breathed, and in a short time after birth cried freely. After being wrapped in soft cotton, well lubricated with warm sweet-oil, it was fed with the mother's milk, by having a few drops at a time put into its mouth. At first it,

had great difficulty in swallowing, but gradually it succeeded in taking sufficient nourishment, and is now a vigorous, healthy young woman.

Dangers to mothers.—Wives are too much in the habit of making light of miscarriages. They are much more frequently followed by disease of the womb than are confinements at full terms. There is a greater amount of injury done to the parts than in natural labor. While after confinement ample time is afforded by a long period of repose for the bruised and lacerated parts to heal, after a miscarriage no such rest is obtained. Menstruation soon returns; conception may quickly follow. Unhappily there is no custom requiring husband and wife to sleep apart for a month after a miscarriage, as there is after a confinement. Hence, especially if there be any pre-existing uterine disease or a predisposition thereto, miscarriage is a serious thing.

Causes.—The irritation of hemorrhoids or straining at stool will sometimes provoke an early expulsion of a child. Excessive intercourse by the newly married, is a very frequent cause. Bathing in the ocean has been known to produce it. Nursing is exceedingly apt to do so. It has been shown by a distinguished medical writer that in a given number of instances miscarriage occurred in seventeen per cent. of cases in which the woman conceived while nursing, and in only ten per cent. where conception occurred at some other time. A wife, therefore, who suspects herself to be pregnant should wean her child. The extraction of a tooth, over-exertion and over-excitement, a fall, a blow, any violent emotion, such as anger, sudden and excessive joy, or fright, running, dancing, horseback exercise or riding in a badly-built carriage over a rough road, great fatigue, lifting heavy weights, the abuse of purgative medicines, disease or displacement of the womb, small-pox, or a general condition of ill health, are all fruitful and well-known exciting causes of this unfortunate mishap, in addition to those which have been before mentioned.

Prevention.—Dr. Tilt, the eminent practitioner of London, says: "The way to prevent miscarriage is to lead a quiet life, particularly during those days of each successive month when, under other circumstances, the woman would men-

strua
long
It
preg
be se
fo.e,
whic
child
extra
preg
New
in su
inter
if th
misc
If
the t
ance
awai
then
his s
a lab

It
affec
are
pon
imp
is a
giv
V
inh
ma
con
ima
bee
du
and
occ

struate ; and to abstain during those days not only from long walks and parties, but also from sexual intercourse."

It is especially desirable to avoid a miscarriage in the first pregnancy, for fear that the habit of miscarrying shall then be set up, which will be very difficult to eradicate. Therefore, newly-married women should carefully avoid all causes which are known to induce the premature expulsion of the child. If it should take place in spite of all precautions, extraordinary care should be exercised in the subsequent pregnancy to prevent its recurrence. Professor Bedford, of New York, has said he has found that an excellent expedient in such cases is, as soon as pregnancy is known to exist, "to interdict sexual intercourse until after the fifth month, for if the pregnancy pass beyond this period, the chances of miscarriage will be much diminished."

If the *symptoms of miscarriage*, which may be expressed in the two words, *pain* and *flooding*, should make their appearance, the physician ought at once to be sent for, the wife awaiting his arrival in a recumbent position. He may even then be able to avert the impending danger. At any rate, his services are as necessary, and often even more so, as in a labor at full term.

MOTHERS' MARKS.

It is a popular belief that the imagination of the mother affects the child in the womb. It is asserted that infants are often born with various marks and deformities corresponding in character with objects which had made a vivid impression on the maternal mind during pregnancy. This is a subject of great practical interest. We shall, therefore, give it the careful attention which it deserves.

We have already discussed the operation of the laws of inheritance. It was then stated that the whole story of maternal influence had not been told: that the mother could communicate qualities she never possessed. The potency of imagination at the time of conception over the child has been mentioned. It is now our design to consider its effects, during the period of pregnancy, upon the physical structure and the mental attributes of the offspring. We shall have occasion hereafter, in speaking of nursing, to illustrate the

manner in which the child may be affected by maternal impressions acting through the mother's milk. What can be more wonderful than this intimate union between the mother and her child? It is only equalled by that mysterious influence of the husband over the wife, by which he so impresses her system that she often comes in time to resemble him both in mental and physical characteristics, and even transmits his peculiarities to her children by a second marriage. Father, mother and child are one.

We wish here to premise that our remarks will be based upon the conclusions of skilled and scientific observers only, whose position and experience no physician will question. All the instances to be related are given upon unimpeachable authority. They are not the narrations of ignorant, credulous people; they are all fully vouched for. We record here, as elsewhere, only the sober utterances of science. The great importance and utility of an acquaintance with them will be patent to every intelligent man and woman.

The effect of the mind upon the body is well known. Strong, long continued mental emotion may induce or cure disease. Heart-disease may be produced by a morbid direction of the thoughts to that organ. Warts disappear under the operation of a strong belief in the efficacy of some nonsensical application. In olden times scrofula, or the "king's evil," was cured by the touch of the king. The mind of the patient of course accomplished the cure. Under the influence of profound mental emotion, the hair of the beautiful Marie Antoinette became white in a short time. During the solitary voyage of Madame Condamine down the wild and lonely Amazon, a similar change took place. Many other instances might be adduced, but those given are sufficient to show that strong and persistent mental impressions will exert a mysterious transforming power over the body. These facts will pave the way to the consideration of corresponding effects, through the mother's mind, upon the development of the unborn child, forming a part of herself *in utero*.

Influence of mind of mother on form and color of infant. There are numerous facts on record which prove that *habitual*, long-continued mental conditions of the mother at an early period of pregnancy induce deformity or other abnormal development of the infant.

Professor William A. Hammond, of New York, relates the following striking case, which occurred in his own experience, and which scarcely admits of a doubt as to the influence of the maternal mind over the physical structure of the fetus.

A lady in the third month of her pregnancy was very much horrified by her husband being brought home one evening with a severe wound of the face, from which the blood was streaming. The shock to her was so great that she fainted, and subsequently had an hysterical attack, during which she was under Dr. Hammond's care. Soon after her recovery she told him that she was afraid her child would be affected in some way, and that even then, she could not get rid of the impression the sight of her husband's bloody face had made upon her. In due time the child, a girl, was born. She had a dark red mark upon the face, corresponding in situation and extent with that which had been upon her father's face. She also proved to be idiotic.

Professor Dalton, of New York, states that the wife of the janitor of the College of Physicians and Surgeons of that city, during her pregnancy dreamed that she saw a man who had lost a part of the ear. The dream made a great impression upon her mind, and she mentioned it to her husband. When her child was born, a portion of one ear was deficient, and the organ was exactly like the defective ear she had seen in her dream. When Professor Dalton was lecturing upon the development of the fetus as affected by the mind of the mother, the janitor called his attention to the foregoing instance. The ear looks exactly as if a portion had been cut off with a sharp knife.

Professor J. Lewis Smith, of Bellevue Hospital, Medical College, New York, has met with the following cases. An Irish woman, of strong emotions and superstitions, was passing along a street, in the first months of her pregnancy, when she was accosted by a beggar, who raised her hand, destitute of thumb and fingers, and in "God's name" asked for alms. The woman passed on, but, reflecting in whose name money was asked, felt that she had committed a great sin in refusing assistance. She returned to the place where she had met the beggar, and on different days, but never afterwards saw

her. Harassed by the thought of her imaginary sin, so that for weeks, according to her statement, she was distressed by it, she approached her confinement. A female infant was born, otherwise perfect, but lacking the fingers and thumb of one hand. The deformed limb was on the same side, and it seemed to the mother to resemble precisely that of the beggar. In another case which professor Smith met, a very similar malformation was attributed by the mother of the child, to an accident occurring, during the time of her pregnancy, to a near relative, which necessitated amputation. He examined both of these children with defective limbs, and has no doubt of the truthfulness of the parents. In May, 1868, he removed a supernumery thumb from an infant, whose mother, a baker's wife, gave the following history:—No one of the family, and no ancestor, to her knowledge, presented this deformity. In the early months of her pregnancy, she sold bread from the counter, and nearly every day a child with a double thumb came in for a penny roll, presenting the penny between the thumb and the finger. After the third month she left the bakery, but the malformation was so impressed upon her mind that she was not surprised to see it reproduced in her infant.

In all these cases the impression was produced in the early months of pregnancy; but many have been recorded in which malformations in the infant appeared distinctly traceable to strong mental emotions of the mother only a few months previous to confinement, these impressions having been persistent during the remaining period of the pregnancy, and giving rise to a full expectation on the part of the mother that the child would be affected in the particular manner which actually occurred. Professor Carpenter the distinguished physiologist of London, is personally cognizant of a very striking case of the kind, which occurred in the family of a near connection of his own.

All the above instances have been those of the effects of persistent mental emotion. But it is also true that *violent and sudden emotion* in the mother leaves sometimes its impress upon the unborn infant although it may be quickly forgotten.

It is related on good authority that a lady, who during her pregnancy was struck with the unpleasant view of leeches

appli
mark
inten

Dr
ary,
of Ba
deliv
uppe
gums
stum
who
mont
was
lip a

A
Aug
first
and
a fri
Ano
a she
grea
ral c
pect

M
pow
A
teen
the
from
this

A
Man
littl
plac
Thi
tain
of t
F
cau

applied to a relative's foot, gave birth to a child with the mark of a leech coiled up in the act of suction on the intended spot.

Dr. Delacoux, of Paris, says that in the month of January, 1825, he was called to attend a woman in the village of Batignoles, near Paris, who, the evening before, had been delivered of a six months' fœtus, horribly deformed. The upper lip was in a confused mass with the jaw and the gums; and the right leg was amputated at the middle, the stump having the form of a cone. The mother of this being, who was a cook, on entering one morning, about the third month of her pregnancy, the house where she was employed, was seized with horror at the sight of a porter with a hare-lip and an amputated leg.

At a meeting of the Society of Physicians, at Berlin, in August, 1868, Herr Dupré stated that a woman saw, in the first weeks of her third pregnancy, a boy with a hare-lip, and not only was the child she then carried, born with a frightful hare-lip, but also three children subsequently. Another one, a woman in the fifth week of pregnancy, saw a sheep wounded and with its bowels protruding. She was greatly shocked, and did not recover her composure for several days. She was delivered at term of a child in other respects well developed, but lacking the walls of the abdomen.

Many remarkable instances have been collected, of the power of *imagination* over the unborn offspring.

Ambrose Paré, the illustrious French surgeon of the sixteenth century, in one of his treatises, devotes a chapter to the subject of "monsters which take their cause and shape from imagination," and was evidently a strong believer in this influence.

A black child is generally believed to have been born to Marie Thérèse, the wife of Louis XIV., in consequence of a little negro page in her service having started from a hiding-place and stumbled over her dress early in her pregnancy. This child was educated at the convent of Moret, near Fontainebleau where she took the veil, and where, till the shock of the Revolution, her portrait was shown.

Examples are given by authors of the force of *desires* in causing deformities in infants, and the formation upon them

of fruits, such as apples, pears, grapes, and others, which the mother may have longed for.

The following is related upon excellent medical authority:—A woman gave birth to a child with a large cluster of globular tumors growing from the tongue, and preventing the closure of the mouth, in color, shape and size, exactly resembling our common grapes; and with a red excrescence from the chest, as exactly resembling in figure and appearance a turkey's wattles. On being questioned before the child was shown to her, she answered that while pregnant she had seen some grapes, longed intensely for them, and constantly thought of them; and that she was also once attacked and much alarmed by a turkey-cock.

Dr. Demangeon, of Paris, quotes, in his work on the Imagination, the Journal de Verdun, as mentioning the case of a child, born at Blois, in the eyes of which the face of a watch was distinctly seen. The image was situated around the pupil, and the figures representing the hours were plainly perceived. The mother had experienced strong desire to see a watch whilst she was pregnant with this child.

Professor Dalton says, in his Human Physiology, that "there is now little room for doubt that various deformities and deficiencies of the fœtus, conformably to the popular belief, do really originate in certain cases from nervous impressions, such as disgust, fear, or anger, experienced by the mother." We will now consider the

Influence of the mind of the mother on the mind of the infant, which subject we have not yet touched upon, having confined ourselves to the influence of the maternal mind over the form and color of the unborn child. It will not be necessary to illustrate at length this branch of our topic. Instances are sufficiently common and well known. Dr. Seguin, of New York, in his work on idiocy, gives several cases in which there was reason to believe that fright, anxiety, or other emotions in the mother, had produced idiocy in the offspring. As he remarks: "Impressions will sometimes reach the fœtus in its recess, cut off its legs or arms, or inflict large flesh wounds before birth,—inexplicable as well as indisputable facts, from which we surmise

that i
matern

We
author
of the
the un
impres

Dr.
borne
her p
author
wound
two o
appear
woma
alarm
her fo
after s
howev
corres
the d
those,
latter
one h
was a
mont

Dr.
recen
follow
was h
lived
and a
child
short
the c
of th
arms
the a
TH
body

that idiocy holds unknown, though certain relations to maternal impressions."

We have given many strong cases and most excellent authority for the doctrine that the purely mental influence of the mother may produce bodily and mental changes in the unborn infant. But the child is also affected by *physical impressions made upon the mother*.

Dr. Russegger reports that a woman, who had already borne four healthy children, was, in the seventh month of her pregnancy, bitten in the right calf by a dog. The author saw the wound made by the animal's teeth, which wound consisted of three small triangular depressions, by two of which the skin was only slightly ruffled; a slight appearance of blood was perceptible in the third. The woman was at the moment of the accident somewhat alarmed, but neither then nor afterwards had any fear that her foetus would be affected by the occurrence. Ten weeks after she was bitten, the woman bore a healthy child, which, however, to the surprise of every person, had three marks corresponding in size and appearance to those caused by the dog's teeth in the mother's leg, and consisting, like those, of one large and two smaller impressions. The two latter, which were pale, disappeared in five weeks; the larger one had also become less, and was not so deep-colored as it was at birth. At the time of writing, the child was four months old.

Dr. S. P. Crawford, of Greenville, Tennessee, reports, in a recent number of the *Nashville Journal of Medicine*, the following sad case:—A lady, in the last stage of pregnancy, was burned by the explosion of a kerosene-oil can. She lived twelve hours after the accident. The face, legs, arms and abdomen were badly burned. The movements of the child were felt three or four hours after the accident. A short time before the death of the mother she gave birth to the child at full maturity, but still-born. It bore the mark of the fire, corresponding to that of the mother. Its legs, arms, and abdomen were completely blistered, having all the appearance of a recent burn.

These instances of a decided influence exerted upon the body and mind of the child in the womb, by physical and

mental impressions made upon the mother, might be doubled or trebled. They are as numerous as they are wonderful. Physiologists of the present day do not hesitate to admit the existence of the influence we have been discussing. Reason also comes to the support of facts, to demonstrate and establish its reality. For if a sudden and powerful emotion of the mind can so disturb the stomach and heart as to cause vomiting and fainting, is it not probable that it can affect the womb and the impressible being within it? Pregnancy is a function of the woman as much as digestion or pulsation of the heart, and if the latter are controlled by moral and mental impressions, why should not the former be also?

In what manner does this influence of the maternal mind act?
—Through the blood of the mother. Only a very delicate membrane separates the vital fluid of the mother from that of the infant in her womb. There is a constant interchange of the blood in its body with that in hers, through this exceedingly thin membrane, and thus all nervous impressions which have produced an alteration of either a temporary or permanent character in the circulating fluid of the mother are communicated to the child. Since the mother, as has been shown, can transmit through her blood certain characteristics of mind and body not her own,—for instance, a disease peculiar to a male from her father to her son, or the physical and mental traits of her first husband to the children by her second,—it does not seem at all strange that she should through this same medium, her blood, impart other peculiarities which have made a strong impression upon her mind. Anatomy and physiology therefore fully explain and account for this seemingly mysterious influence.

The view here stated, and indorsed by modern science, is one which ought to have great weight with the mother, her relatives and friends. The *practical conclusion* which it suggests is, that as during pregnancy there is unusual susceptibility to mental impressions, and as these impressions may operate on the fragile structure of the unborn being, this tendency should be well considered and constantly remembered, not only by the woman herself, but by all those who associate or are thrown in contact with her.

Upon the
and men
pregnan
depends
pregnan
and equ
disagree
impress
diversio
careful
In le
call at
degree
mothe
impreg
whole
during

The
the m
childh
a won
month
ing e
ful pr
She v
of he
Wha
tivat
senti
after
T
pres
istic
sion
inde
ies,
this

Upon the care displayed in the management of the corporeal and mental health of the mother during the whole period of pregnancy, the ultimate constitution of the offspring greatly depends. All the surroundings and employments of the pregnant woman should be such as conduce to cheerfulness and equanimity. Above all, she should avoid the presence of disagreeable and unsightly objects. Vivid and unpleasant impressions should be removed as soon as possible by quiet diversion of the mind. All causes of excitement should be carefully guarded against.

In leaving the subject of maternal impressions, we will call attention to the manifest difference in extent and degree between the influence of the father and that of the mother over the offspring. That of the father ceases with impregnation. That of the mother continues during the whole term of pregnancy, and, as we shall shortly see, even during that of nursing.

EDUCATION OF THE CHILD IN THE WOMB.

The outlines drawn by the artist Flaxman are esteemed the most perfect and graceful in existence. From earliest childhood he manifested a delight in drawing. His mother, a woman of refined and artistic tastes, used to relate that for months previous to his birth, she spent hours daily in studying engravings, and fixing in her memory the most beautiful proportions of the human figure portrayed by masters. She was convinced that the genius of her son was the fruit of her own self culture. What a charming idea is this! What an incentive to those about to become mothers, to cultivate refinement, high thoughts, pure emotions, elevated sentiments! Thus they endow their children with what no after education can give them.

The plastic brain of the fœtus is prompt to receive all impressions. It retains them, and they become the characteristics of the child and the man. Low spirits, violent passions, irritability, frivolity, in the pregnant woman, leave indelible marks on the unborn child. So do their contraries, and thus it becomes of the utmost moment that during this period all that is cheerful, inspiring, and elevating

should surround the woman. Such emotions educate the child, they form its disposition, they shape its faculties, they create its mental and intellectual traits. Of all education, this is the most momentous.

CAN A WOMAN BECOME AGAIN PREGNANT DURING PREGNANCY ?

Can a woman during pregnancy conceive, and add a second and a younger child to that already in the womb ?

It is not uncommon in the canine race for a mother to give birth at the same time to dogs of different species, showing conclusively the possibility, in these animals, of one conception closely following another. So a mare has been known to produce within a quarter of an hour first a horse and then a mule. And in the human race cases are on record in which women have had twins of which the one was white and the other colored, in consequence of intercourse on the same day with men of those two races. Dr. Henry relates that in Brazil a Creole woman, a native, brought into the world at one birth, three children of three different colors, white, brown and black, each child exhibiting the features peculiar to the respective races.

In all such instances the two conceptions followed each other very rapidly, the offspring arriving at maturity together, and being born at the same accouchment. But more curious and wonderful examples of second and concurrent pregnancies have been published than these, as, for instance, those in which a child, bearing all the attributes of a foetus at full term, is born two, three, four, and even five months after the first, which appeared also to have been born at full term. Marie Anne Bigaud, aged thirty-seven, gave birth, April 30, 1748, to a living boy at full term, and on the ensuing September 16, to a living girl, which was recognized, by the size and well-developed condition of its body and limbs, to have been also carried until full term. This fact was observed by Professor Eisenan, and by Leriche, surgeon-major of the military hospital of Strasbourg. It will be noticed that there was an interval of four and a half months between

the tw
half m
was no
after
uterus

And
Franq
uary
second
Two
their
Caillou
on re
medic

The
birth
month
the pe
which
Are t
same
it did
its fel
interv
be tru
relate
first l
ages,
womb
tion a
rare
pregn
lowin
at th
and p
differ
its g
such
velop
the b

the two accouchments. The first child lived two and a half months, and the second a year. In this instance there was not a double womb, as might perhaps be supposed, for after the mother's death an examination proved that the uterus was single.

Another case of this kind is the following :—Benoite Franquet, of Lyons, brought into the world a girl, on January 20, 1780, and five months and six days afterwards a second girl, also apparently at term and well nourished. Two years later these two children were presented, with their certificates of baptism, to two notaries of Lyons, MM. Caillot and Desurgey, in order that the fact might be placed on record and vouched for, because of its value in legal medicine.

The number of the entirely authenticated cases of the birth of fully-developed children within from two to five months of each other, now known, can leave no doubt as to the possibility of such an occurrence. The only question which remains is in regard to the periods of conception. Are the two children in such cases twins, conceived at the same time, but the growth of the last born so retarded that it did not arrive at maturity until a number of months after its fellow? or has a second conception taken place at an interval of several months after the first? If this latter view be true, then in the instance of Marie Anne Bigaud, above related, the second must have been conceived after the first had quickened. Then, also, two children of different ages, the offspring of different fathers, may exist in the womb at the same time. The weight of scientific observation and authority has now established the fact that, in very rare instances, a second conception may take place during pregnancy. It must not be understood, as necessarily following from this statement, that when two children are born at the same time, one fully developed and the other small and prematurely apparently born, the two were conceived at different times. The smaller may have been blighted and its growth hindered by the same causes which bring about such effects in cases of single births of incompletely developed children. A similar supposition may account for the birth of a second child within a month or two after the

first, for the first may have been prematurely born, and the second carried to full term. But no such supposition can explain the cases referred to, and others which might be mentioned, in which the interval has been five or six months, each child presenting every indication of perfect maturity. The only explanation possible in such instances, which, as has been said, are well authenticated, although few in number, is that a second pregnancy has occurred during the first.

The above facts would seem sufficiently wonderful. There are others, however, of the same nature, still more so. In some instances the product of the second conception, instead of developing independently of the first, has become attached to it, and the phenomenon has been presented of the growth of a child within a child—a fœtus within a fœtus. Such a singular occurrence has been lately recorded in a German journal. A correspondent of the *Dantzic Gazette* states that on Sunday, February 1, 1869, at Schliewen, near Dirschau, “a young and blooming shepherd’s wife was delivered of a girl, otherwise sound, but having on the lower part of her back, between the hips, a swelling as big as two good-sized fists, through the walls of which a well-developed fœtus may be felt. Its limbs indicate a growth of from five to six months, and its movements are very lively. The father called in the health commissioner, Dr. Preuss, from Dirschau, and begged him to remove the swelling, together with the fœtus. The doctor however, after a careful examination, declared that there was a possibility, in this extraordinary case, of the child within the swelling coming to fruition. Its existence and active motions were palpable to all present. No physician could be justified in destroying this marvellous being. It ought rather to be protected and cherished. The new born girl, notwithstanding her strange burden, is of unusual strength and beauty, and takes the breast very cheerfully.”

We find something further in regard to this singular birth, in the *Weser Zeitung* of February 20, 1869. It quotes from the *Dantzic Gazette* some remarks by the health commissioner, Dr. Preuss, of Dirschau, in which the doctor declares the facts contained in the report given above, to be correct. He

was su
saw th
fœtus
a doub
unique
ticed i
which
fœtus
birth,
swellin
inches
neath
Fur
concer
the ch
Histor
Berlin

Up
cation
depend
relatio
media
quit h
gives
weeks
such c
with c
It
marke
days
been
rare.
as ver
a twin
again
questi
in law

was summoned on the first of February to the child, and saw the vigorous movements, and felt the members of a foetus within the swelling as described. It was evidently a double creation. The case thus far, though rare, is not unique. "But what is novel, and hitherto perfectly unnoticed in medical literature, is the fact that not only the girl which has been carried its full term is alive to-day, but the foetus within the swelling has also, in the eleven days after birth, further developed and palpably increased in size. The swelling is now four and a half inches long, three and a half inches wide, and high and pear-shaped; the head lies underneath on the left, the body towards the right."

Further particulars and the latest intelligence we have, concerning the progress of this case are to the effect that the child was brought by special request before the Natural History Society of Dantzic, and thence the mother went to Berlin for medical advice.

MORAL ASPECTS OF THIS QUESTION.

Upon proper judgment and discrimination in the application of the facts we have just been dwelling upon, may depend a wife's honor and the happiness of the dearest social relations. We will suppose an example. A husband, immediately after the impregnation of his wife, is obliged to quit her, and remains absent a year. In the meanwhile she gives birth to two children at an interval of a number of weeks. The question will then come up whether, under such circumstances, it is possible for her to do so consistently with conjugal purity.

It will be recollected that in speaking of twins we remarked that it was not very uncommon for an interval of days or weeks to elapse between the births, and it has just been stated that impregnation during pregnancy is extremely rare. The presumption, therefore, in the case supposed, is as very many to one, that the two births were the result of a twin pregnancy. In the absence of any other evidence against the wife's chastity, it should not even be called in question. This decision receives the support of the maxim in law, that a reasonable doubt is the property of the accused,

and of the Christian principle that it is better than ninety-nine guilty should escape than that one innocent should be condemned. Hence, the teachings of science and of human and divine law, all coincide to protect the sacred rights and the precious interests at stake against an unjust suspicion, which even the doctrine of chances would render untenable.

CAN A CHILD CRY IN THE WOMB ?

There are some cases, recorded on undoubted authority in which the child has been heard to cry while in the womb. These are very exceptional. Under ordinary circumstances it is impossible for the child either to breathe or cry, because of the absence of air. It is only when the bag of membranes has been torn and the mouth of the child is applied at or near the neck of the uterus that this can take place. The infant is not unfrequently heard to cry just before birth, after labor has commenced, but before the extrusion of the head from the womb, in consequence of the penetration of air into the uterine cavity.

IS IT A SON OR DAUGHTER ?

It is a common saying among nurses that there is a difference in the size and form of the pregnant woman according to the sex she carries. This may well be doubted. Neither is it true that one sex is more active in its "movements" than the other. It is quite possible, however, for a wife to know the sex of the foetus, if she can tell about what time in her month conception took place. If it occurred directly after a monthly sickness, the child is a girl, if directly before, it is a boy. When a woman is "out" in her reckoning, and goes beyond the period of her expected confinement, it will ordinarily turn out to be a boy. The skilful physician can, in the latter months of pregnancy, settle the question of sex in some cases. The beats of the foetal heart are more frequent in females than in males. The average frequency of pulsations of twenty-eight female foetuses has been found to be one hundred and forty-four in the minute, the lowest figure being one hundred and thirty-eight, of twenty-two

male foetuses, one hundred and twenty, the lowest figure being one hundred and twelve. Therefore, when the pulsations of the heart of the child in the womb are counted, —as can easily be done by a practised medical ear, during the last months of pregnancy,—and are found to be over one hundred and thirty in a minute, it is a daughter; if under one hundred and thirty, a son. In this manner the sex of an unborn child can be predicted with tolerable accuracy, excepting only when illness of the foetus has deranged the action of its heart.

ARE THERE TWINS PRESENT ?

Certain signs lead to the suspicion of twins, such as being unusually large, and the fact that the increase in size has been more than ordinarily rapid. Sometimes also the abdomen is divided into two distinct portions by a perpendicular fissure. In other cases, the movements of a child can be felt on each side at the same time. And in twin pregnancies the morning sickness is apt to be more distressing, and all the other discomforts incident to this condition increased. But these signs and symptoms, when present in any given case, are not conclusive, for they may be noticed when there is only one child. The doctor has one characteristic and infallible sign by which he can ascertain whether the woman be pregnant with twins. It is furnished to him, again, by the art of listening, or auscultation, as it is technically called, the same that, as we have already seen, enables him to determine the sex of the child. When the beatings of two foetal hearts are heard on opposite portions of the abdomen, the nature of the pregnancy is apparent.

LENGTH OF PREGNANCY.

What is the ordinary duration of pregnancy? Almost every woman considers herself competent to make the answer—nine months. She may be surprised to learn, however, that such an answer is wanting in scientific precision. It is too indefinite, and is erroneous. There is a great difference between the calendar and lunar months. Each lunar

month having twenty-eight days, the period of nine lunar months is two hundred and fifty-two days. Nine calendar months, including February, represent, on the contrary, two hundred and seventy-three days. Now the average duration of pregnancy is two hundred and eighty days, that is, forty weeks, or ten lunar months.

While most extended observations have shown that, as a general rule, forty weeks, or two hundred and eighty-days, is the true period of pregnancy, are we justified in the conclusion that this is its invariable duration? This important question, upon the answer to which so often depends the honor of families, the rights of individuals, and sometimes the interest of nationalities, has been in all times the subject of careful research by physicians, philosophers, and legislators. On the one side have been those who contend that the laws of nature are invariable, and that the term of pregnancy is fixed and immutable. On the other side have been those who assert that the epoch of accouchment can be greatly advanced or retarded by various causes, some of which are known and others not yet appreciated. Abundant and satisfactory testimony has proved that the prolongation of pregnancy beyond the ordinary period of two hundred and eighty days, or forty weeks, is possible. Nor is this contrary to what is observed in regard to other functions of the human body. There is no process depending upon the laws of life which is absolutely invariable either as to the period of its appearance or its duration. It is known, as we have already pointed out, that puberty may be advanced or retarded; the time at which the change of life occurs in women, as we shall have occasion hereafter to show, is also subject to variation; and it is a matter of common observation with mothers that the period of teething is sometimes strangely hurried or delayed. A certain degree of variability, therefore, being frequently observed, and entirely compatible with health, in the various other natural processes, why should that of pregnancy form an exception, and be invariably fixed in its duration? And observation upon the lower animals affords most convincing evidence that nature is not controlled by any uniform law in reference to the length of pregnancy. In the cow, the usual

period of whose pregnancy is the same as in the human female, instances of calving six weeks beyond the ordinary term are not at all uncommon.

As an illustration of the great interest sometimes attaching to the inquiry under discussion, we may cite the celebrated Gardner peerage case, tried by the House of Lords in 1825. Allen Legge Gardner petitioned to have his name inscribed as a peer on the Parliament Roll. He was the son of Lord Gardner, by his second wife. There was another claimant for the peerage, however,—Henry Fenton Iadis,—on the ground, as alleged, that he was the son of Lord Gardner by his first and subsequently divorced wife. Medical and moral evidence was adduced to establish that the latter was illegitimate. Lady Gardner, the mother of the alleged illegitimate child, parted from her husband on the 30th of January, 1802, he going to the West Indies, and not again seeing his wife until the 11th of July following. The child whose legitimacy was called in question was born on the 8th of December of that year. The plain medical query therefore arose whether this child born either three hundred and eleven days after intercourse (from January 30th to December 8th) or one hundred and fifty days (from July 11th to December 8th) could be the son of Lord Gardner. As there was no pretence that there was a premature birth, the child having been well developed when born, the conception must have dated from January 30th. The medical question was therefore narrowed down to this: Was the alleged protracted pregnancy (three hundred and eleven days) consistent with experience? Sixteen of the principal obstetric practitioners of Great Britain were examined on this point. Eleven concurred in the opinion that natural pregnancy might be protracted to a period which would cover the birth of the alleged illegitimate child. Because, however, of the moral evidence alone, which proved the adulterous intercourse of Lady Gardner with a Mr. Iadis, the House decided that the title should descend to the son of the second Lady Gardner.

There is on record one fact well observed, which establishes beyond cavil the possibility of the protraction of pregnancy beyond two hundred and eighty days, or forty

weeks. The case is reported by the learned Dr. Desormeaux, of Paris, and occurred under his own notice in the Hôpital de Maternité of that city. A woman, the mother of three children, became insane. Her physician thought that a new pregnancy might re-establish her intellectual faculties. Her husband consented to enter on the register of the hospital, each visit he was allowed to make her, which took place only every three months. So soon as evidence of pregnancy showed itself, the visits were discontinued. The woman was confined two hundred and ninety days after conception.

The late distinguished Professor Charles D. Meigs, of Philadelphia, published a case, which he deems entirely trustworthy, of the prolongation of pregnancy to four hundred and twenty days, or sixty weeks. Dr. Atlee reports two cases, which nearly equalled three hundred and fifty-six days each. Professor Simpson, of Edinburgh, records, as having occurred in his own practice, cases in which the period reached three hundred and thirty-six, three hundred and thirty-two, three hundred and twenty-four, and three hundred and nineteen days. In the Dublin Quarterly Journal of Medical Science a case of protracted pregnancy is related by Dr. Joynt. The evidence is positive that the minimum duration must have been three hundred and seventeen days, or about six weeks more than the average. Dr. Elsässer found in one hundred and sixty cases of pregnancy eleven protracted to periods varying from three hundred to three hundred and eighteen days.

In treating of the subject of miscarriage, we mentioned instances, recorded by physicians of skill and probity, proving beyond a shade of doubt that a woman may give birth to a living child long before the expiration of the forty weeks. The Presbytery of Edinburgh, Scotland, some time since decided in favor of the legitimacy of an infant born alive within twenty-five weeks after marriage, to the Rev. Fergus Jardine.

One of the most enlightened countries in Europe has, in view of the facts in reference to the extreme limits of pregnancy, enacted, in the Code Napoleon, that a child born within three hundred days after the departure or death of

the
sha
a ch
be
con
sim

I
ten
acq
the
chil
larg
his
repr
carr
born
from
beg
reas
man
been
mat
the
trac
the
As
the
our
natu
hun
T

H
M
shal
easi

the husband, or one hundred and eighty days after marriage, shall be considered legitimate. The law further states that a child born after more than three hundred days shall not be necessarily declared a bastard, but its legitimacy may be contested. The Scotch legislation on this subject is very similar to the French.

CAUSES OF PROTRACTED PREGNANCY.

It has been asserted by some that an infant is born at ten or eleven months because that at nine months it has not acquired the growth which is necessary in order to induce the womb to dislodge it. The popular notion is that a child carried beyond the usual term must necessarily be a large one. Rabelais has reflected this common opinion in his celebrated romance entitled "Gargantua," in which he represents the royal giant of that name as having been carried by his mother, Gargamelle, eleven months. When born, the child was so vigorous that he sucked the milk from ten nurses. He lived for several centuries, and at last begot a son, Pantagruel, as wonderful as himself. Such reasoning cannot, however, be seriously maintained, as many children carried longer than nine months have not been more fully developed than some born a few weeks prematurely, and the size of the child has nothing to do with the bringing on of labor, as we shall show hereafter. Protracted pregnancies are caused by a defect in the energy of the womb, induced by moral as well as physical influences. As a rule, a woman who leads a regular life and observes the physiological laws of her being, which laws it has been our aim to point out, will be confined at the term that nature usually marks out, that is, at the expiration of two hundred and eighty days, or forty weeks, from conception.

This brings us to the consideration of the question,

HOW TO CALCULATE THE TIME OF EXPECTED LABOR.

Many rules for this purpose have been laid down. We shall merely give one, the most satisfactory and the most easily applied. It was suggested by the celebrated Pro-

fessor Nægèlè of Heidelberg, and is now generally recommended and employed by physicians. The point of departure in making the calculation is *the day of the disappearance of the last monthly sickness*; three months are subtracted and seven days added. The result corresponds to the day on which labor will commence, and will be found to be two hundred and eighty days from the time of conception, if that event has occurred, as ordinarily, immediately after the last menstrual period. Suppose, for instance, the cessation of the last monthly sickness happened on the 14th day of January. Subtract three months, and we have October 14th; then add seven days and we obtain the 21st day of the ensuing October (two hundred and eighty days from January 14th), as the time of the expected confinement. This method of making the "count" may be relied upon with confidence, and only fails, by a few days, in those exceptional cases in which conception takes place just before the monthly period, or during the menstrual flow.

CARE OF HEALTH DURING PREGNANCY.

This subject, the proper management of the health from conception to childbirth, is worthy of careful consideration. The condition of pregnancy, though not one of disease, calls for peculiar solicitude, lest it should lead to some affection in the mother or in the child. For it ought to be remembered that the welfare of a new being is now in the balance. The woman has no longer an independent existence. She has entered upon the circle of her maternal duties. She became a mother when she conceived. The child, though unborn lives within her; its life is a part of her own, and so frail that any indiscretion on her part may destroy it. The danger to the child is not imaginary, as the large number of miscarriages and still-births proves.

All mothers desire to have healthy, well-favored, intelligent children. How few conduct themselves in such a manner as to secure a happy development of their offspring! Puny, deformed, and feeble-minded infants are daily ushered into the world because of a want of knowledge, or a sinful neglect of those special measures imperatively demanded in

the ordering of the daily life, by the changed state of the system consequent upon pregnancy. We shall therefore point out those laws which cannot be infringed with impunity, and indicate the diet, exercise, dress, and, in general, the conduct most favorable to the mother and child during this critical period, in which the wife occupies, as it were, an intermediate state between health and sickness.

FOOD.

The nourishment taken should be abundant, but not, in the early months, larger in quantity than usual. Excess in eating or drinking ought to be most carefully avoided. The food is to be taken at shorter intervals than is common, and it should be plain, simple and nutritious. Fatty articles, the coarser vegetables, highly salted and sweet food, if found to disagree, as is often the case, should be abstained from. The flesh of young animals, as lamb, veal, chicken, and fresh fish, are wholesome, and generally agree with the stomach. Ripe fruits are beneficial. The diet should be varied as much as possible from day to day. The craving which some women have in the night or early morning may be relieved by a biscuit, a little milk, or a cup of coffee. When taken a few hours before rising, this will generally be retained, and prove very grateful, even though the morning sickness be troublesome. Any food or medicine that will confine or derange the bowels is to be forbidden. The taste is, as a rule, a safe guide, and it may be reasonably indulged. But inordinate, capricious desires for improper, noxious articles should, of course, be opposed. Such longings, however, are not often experienced by those properly brought up. It is a curious fact that the modification in the digestive system during pregnancy is sometimes so great that substances ordinarily the most indigestible, are eaten without any inconvenience, and even with benefit, while the most healthful articles become hurtful and act like poison.

As pregnancy advances, particularly after the sixth month, a larger amount of food, and that of a more substantial character, will be required. The number of meals in a

day should then be increased, rather than the quantity taken at each meal.

CLOTHING.

The dress should be loose and comfortable, nowhere pressing tightly or unequally. The word *enceinte*, by which a pregnant woman is designated, meant originally without a cincture,—that is, unbound. The Roman matrons so soon as they conceived were obliged to remove their girdles. Lycurgus caused the enactment of the Spartan law that pregnant women should wear large dresses, so as not to prejudice the free development of the precious charges of which nature had rendered them the momentary depositaries. Stays or corsets may be used, in a proper manner, during the first five or six months of pregnancy, but after that they should either be laid aside or worn very loosely. Any attempt at concealing pregnancy, by tight lacing and the application of a stronger busk, cannot be too severely condemned. By this false delicacy the mother is subjected to great suffering and the child placed in jeopardy. The shape of the stays should be moulded to that of the changing figure, and great care should be taken that they do not depress the nipple or irritate the enlarging breasts.

The amount of clothing should be suited to the season, but rather increased than diminished, owing to the great susceptibility of the system to the vicissitudes of the weather. It is especially important that flannel drawers should be worn during advanced pregnancy, as the loose dress favors the admission of cold air to the unprotected parts of the body. A neglect of this precaution sometimes leads to the establishment of the painful disease known as rheumatism of the womb.

Pressure upon the lower limbs, in the neighborhood of the knee or the ankle joint, should be avoided, more particularly towards the last months. It is apt to produce enlargement and knotting of the veins, swelling and ulcers of the legs, by which many women are crippled during their pregnancies and sometimes through life. Therefore, the garters should not be tightly drawn and the gaiters should not be too closely fitted, while yet they should firmly support the ankle.

EXERCISE.

Moderate exercise in the open air is proper and conducive to health during the whole period of pregnancy. It should never be so active or so prolonged as to induce fatigue. Walking is the best form of exercise. Riding in a badly-constructed carriage, or over a rough road, or upon horseback, as well as running, dancing, and the carrying of heavy weights, should be scrupulously avoided, as liable to cause rupture, severe flooding and miscarriage. During the early months, in particular, extraordinary long walks and dancing ought not to be indulged in. Journeys are not to be taken while in the pregnant state. Railway travelling is decidedly objectionable. The vibratory motion of the cars is apt to produce headache, sickness at the stomach, faintness, and premature labor. All these precautions are especially to be observed in the first pregnancy.

We must not be understood as condemning exercise and fresh air. They are of the greatest importance to mother and child. But the amount of exercise should be regulated by the dictates of common sense and the woman's own sensations. If she can only walk a short distance each day with comfort, let that suffice. She should not force herself to go to a certain place or to promenade during a certain time in the twenty-four hours. So soon as fatigue is felt, the walk should cease. Let the walks be frequent and short rather than few and long. They should also be made as pleasant as possible by companionship and surroundings that will occupy the feelings and imagination in an agreeable manner with new and cheerful impressions. A tendency to indolence is to be combated. A gently active life is best calculated to preserve the health of the mother and her unborn child. But with even the most robust a moderation of the ordinary pursuits and avocations is called for. The nervous and delicate cannot make with safety their customary daily exertions in the performance of their household or social duties and pleasures.

Towards the end of pregnancy the wife should economise her forces. She should not remain long standing or kneeling, nor sing in either of these postures.

BATHING.

Those who have not been accustomed to bathing should not begin the practice during pregnancy, and in any case great care should be exercised during the latter months of pregnancy. It is better to preserve cleanliness by sponging with tepid water than by entire baths. Foot-baths are always dangerous. Sea-bathing sometimes causes miscarriage, but sea air and the sponging of the body with salt water are beneficial. The shower-bath is, of course, too great a shock to the system, and a very warm bath is too relaxing. In some women of a nervous temperament, a lukewarm bath taken occasionally at night during pregnancy has a calming influence. This is especially the case in the first and last month. But women of a lymphatic temperament and of a relaxed habit of body are always injured by the bath.

VENTILATION.

We have spoken of the benefits of out-door air. Attention should also be directed to keeping the atmosphere in the sitting and sleeping rooms of the house fresh. This can only be accomplished by constantly changing it. The doors and windows of every room, while unoccupied, should be kept thrown open in the summer time, and opened sufficiently often in the winter to wash out the apartments several times a day with fresh air. The extremes of heat and cold are to be, with equal care, avoided. The house should be kept light. Young plants will not grow well in the dark. Neither will the young child nor its mother flourish without sunlight. The ancients were so well aware of this that they constructed on the top of each house a solarium, or solar air-bath, where they basked daily, in thin attire, in the sunlight.

SLEEP.

During pregnancy a large amount of sleep is required. It has a sedative influence upon the disturbed nervous system of the mother. It favors, by the calmness of all the func-

tions
the p
any
shou
Preg
whic
shou
twe
ing o
Fe
main
pred
hair
ing s
rathe
to pe
aired
cious
the b
Oc
nap o
very
tend
reliev
the v
appro
wom
supp
lows
const
at ni

A
bodi
are r
proc
wom
drea

tions which attends it, the growth of the fœtus. Neither the pursuit of pleasure in the evening, nor the observance of any trite maxims in regard to early rising in the morning should be allowed to curtail the hours devoted to slumber. Pregnant women have an instinctive desire to lie abed late, which, like the other promptings of nature during this period, should not be disregarded. At least eight hours out of the twenty-four can be profitably spent in bed. No night-watching ought ever to be undertaken during pregnancy.

Feather beds should be avoided. The heat which they maintain about the body is inconvenient and dangerous, predisposing to flooding and exhausting perspirations. The hair or sponge mattress is to be preferred. The bed-clothing should not be too heavy. Blankets are to be employed rather than coverlids, as they are lighter and more permeable to perspiration. The mattress and cover should be well aired during the day. The sleeping room should be capacious and well ventilated, and no curtains permitted about the bed.

Occasional rest is also necessary in the daytime. A nap of an hour or two upon a sofa or lounge will then prove very refreshing. In the earlier months of pregnancy it will tend to prevent miscarriage, and in the latter months to relieve the distress consequent upon the increased size of the womb. It is not unusual, as the close of pregnancy approaches, for a feeling of suffocation to ensue when the woman attempts to lie down. This may be overcome by supporting the back and shoulders with cushions and pillows. Or, a bed chair may be employed. This, if well constructed and covered, will often be found very grateful at night, in the last few weeks of pregnancy.

THE MIND.

A tranquil mind is of the first importance. Gloomy forebodings should not be encouraged. Pregnancy and labor are not, we repeat, diseased conditions. They are healthful processes, and should be looked upon as such by every woman. Bad labors are very unfrequent. It is as foolish to dread them as it is for the railway traveller to give way to

misgivings in regard to his safety. Instead of desponding, science bids the women to look forward with cheerfulness and hope to the joys of maternity.

The bad effects of fear upon the mother's mind are illustrated by Plutarch, who, in his life of Publicola, mentions that "at a time when a superstitious fear overran the city of Rome, all the women then pregnant brought forth imperfect children, and were prematurely delivered." But we have already spoken, in treating of mothers' marks, of the influences of mental emotions over the unborn child, and the necessity of avoiding their exciting causes.

Because of their deleterious tendency, severe study as well as arduous and protracted manual labor ought to be avoided. The nervous systems of many women are also injuriously affected during pregnancy by perfumes, which at other times are agreeable and innocuous. It is, therefore, prudent not only to exclude all offensive scents, but also to abstain from the strong odors of various colognes and of flowers. Large bouquets often cause feelings of faintness and sometimes temporary loss of consciousness. The extreme liability of the nervous system of the pregnant woman to be affected injuriously to herself and child by scenes of suffering or distress, and by disgusting or frightful objects, cannot be too strongly impressed upon every one. She should be protected from all that will disturb her, and should be constantly treated with soothing and encouraging kindness. Her manifestations of irritability, her caprices, her melancholy anticipations, are not to be scoffed at, but combated with a mixture of reasoning and patient forbearance. On her part she should endeavor to co-operate with those around her in sedulously shunning all injurious influences and in banishing as quickly as possible all improper longings. She should remember that, although she herself may escape mischief from them, her child may suffer. She is the custodian of interests dearer to her than her own.

RELATION OF HUSBAND AND WIFE.

During that time when the wife, if she were not pregnant, would have been "unwell," marital intercourse should be

absta
dang
misc
sickn
not
whol
made
whic
every
have
happ
excep
shoul
After
When
be pe
vance
negle
disea

We
condi
but d
As a
than
other
perio
then
live l
woma
tion,
disea
and c
length
Th
to pr
howe
health

abstained from. It is then injurious to the mother and dangerous to the life of the child, as it is liable to excite miscarriage. But if this habitual epoch of the monthly sickness be avoided, there is no reason why passion should not be gratified in moderation and with caution during the whole period of pregnancy. There is one exception to be made to this general course of conduct. In those cases in which a miscarriage has occurred in the first pregnancy, every precaution should be employed—for reasons which have been dwelt upon in a previous article—to prevent its happening again after the second conception. Under such exceptional circumstances, therefore, the husband and wife should sleep apart during the first five months of pregnancy. After that period their ordinary relations may be resumed. When a miscarriage has taken place, intercourse should not be permitted within a month of the accident. The observance of this direction is of the utmost importance. Its neglect is the frequent cause of severe and intractable diseases of the womb.

EFFECT OF PREGNANCY ON HEALTH.

We have had occasion to remark that pregnancy is not a condition of disease. It is not only an evidence of health, but during its continuance it confers increased physical vigor. As a rule, a woman enjoys *better health* during her pregnancy than at any other time; she is less liable to contagious and other maladies; she is less apt to die than at any other period of her life; and her general constitution seems also then to receive a favorable impress, for wives and mothers live longer than celibates. It is wisely decreed that when a woman is engaged in this, to her, anxious stage of reproduction, she shall not be exposed to the pains and dangers of disease, and that those great covenants of nature, marriage and child-bearing, shall be rewarded by added strength and length of days.

There are certain disorders incident, in exceptional cases, to pregnancy, of which we shall shortly speak. In general, however, we repeat that this condition is one of extraordinary health. More than this, in numerous instances it exerts an

ameliorating influence upon pre-existing diseases, suspending their march, or bringing about a decidedly curative effect. Thus, various obstinate chronic affections of the skin, of the womb and ovaries, and of the brain and nervous system, frequently get well during pregnancy; and it is well known to every physician that by the judicious management of this state, and of the lying-in period, troublesome displacements of the womb may be arrested.

It should nevertheless ever be recollected that the condition of pregnancy is one of excitement and enhanced susceptibility to impressions of all kinds. For this reason a change in the habits of life is necessary, and the importance of the directions just laid down for the care of the health during this period cannot be too strongly insisted upon.

DISEASES OF PREGNANCY.

Notwithstanding the general immunity from disease and the improvement in the health upon which we have been dwelling, as ordinary attendants upon pregnancy, there are certain inconveniences or discomforts incident to this state which demand a little attention.

Morning sickness.—This affection, when confined, as is usually the case, to the morning and early part of the day, rarely requires much medical care. Its absence, which, as we have said, is a frequent cause of miscarriage, is more to be regretted than its presence, especially as it is apt to be replaced by more serious troubles.

Relief will be afforded by washing the face and hands in cold water, and taking a cup of milk or a little coffee and a biscuit or sandwich, *before raising the head from the pillow* in the morning, remaining in bed about a quarter of an hour after this early meal; then dressing quickly, and immediately going out for a half hour's walk. Rest in a half recumbent posture during the day, particularly after meals, is beneficial. The affection is mostly a nervous one, and is best combated by eating. The food should be plain and unirritating, but nutritious, and should be taken frequently, in small quantities at a time.

When the nausea and vomiting are excessive, and con-

tinu
cond
Th
of t
ordin
time
with
be ad
D
brom
dom
arres
Th
drug

Of
times
safe a
A
nancy
sistec
poun
after
Of
of bra
tive a
Con
exten
suffer
etc., t
citrat
fast, c
Pan
may h
oil an

Cer

tinue during the day, there is generally some disordered condition of the digestive apparatus.

This may be corrected by taking at night, a teaspoonful of the *confection* of senna, a pleasant preparation of this ordinarily disagreeable medicine, and by drinking three times a day, before each meal, a wineglassful of a tea made with columbo. Half an ounce of powered columbo should be added, for this purpose, to a pint of boiling water.

Dr. John H. Griscom, of New York, recommends the bromide of potassium, which is a harmless medicine for domestic practice, as affording the most useful means of arresting the nausea attendant on pregnancy.

The following prescription may be compounded by any druggist, and will often be found very effective :

Take of Bromide of Potassium, two drachms.
 “ “ Cinnamon water, three ounces.

Of this a dessertspoonful may be taken two or three times a day. It may be used with confidence as an entirely safe and harmless remedy in this troublesome affection.

A prescription frequently ordered for the nausea of pregnancy by the late distinguished Dr. Meigs, of this city, consisted of equal parts of sweet tincture of rhubarb and compound tincture of gentian : a dessert spoonful to be taken after meals.

Often, when the bowels require to be regulated, the use of bran bread, wheaten grits, oatmeal gruel, and other laxative articles of food, will be found very beneficial.

Constipation should be attended to, if it exist to such an extent as to cause inconvenience. Often when the mother suffers from headache, perversion of sight, dimness of vision, etc., they may all be happily relieved by small doses of citrate of magnesia, a Seidlitz powder taken before breakfast, or the use of the Saratoga and Bedford waters.

Pain in the abdomen, caused by the distension of its walls, may be relieved by the application of equal parts of sweet-oil and laudanum.

PREPARATIONS FOR CONFINEMENT.

Certain foolish preparations are sometimes made by

wives with the best intentions. Perhaps one of the most common and absurd of these is the local use of sweet-oil, in order to facilitate the dilatation of the parts, for which purpose it is perfectly inert. There are, however, some wise and even necessary precautions which every wife should know and employ, to guard against unpleasant and dangerous complications in childbirth.

In particular, *the condition of the breasts towards the close of pregnancy demands attention.* Scarcely any pain in the lying-in chamber is greater and more difficult to bear than that which the young mother suffers from excoriated nipples. This troublesome and often very intractable affection is nearly always the consequence of the want of care previous to confinement. During the latter part of pregnancy the nipples sometimes become sunken or flat, being retracted as the breasts increase in size, because of the want of elasticity on the part of the milk-tubes. In order to remedy this fault, we have known a breast-pump or puppy to be applied. Such treatment is dangerous, as it may excite a premature contraction of the womb and miscarriage. Nipple-shields, with broad bases and openings, should always be obtained. They are safe, and effectually secure the prominence of the nipples, when worn constantly, day and night, during the last month or so of pregnancy. Wives, who have never had children, ought to take special care to ascertain before labor whether this depressed condition of the nipple exists, and to correct it in the manner indicated.

In the first pregnancy it is also important to *harden the nipples.* This may be done by occasionally gently rubbing them between the thumb and finger, and by bathing them twice a day during the last six weeks with tincture of myrrh, or with a mixture of equal parts of brandy and water, to which a little alum has been added. This procedure will render the surfaces less sensitive to the friction of the child's mouth, and thus avert the distress so often occasioned in the first confinement by tenderness of the nipples.

If the nipples be rough or nodulated in appearance, like a strawberry or raspberry, they are more apt to become

exc
Un
of
wat
the
sev
slig
loti
wat
of t
the
vest
It
that
rem
whe
whil
time
TH
bed v
may
TH
worr
It is
be n
an or
The
yards
breac
shoul
finer
down
shoul
a ha
wider
little
above
ward
comf
cation

excoriated or fissured, than if they present a smooth surface. Under such circumstance, make a solution of the sulphate of zinc, of the strength of one grain to the ounce of rose water, in a wide-mouthed bottle, then tilt the bottle upon the nipple and allow it to remain there for a few minutes several times a day. Simple tenderness of the nipples and slight fissures may be averted by the application either of a lotion of borax (two scruples of borax in three ounces of water, and an ounce of glycerine), of the honey of borax, or of the tincture of catechu, and by protecting the parts from the pressure of the stays and the friction of the flannel vest.

It is of the greatest moment to the comfort of the mother that all affections of the nipples should be prevented or remedied before labor, for the treatment of sore nipples, when the child is at the breast, is often unsatisfactory, while the suffering they occasion is very great, even sometimes giving rise to mammary abscess.

There are certain *articles of clothing and dressings for the bed* which should be cared for in advance, in order that they may be ready when required.

The mother should be provided with short gowns, to be worn over the chemise instead of the ordinary nightgowns. It is of consequence to procure a proper *bandage*. It should be made of heavy muslin, neither too coarse nor too fine; an ordinarily good quality of unbleached muslin is the best. The material is to be cut bias, about one and a quarter yards in length, and from twelve to eighteen inches in breadth, varying, of course, with the size of the person. It should be just large enough to encircle the body after confinement with a margin of a couple of inches, and to extend down below the fulness of the hips. The measurement should be taken and the bandage made to fit when four and a half months advanced. It should be narrow above, wider below, and gored in such a manner that it will be a little narrower at the lower extremity than a few inches above, so as to prevent it, when adjusted, from sliding upwards. A bandage constructed in this manner will be very comfortable, and is not apt to become displaced after application, as is invariably the case when a towel or a piece of

straight muslin is used. The way in which it is to be applied will be detailed hereafter.

The *child's clothing* should consist first of a piece of flannel or some woollen material for a binder. This should be from four to six inches in width, and from twelve to sixteen inches in length; that is to say, wide enough to extend from the arm-pits to the lower part of the abdomen, and long enough to go once and half times around the child, having the double fold to come over the abdomen. There should be no embroidery about this. A shirt, which it is desirable should be woollen, is to be provided to place over the binder. It should be made to come up tolerably high in the neck and to extend down the arm. Neither it nor any other portion of the child's clothing should be starched. The petticoat, which may be open its whole length behind, is to be put over the shirt; two may be used, a short and a long one. Next comes the child's ordinary frock or slip, and above this, an apron to protect the dress from the frequent discharges from the stomach. Then a shawl, of flannel or any other warm material, is to be provided to throw over the shoulders if the weather be cold. Socks and pieces of old soft muslin free from stiffening, for napkins or diapers, complete the child's outfit.

For the *permanent and temporary dressing of the bed* there should be provided a piece of impervious cloth (oiled silk is the neatest) about a yard square; a piece of ordinary table oil-cloth or rubber-cloth; a number of old sheets and comfortables, and a piece of thick carpet. The *manner* in which these are to be used will be explained shortly.

A pair of small rounded scissors; a package of large pins, one and a half inches in length, for the bandage of the mother, and smaller ones for that of the child; some good linen bobbin for the doctor to tie the navel-string; good toilet soap and fine surgical sponge for washing the child; a piece of soft linen or muslin for dressing the navel; a box of unirritating powder; and a pile of towels, should all be had and laid aside many weeks before they are wanted. These, together with the material for dressing the bed, the child's clothing, and the mother's bandage, ought to be placed together in a basket got for the purpose, in order

that they may all be easily and certainly found at a time when perhaps the hurry and excitement of the moment would render it difficult otherwise to collect them all immediately.

SIGNS OF APPROACHING LABOR.

One of the earliest of the preliminary signs of the coming on of confinement occurs about two weeks before that event. It is a dropping or subsidence of the womb. The summit of that organ then descends, in most cases, from above to below the umbilicus, and the abdomen becomes smaller. The stomach and lungs are relieved from pressure, the woman breathes more freely, the sense of oppression which troubled her previously is lost, and she says she feels "very comfortable." This sensation of lightness and buoyancy increases, and a few days before the setting in of labor she feels so much better that she thinks she will take an extra amount of exercise. The mother of a number of children is acquainted with this sign, but the wife with her first child may exert herself unduly in the house or out-doors, and induce labor when in the street or away from home. Hence the importance of a knowledge of this premonitory symptom.

A second precursory sign of labor is found in the increased fulness of the external parts and an augmented mucous secretion, which may amount even to a discharge resembling whites, and requiring the wearing of a napkin. This symptom is a good one, indicating a disposition to relaxation, and promising an easy time.

The third preliminary sign which we shall mention is the change in the mental state of the pregnant woman. She has a feeling of anxiety and of fidgetiness, sometimes accompanied with depression of spirits. This condition of emotional distress, modified in particular cases by reason, self-control, and religion, may continue for several days, perhaps when

THE SYMPTOMS OF ACTUAL LABOR

make their appearance. The first of these is generally the "show." It is the discharge of the plug of mucous which has

occupied the neck of the womb up to this time, and is ordinarily accompanied by a little blood. Perhaps before this, or perhaps not for some hours after, the "pains" will develop themselves. These recur periodically at intervals of an hour or half an hour at the outset, and are "grinding" in character. *True* labor pains are distinguished from *false* by the fact that they are felt in the back, passing on to the thighs, while false pains are referred to the abdomen; by their intermittent character,—the spurious pains being more or less continuous,—and by the steady increase in their frequency and severity. In case of doubt as to their exact nature, the physician should be summoned, who will be able to determine positively whether labor has begun.

The other symptoms which point to the actual commencement of labor are a frequent desire to empty the bowels and bladder, nausea and vomiting, which, in the early part of confinement, is a good sign; shiverings, unattended with any sensation of cold; and finally the rupture and discharge of the contents of the "bag of water."

Before passing on to the consideration of the management of the confinement into which the wife has now entered, a few words may be appropriately said upon the

CAUSE OF LABOR.

Neither the size nor the vigor of the child has any influence in bringing about delivery at full term. The ancient theory,—which received the support of the distinguished naturalist Buffon,—that the infant was the active agent in causing its own expulsion, is an exploded one. It was asserted by some that hunger excited the foetus to struggle to free itself from the womb; others were disposed to attribute its efforts to accomplish its entrance into the world to the need of respiration which it experienced. But all these ingenious theories, which presupposed the embryo to be actuated by the same feelings which would influence a grown person if shut up in such a confined abode, are unsatisfactory and not tenable. It is well known that the child may die in the womb without retarding or interfering in any way with the coming on of the process of labor. This fact

alone shows that the fœtus is, or at any rate may be, absolutely passive either in regard to the induction or advancement of delivery. The determining cause of labor is seated in the womb itself. The contractions of this organ occasion the "pains" and expel the child, assisted by the muscles of the abdomen and the diaphragm. That the assistance of the latter forces is not necessary is conclusively proved by the occurrence of childbirth after the disease of the mother. For instance, a case is on record in which labor commenced and twins were born after the mother had been dead for three days.

THE CONFINEMENT.

We will suppose labor to have commenced. The *preparation of the bed* for the occupancy of the mother is now to be attended to. As she is to lie on the *left side* of the bed, this is the side, and the only one, which is to be dressed for the occasion. In order to do so, remove the outer bed-clothes one at a time, folding them neatly on the right side of the bed so that they can easily be drawn over when desired. The *permanent dressing* is to be placed beneath the lower sheet and upon the mattress. A soft impervious cloth—which in speaking of the preparation for confinement, we directed to be procured—is placed next to the surface of the bed. The upper edge should be nearly as high as the margin of the bolster, and it should extend down to a distance at least a foot below the level of the hips, so as to certainly protect the bed from the discharges. Upon the top of this a blanket or sheet is laid, and the whole fastened by pins. The lower sheet of the bed, which had been turned over to the right side, to permit the application of the dressing, is now to be replaced. Over the position of this permanent dressing, on the top of the bed sheet, a neatly folded sheet, with the folded edge down, is adjusted and pinned in its place. It is upon this sheet that the patient is to be drawn up after her confinement, which will take place upon the *temporary dressing* of the bed, now to be arranged. It consists of an oil-cloth, which should extend up beyond the lower edge of the permanent dressing, overlapping the folded sheet which has been placed above it, and should fall over

the side and bottom of the bed. A comfortable, or any soft absorbent material is placed over this impervious cloth and covered with a folded sheet, completing the temporary dressing. The bed-clothes may now be adjusted, concealing the dressings from view until they are wanted. The valances at the foot of the bed should be raised and a piece of carpet placed on the floor. The bed should have no foot-board, or a very low one.

The dress of the mother—Either a folded sheet should be adjusted around the waist as the only skirt, so as not to interfere with walking, or a second chemise should be put on, with the arms outside the sleeves, to extend from the waist to the feet. Then the chemise next the body should be drawn up and folded high up around the breast. It should be plaited neatly along the back, and brought forward and fastened by pins. This should be thoroughly done, so that the linen may not be found wet nor soiled when it is drawn down after confinement. A wrapper or dressing gown may be worn during the first stage of labor, before it is necessary to go to bed. When, however, that time comes, the wife will take her place on her left side on the temporary dressing, with a sheet thrown over her, her head on a pillow so situated that her body will be bent well forward, and her feet against the bed-post. A sheet should be twisted into a cord and fastened to the foot of the bed, for her to seize with her hands during the accession of the "bearing down pains." Care should be taken to have a number of napkins, a pot of fresh lard, and the basket containing the scissors, ligature, bandages, etc.,—which have been previously enumerated in the article on preparations for confinement—at hand, for the use of the doctor.

We have now noted all that it is useful for the wife to know in regard to the preparation for the management of confinement, when a physician is in attendance, as for obvious reasons, he should always be. In some instances, however, the absence of the doctor is unavoidable, or the labor is completed before his arrival. As a guide to the performance of the necessary duties of the lying-in room, under such circumstances we give some,

HINTS TO ATTENDANTS.

The room should be kept quiet. Too many persons must not be allowed in it, as they contaminate the air, and are apt by their conversation to disturb the patient, either exciting or depressing her. So soon as the head is born, it should be immediately ascertained whether the neck is encircled by the cord; if so, it should be removed or loosened. The neglect of this precaution may result fatally to the infant, as happened a short time since in our own practice, the infant, born a few minutes before our arrival, being found strangled with the cord about its neck. It is also of importance at once to allow of the entrance of air to the face, to put the finger in the mouth to remove any obstruction which may interfere with respiration, and to lay the babe on its right side, with the head removed from the discharges. The cord should not be tied until the infant is heard to cry. The ligature is to be applied in the following manner. A piece of bobbin is thrown around the navel-string, and tied with a double knot at the distance of three fingers' breadth from the umbilicus; a second piece is tied an inch beyond the first, and the cord divided, with the scissors, between the two,—care being taken not to clip off a finger or otherwise injure the unsuspecting little infant, as has occurred in careless hands, more than once. When the child is separated from the mother, a warm blanket or a piece of flannel should be ready to receive it. In taking hold of the little stranger it may slip out of the hands and be injured. To guard against this accident, which is very apt to occur with awkward or inexperienced persons, always seize the back portion of the neck in the space bounded by the thumb and first finger of one hand and grasp the thighs with the other. In this way it may be safely carried. It should be transferred, wrapped up in its blanket, to some *secure* place, and never put in an arm-chair, where it may be crushed by some one who does not observe that the chair is already occupied. The head of the child should not be so covered as to incur any danger of suffocation.

ATTENTION TO THE MOTHER.

When the after-birth has come away, the mother should be drawn up a short distance—six or eight inches—in bed, and the sheet which has been pinned around her, together with the temporary dressing, removed, a clean folded sheet introduced under the hips. The parts should be gently washed with warm water and a soft sponge or cloth, after which an application of equal parts of claret wine and water will prove pleasant and beneficial. We have also found the anointing of the external and internal parts with goose grease, which has been thoroughly washed in several hot waters, to be very soothing and efficient in speedily allaying all irritation. This ought all to be done under cover, to guard against the taking of cold. The chemise pinned up around the breast, should now be loosened, and the woman is ready for the application of the bandage, which is to be put on next the skin. If properly and nicely adjusted, it will prove very grateful. The directions for making it have already been given. In order to apply it, one-half of its length should be folded up into plaits, and the mother should lie on her left side. Lay the plaited end of the bandage underneath the left side of the patient, carrying it as far under as possible, and draw the loose end over the abdomen. Then let the mother roll over on her back and draw out the plaited end. If the abdominal muscles are much relaxed and the hip-bones prominent, a compress of two or three towels will be wanted. The bandage should be first tightened in the middle, by a pin applied laterally, for strings should never be employed. The pins should be placed at intervals of about an inch. The lower portion of the bandage should be made quite tight, to prevent it slipping up. The mother is now ready to be drawn up in bed upon the permanent dressing; this should be done without any exertion on her part. A napkin should be laid smoothly *under* the hips (never folded up), to receive the discharges. If she prefer to lie on her left side, place a pillow behind her back.

beg
har
lar
a b
clot
The
soa
as t
ful
larly
the
taki
not
more
the
But
care
whic
infan
done
oiled
appli
men
positi
been
being
enum
Th
is to
floodi
to pr
milk
of th
reason
the fir
acts a

ATTENTION TO THE CHILD.

The baby may now be washed and dressed. Before beginning, everything that is wanted should be close at hand, namely, a basin of warm water, a large quantity of lard or some other unctuous material, soap, fine sponge, and a basket containing the binder, shirt, and other articles of clothing. First rub the child's body thoroughly with lard. The covering can only be removed in this way; the use of soap alone will have no effect unless the friction be so great as to take off also the skin. The nurse should take a handful of lard and rub it in with the palm of the hand particularly in the flexures of the joints. In anointing one part, the others should be covered, to prevent the child from taking cold. If the child is thus made perfectly clean, do not use any soap and water, because the skin is left in a more healthful condition by the lard, and there is risk of the child's taking cold from the evaporation of the water. But the face may be washed with soap and water, great care being taken not to let the soap get into the child's eyes, which is one of the most frequent causes of sore eyes in infants. The navel-string is now to be dressed. This is done by wrapping it up in a circular piece of muslin, well oiled, with a hole in its centre. The bandage is next to be applied. The object of its use is to protect the child's abdomen against cold and to keep the dressing of the cord in its position. The nature, shape and size of the binder have been described. It should be pinned in front; three pins being generally sufficient. The rest of the clothing before enumerated is then put on.

The child is now to be *applied to the breast at once*. This is to be done for three reasons. First, it very often prevents flooding, which is apt otherwise to occur. Secondly, it tends to prevent milk fever, by averting the violent rush of the milk on the third day, and the consequent engorgement of the breast and constitutional disturbance. The third reason is that there is always a secretion in the breast from the first, which it is desirable for the child to have, for it acts as a cathartic, stimulating the liver and cleansing the

bowels from the secretions which fill them at the time of birth. There is generally sufficient nourishment in the breasts, for the child for the first few days. The mother may lie on the one side or the other, and receive the child upon the arm of that upon which she is lying. If the nipple be not perfectly drawn out, so that the child can grasp it in its mouth, the difficulty may be overcome by filling a porter bottle with hot water, emptying it and then placing the mouth of the bottle immediately over the nipple. This will cause, as the bottle cools, a sufficient amount of suction to elevate the sunken nipple. The bottle should then be removed and the child substituted, a little sugar and water or sweetened milk being applied, if necessary, to tempt the child to take the breast.

The patient should be cleansed every *four or five hours*. A soft napkin, wet with warm soap and water, should for this purpose be passed underneath the bed-clothing, without exposing the surface to a draft of air. After using the soap and water, apply again the dilute claret wine and the goose grease. Much of the safety of the mother depends upon the observation of cleanliness. The napkin should not be allowed to remain so long as to become saturated with the discharges.

The patient should maintain rigidly the recumbent position for the first few days, not raising her shoulders from the pillow for any purpose, and should abstain from receiving visitors and from any social conversation for the first twenty-four hours.

For the first three or four days, until the milk has come and the milk fever passed, the mother should live upon light food,—oatmeal gruel, tea and toast, panada, or anything else of little bulk and unstimulating character. Afterwards the diet may be increased by the addition of chicken, lamb, mutton or oyster broth, buttered toast and eggs. The object of light nourishment at first is to prevent the too rapid secretion of milk, which might be attended with evil local and constitutional effects. If, however, the mother be in feeble health, it will be necessary from the outset that she shall be supported with nourishing concentrated food. *Beef-tea* will then be found very serviceable, particularly if

made
fresh
all fa
and
pint
pour
sque
Retu

A
shou
devel
mam
the s
they

A
The
carri
be c
rais
over
unfas
her s
be ca
the c
out l
chang

In
below
above
accor
clean
unde
her b
direc
objec
moth
minu

Ca
third
If th

made according to the following recipe: Take a pound of fresh beef from the loins or neck. Free it carefully from all fat. Cut it up into fine pieces, and add a very little salt and five grains of unbroken black pepper. Pour on it a pint of cold water, and *simmer* for forty minutes. Then pour off the liquor, place the meat in a cloth, and after squeezing the juice from it into the tea, throw it aside. Return to the fire and boil for ten minutes.

After the first week, the diet of the lying-in woman should always be nutritious, though plain and simple. The development of the mammary glands, the production of the mammary secretion, and the reduction which takes place in the size of the womb, all require increased nourishment that they may be properly performed.

After the third or fourth day *the dress should be changed*. The dress worn during labor, if our directions have been carried out, will not have been soiled. The clothing should be changed without uncovering the person, and without raising the head from the pillow. Pull the bed-gown from over each arm and draw it out from under the body. Then unfasten the chemise in front and draw it down underneath her so that it can be removed from below, as it should not be carried over the head. Place her arms in the sleeves of the clean chemise, throw its body over her head, and, without lifting her shoulders from the bed, draw it down. Then change the bed-gown in the same manner.

In changing the upper sheet, it should be pulled off from below, and the clean one carried down in its place from above, underneath the other clothing, which can be readily accomplished by plaiting the lower half. In introducing a clean under-sheet, one side of it should be plaited and placed under the patient, lying on her left side; when she turns on her back the plaits can then be readily drawn out. These directions, though apparently trivial, are important. The object is to guard against the great danger to which the mother is exposed by sitting up in bed for even a few minutes during the first week.

Cathartic medicine should not be administered the first, the third or any other day after confinement, unless it is needed. If the patient is perfectly comfortable, has no pain in the

abdomen, no headache, and is well in every respect, she should be let alone, even if her bowels have not been moved. If a laxative be called for, citrate of magnesia is much pleasanter and equally as efficacious as the castor-oil so frequently administered on this occasion.

TO HAVE LABOR WITHOUT PAIN.

Is it possible to avoid the throes of labor and have children without suffering? This is a question which science answers in the affirmative. Medical art brings the water of Lethe to the bedside of woman in her hour of trial. Of late years chloroform and ether have been employed to lessen or annul the pains of childbirth, with the same success that has attended their use in surgery. Their administration is never pushed so as to produce complete unconsciousness, unless some operation is necessary, but merely so as to diminish sensibility and render the pains endurable. These agents are thus given without injury to the child, and without retarding the labor or exposing the mother to any danger. When properly employed, they induce refreshing sleep, revive the drooping nervous system and expedite the delivery.

They should never be used in the absence of the physician. He alone is competent to give them with safety. In natural, easy and short labor, where the pains are readily borne, they are not required. But in those lingering cases in which the suffering is extreme, and, above all, in those instances where instruments have to be employed, ether and chloroform have a value beyond all price.

MORTALITY OF CHILDBED.

The number of the pregnancy affects the danger to be expected from lying-in. It has been declared by excellent authority that the mortality of first labors, and of childbed fever, following first labors, is about twice the mortality attending all subsequent labors collectively. After the ninth labor the mortality increases with the number. A woman having a large family, therefore, comes into greater and

incre
dren
Th
pany
twen
with
great
age o
beari
versa
the s
wedde
antici
great
perio
child
other
morta
mony
the a

The
morta
show
who l
The
in. T
must
only
in chi

The
of bi
dren,
two-t
than
short
Th

increasing risk as she bears her ninth and successive children.

The age of the woman also affects the mortality accompanying confinement. The age of least mortality is near twenty-five years. On either side of this, mortality increases with the diminution or increase of age. The age of the greatest safety in confinement, therefore, corresponds to the age of greatest fecundity. And during the whole of child-bearing life, safety in labor is directly as fecundity, and vice versa. Hence modern statistics prove the correctness of the saying of Aristotle, that "to the female sex, premature wedlock is peculiarly dangerous, since, in consequence of anticipating the demands of nature, many of them suffer greatly in childbirth, and many of them die." As the period from twenty to twenty-five is the least dangerous for childbirth, and as first labors are more hazardous than all others before the ninth, it is important that this term of least mortality be chosen for entering upon the duties of matrimony. This we have already pointed out in speaking of the age of nubility.

The sex of the child is another circumstance affecting the mortality of labor. Professor Simpson, of Edinburgh, has shown that a greater proportion of deaths occur in women who have brought forth male children.

The duration of labor also influences the mortality of lying-in. The fatality increases with the length of the labor. It must be recollected, however, that the duration of labor is only an inconsiderable part of the many causes of mortality in childbirth.

WEIGHT AND LENGTH OF NEW-BORN CHILDREN.

The average weight of infants of both sexes at the time of birth is about seven pounds. The average of male children, is seven and one-third pounds; of female, six and two-thirds pounds. Children which at full term weigh less than five pounds are not apt to thrive, and usually die in a short time.

The average length at birth, without regard to sex, is

about twenty inches, the male being about half an inch longer than the female.

In regard to the relation between the size of the child and the age of the mother, the interesting conclusion has been arrived at, that the average weight and length of the mature child gradually increases with the age of the mother up to the twenty-fifth year. Mothers between the ages of twenty-five and twenty-nine have the largest children. From the thirtieth year they gradually diminish. The first child of a woman is of comparatively light weight. The first egg of a fowl is smaller than those which follow.

The new-born children in our western States seem to be larger than the statistics show them to be in the various states of Europe, and apparently even than in our eastern States. In the Report on Obstetrics of the Illinois State Medical Society for 1868, it is stated that Quincy, Ill., produced during the year six male children whose average weight at birth was thirteen and a quarter pounds, the smallest weighing twelve pounds and the largest seventeen and a half, which was born at the end of four hours labor, without instrumental or other interference. A recent number of a western medical journal reports the birth at Detroit in February last of a well-formed male infant twenty-four and one-half inches long, weighing sixteen pounds. The woman's weight, *after labor*, is stated as only ninety-two pounds. An English physician delivered a child by the forceps, which weighed seventeen pounds twelve ounces, and measured twenty-four inches. These are the largest well-authenticated new-born infants on record.

DURATION OF LABOR.

The length of a natural labor may be said to vary between two and eighteen hours. The intervals between the pains are such, however, that the actual duration of suffering, even in the longest labor, is comparatively very short. The first confinement is much longer than subsequent ones.

The *sex* of the child has some influence on the duration of labor. According to Dr. Collins, of the Lying-in Hospital of Dublin, the average with *male* births is one hour and four

minu
also a
poun
than

Th
occur
perce
Th
alread
and t
of lif
attrib
posse

Aft
period
wond
forme
labor
this p
ties of
and, t
dange
risks
The s
womb
to its
after s
tion a
prolon
the lea
ment.
walks
to the
who s

minutes longer than with *female*. The *weight* of the child also affects the time of labor. Children weighing over eight pounds average four hours and eight minutes longer in birth than those of less than eight pounds weight.

STILL-BIRTHS.

The statistics of nearly fifty thousand deliveries which occurred at the Royal Maternity Charity, London, show a percentage of nearly five still-born, or one in twenty-seven.

There are more boys still-born than girls. We have already spoken of the fact that male births are more tedious, and that a larger number of males die in the first few years of life than females. This series of misfortunes has been attributed to the larger size which the male foetus at birth possesses over the female.

IMPRUDENCE AFTER CHILDBIRTH.

After the birth of the child at full term or at any other period of pregnancy, the womb, which had attained such wonderful proportions in a few months, begins to resume its former size. This process requires at least six weeks after labor for its full accomplishment. Rest is essential during this period. A too early return to the ordinary active duties of life retards or checks this restoration to normal size, and, the womb being heavier, exposes the woman to great danger of uterine displacements. Nor are these the only risks incurred by a too hasty renewal of active movements. The surface, the substance, and the lining membrane of the womb are all very liable, while this change from its increased, to its ordinary bulk is occurring, to take on inflammation after slight exposure. The worst cases of uterine inflammation and ulceration are thus caused. A "bad getting up," prolonged debility, pain and excessive discharge, are among the least penalties consequent upon imprudence after confinement. It is a mistake to suppose that women in the lower walks of life and the wives of Indians attend with impunity to their ordinary duties a few days after confinement. Those who suffer most from falling of the womb and other dis-

placements, are the poor, who are obliged to get up on the ninth day and remain upright, standing or walking for many hours with an over-weighted womb. Every physician who has seen much of Indian women has remarked upon the great frequency of womb disease in the squaws, which is to be attributed to the neglect of rest, so common among them, after childbirth. If this be true, of vigorous women accustomed to hardy life, how much more apt to suffer from this cause are the delicately nurtured, whose systems are already, perhaps, deteriorated, and little able to resist any deleterious influences.

A mother should remain in bed for at least two weeks after the birth of the child, and should not return to her household duties under a month; she should also take great pains to protect herself from cold, so as to escape the rheumatic affections to which at the time she is particularly subject. If these directions were generally observed, there would be less employment for physicians with diseases peculiar to women, and fewer invalids in American homes.

TO PRESERVE THE FORM AFTER CHILDBIRTH.

This is a matter of great anxiety with many women; and it is proper that it should be, for a flabby, pendulous abdomen is not only destructive to grace of movement and harmony of outline, but is a positive inconvenience.

To avoid it, be careful not to leave the bed too early. If the walls of the abdomen are much relaxed, the bed should be kept from two to three weeks. Gentle frictions daily with spirits and water will give tone to the muscles. But the most important point is to wear for several months a *well-fitting* bandage—not a towel pinned around the person, but a body-case of strong linen, cut bias, setting snugly to the form, but not exerting unpleasant pressure. The pattern for this has already been given.

IT
who c
famili
exists
the tw
who li
culiar

"S
says P
discov
first a
never
anima

Am
who h
special
were e
reverer
sign b
rude i
the do

At v
made l
ing th
of the

Lou
sions t
who h

THE MOTHER.



It has been well said by Madame Sirey, that the women who comprehend well their rights and duties as mothers of families certainly cannot complain of their destiny. If there exists any inequality in the means of pleasure accorded to the two sexes, it is in favor of the woman. The mother who lives in her children and her grandchildren has the peculiar privilege of not knowing the grief of becoming old.

"So low down in the scale of creation as we can go," says Professor Laycock, of Edinburgh, "wherever there is a discoverable distinction of sex, we find that maternity is the first and most fundamental duty of the female. The male never in a single instance in any organism, whether plant or animal, contributes nutrient material."





Among the Romans it was enacted that married women who had borne three children, or if freed women, four, had special privileges of their own in cases of inheritance, and were exempted from tutelage. Juvenal has recorded the reverence paid in Rome to the newly made mother, and the sign by which her house was designated and protected from rude intruders, namely, by the suspension of wreaths over the door.

At various times and in various countries, legislators have made laws discriminating in favor of matrons, justly regarding the family as the source of the wealth and prosperity of the State.

Louis XIV., granted, by the edict of 1666, certain pensions to parents of ten children, with an increase for those who had twelve or more.



**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503



NURSING.

So soon as the infant is born it ought to be placed at the breast. From this source it should receive its *only* nourishment during the first four or six months, and in many cases the first year, of its life. The child which the mother has carried for nine months and brought with suffering into the world still depends upon her for its existence. At the moment of its birth her duties to her infant, instead of ceasing augment in importance. The obligation is imposed upon her of nourishing it with her own milk, unless there are present physical conditions rendering nursing improper, of which we are about to speak. It is well known that the artificial feeding of infants is a prominent cause of mortality in early life. The foundlings of large cities furnish the most striking and convincing proof of the great advantages of nursing over the use of artificially-prepared food. On the continent of Europe, in Lyons and Parthenay, where foundlings are wet nursed from the time they are received, the deaths are 33.7 and 35 per cent. In Paris, Rheims, and Aix, where they are wholly dry-nursed, their deaths are 50.3, 63.9, and 80 per cent. In New York city, the foundlings, numbering several hundred a year, were, until recently, dry-nursed, with the fearful and almost incredible mortality of nearly one hundred per cent. The employment of wet-nurses has produced a much more favorable result. Therefore, if for any reason the mother cannot nurse her own child, a hired wet-nurse should be procured. This brings us to the consideration of

HINDRANCES TO NURSING, AND WHEN IT IS IMPROPER.

Women who have never suckled, often experience difficulty in nursing, on account of the sunken and flat condition of the nipple. We have pointed out the causes of this depression, and how by early attention, before the birth of the infant, it may be prevented. If, however, these precautions have been neglected, and it is found that the nipple is not sufficiently prominent to be grasped by the child's

mouth, it may be drawn out by a common breast pump, by suction with a tobacco pipe, by the use of the hot-water bottle, in the manner described, or by the application of a puppy, or of an infant a little older. Neither the child nor the mother should be constantly fretted in such cases by frequent ineffectual attempts at nursing. Such unremitting attention and continual efforts produce nervousness and loss of sleep, and result in a diminution of the quantity of the milk. The child should not be put to the breast oftener than once in an hour and a half or two hours. By the use of the expedients mentioned the whole difficulty will be overcome in a few days.

Delay in applying the child to the breast is a common cause of trouble. After it has been fed for several days with the spoon or bottle, it will often refuse to nurse. When nursing is deferred, the nipple also becomes tender. For these reasons, as well as the others detailed in our directions for the care of the new-born infant, the child should always, in say from two to three hours after labor, be placed at the breast.

Ulcerated and fissured nipples should be treated by the physician in attendance. As it is highly desirable and nearly always possible to avoid them, we would again call attention to the manner of doing so, indicated in a previous article. Fissured nipples sometimes do harm to the infant by causing it to swallow blood, disturbing in this way the digestion. But all these local interferences with nursing can generally be obviated in the course of a few weeks, and rarely entirely prevent the exercise of this maternal pleasure and duty,

But there are certain physical conditions which necessitate the employment of a hired wet-nurse or weaning. If the mother belongs to a consumptive family, and is herself pale, emaciated, harassed by a cough, and exhausted by suckling, wet-nursing is eminently improper. A temporary loss of strength under other circumstances should not induce a mother at once to wean her child, for it is often possible, by the judicious use of tonics, nourishing food, and stimulants, to entirely restore the health with the child at the breast. It should always be recollected, however, that the milk of

those in decidedly infirm health is incapable of properly nourishing the child. Professor J. Lewis Smith, of New York, quotes, in his recent work on Diseases of Children, several instructive cases which show the danger sometimes attending suckling, and which may imperatively demand its discontinuance. "A very light-complexioned young mother, in very good health, and of a good constitution, though somewhat delicate, was nursing for the third time, and, as regarded the child, successfully. All at once this young woman experienced a feeling of exhaustion. Her skin became constantly hot; there were cough, oppression, night-sweats; her strength visibly declined, and in less than a fortnight she presented the ordinary symptoms of consumption. The nursing was immediately abandoned, and from the moment the secretion of milk had ceased, all the troubles disappeared." Again, "A woman of forty years of age having lost one after another, several children, all of which she had put out to nurse, determined to nurse the last one herself. This woman being vigorous and well built, was eager for the work, and, filled with devotion and spirit, she gave herself up to the nursing of her child with a sort of fury. At nine months she still nursed him from fifteen to twenty times a day. Having become extremely emaciated, she fell all at once into a state of weakness, from which nothing could raise her, and two days after the poor woman died of exhaustion.

It does not always follow that because the mother is sick the child should be taken from the breast. It is only necessary in those affections in which there is great depression of the vital powers, or in which there is danger of communicating the disease to the child. In the city, where artificially fed infants run great danger, extreme caution should be exercised in early weaning.

Inflammation of either of the breasts necessitates the removal of the infant from the affected side and its restriction to the other. As the inflammation gets well and the milk reappears, the first of it should always be rejected, as it is apt to be thick and stringy, after which nursing may be resumed.

RULES FOR NURSING.

The new-born child should nurse about every second hour during the day, and not more than once or twice at night. Too much ardor may be displayed by the young mother in the performance of her duties. Not knowing the fact that an infant quite as frequently cries from being overfed as from want of nourishment, she is apt to give it the breast at every cry, day and night. In this manner her health is broken down and she is compelled, perhaps, to wean the child, which, with more prudence and knowledge, she might have continued to nurse without detriment to herself. It is particularly important that the child shall acquire the habit of not nursing more than once or twice at night. This, with a little perseverance, can readily be accomplished, so that the hours for rest at night, so much needed by the mother, may not be interfered with. Indeed, if the mother does not enjoy good health, it is better for her not to nurse at all at night, but to have the child fed once or twice with a little cow's milk. For this purpose, take the upper third of the milk which has stood for several hours, and dilute it with water, in the proportion of one part of milk to two of water.

In those cases in which the milk of the mother habitually disagrees with the infant, the attention of the doctor should at once be called to the circumstance. A microscopic examination will reveal to the intelligent practitioner the cause of the difficulty, and suggest the remedy.

It may be well here to mention—as, judging from the practice of many nurses and mothers, it seems to be a fact not generally known or attended to—that human milk contains all that is required for the growth and repair of the various parts of the child's body. It should therefore be the sole food of early infancy.

INFLUENCE OF DIET ON THE MOTHER'S MILK.

Certain articles of food render the milk acid, and thus induce colicky pains and bowel complaint in the child.

Such, therefore, as are found, in each individual case, to produce indigestion and an acid stomach in the mother, should be carefully avoided by her.

Retention of the milk in the breasts alters its character. The longer it is retained, the weaker and more watery it becomes. An acquaintance with this fact is of practical importance to every mother; for it follows from it that the milk is richer the oftener it is removed from the breast. Therefore, if the digestion of the child is disordered by the milk being too rich, as sometimes happens, the remedy is to give it the breast less frequently, by which not only is less taken, but the quality is also rendered poorer. On the contrary, in those instances in which the child is badly nourished and the milk is insufficient in quantity, it should be applied oftener, and the milk thus rendered richer.

The milk which last flows is always the richest. Hence, when two children are nursed, the first is the worse served.

INFLUENCE OF PREGNANCY ON THE MILK.

Menstruation is ordinarily absent, and pregnancy therefore impossible, during the whole course of nursing, at least during the first nine months. Sometimes, however, mothers become unwell at the expiration of the sixth or seventh month; in rare instances, within the first five or six weeks after confinement. When the monthly sickness makes its appearance, without any constitutional or local disturbance, it is not apt to interfere with the welfare of the infant. When, on the contrary, the discharge is profuse and attended with much pain, it may produce colic, vomiting, and diarrhoea in the nursling. The disturbance in the system of the child ordinarily resulting from pregnancy in the mother is such that, as a rule, it should be at once weaned so soon as it is certain that pregnancy exists. The only exceptions to this rule are those cases in the city during the hot months in which it is impossible either to procure a wet-nurse or to take the child to the country to be weaned. In cold weather, an infant should certainly be weaned, if it has attained its fifth or sixth month and the mother has become pregnant.

INFLUENCE OF THE MOTHER'S MIND OVER THE NURSING CHILD.

We have spoken, in treating of mothers' marks, of the influence of the mother's mind upon her unborn offspring. The influence of the maternal mind does not cease with the birth of the child. The mother continues during the whole period of nursing powerfully to impress, through her milk, the babe at her breast. It is well-established that mental emotions are capable of changing the quantity and quality of the milk, and of thus rendering it hurtful and even dangerous to the infant.

The secretion of milk may be entirely stopped by the action of the nervous system. Fear, excited on account of the child which is sick or exposed to accident, will check the flow of milk, which will not return until the little one is restored in safety to the mother's arms. Apprehension felt in regard to a drunken husband, has been known to arrest the supply of this fluid. On the other hand, the secretion is often augmented, as every mother knows, by the *sight* of the child, nay, even by the *thought* of him, causing a sudden rush of blood to the breast, known to nurses as the *draught*. Indeed, a strong desire to furnish milk, together with the application of the child to the breast, has been effectual in bringing about its secretion in young girls, old women, and even men.

Sir Astley Cooper states that "those passions which are generally sources of pleasure, and which, when moderately indulged, are conducive to health, will, when carried to excess, alter and even entirely check the secretion of milk."

But the fact which it is most important to know is that nervous agitation may so alter the *quality* of the milk as to make it poisonous. A fretful temper, fits of anger, grief, anxiety of mind, fear and sudden terror, not only lessen the quality of the milk but render it thin and unhealthful, inducing disturbances of the child's bowels, diarrhoea, griping, and fever. Intense mental emotion may even so alter the milk, as to cause the death of the child. A physician states in the London Lancet, that having removed a small tumour

from behind the ear of a mother, all went on well until she fell into a violent passion. The child being suckled soon afterwards, died in convulsions. Professor Carpenter records in his *Physiology* two other fatal instances; in one, the infant put to the breast immediately after the receipt of distressing news by the mother, died in her arms in the presence of the messenger of the ill-tidings; in the other, the infant was seized with convulsions on the right side and paralysis on the left, on sucking directly after the mother had met with an agitating occurrence. Another case of similar character may be mentioned. A woman while nursing became violently excited on account of a loss she had just met with from a theft. She gave her child the breast while in an intense passion. The child first refused it, but subsequently nursed, when severe vomiting occurred. In the course of some hours the child took the other breast, was attacked at once with violent convulsions and died, in spite of all that could be done for it.

The following cases are related by Professor Carpenter as occurring within his own knowledge. They are valuable as a warning to nursing mothers to avoid all exciting or depressing passions. A mother of several healthy children, of whom the youngest was a vigorous infant a few months old, heard of the death from convulsions, of the infant child of an intimate friend, at a distance, whose family had increased in the same manner as her own. The unfortunate circumstance made a strong impression on her mind, and, being alone with her babe, separated from the rest of her family, she dwelt upon it more than she otherwise would have done. With her mind thus occupied, one morning, shortly after nursing her infant, she laid it in its cradle, asleep and apparently in perfect health. Her attention was soon attracted to it by a noise. On going to the cradle she found it in a convulsion, which lasted only a few moments, and left it dead. In the other case, the mother had lost several children in early infancy, from fits. One infant alone survived the usually fatal period. While nursing him, one morning, she dwelt strongly upon the fear of losing him also, although he appeared to be a very healthy child. The infant was transferred to the arms of the nurse. While the nurse was

endeavouring to cheer the mother by calling her attention to the thriving appearance of her child, he was seized with a convulsion, and died almost instantly in her arms. Under similar circumstances, a child should not be nursed by its mother, but by one who has reared healthy children of her own and has a tranquil mind.

An interesting illustration of the powerful sedative action of the mother's milk—changed in consequence of great mental distress—upon the impressible nervous system of the infant, is furnished by a German physician. "A carpenter fell into a quarrel with a soldier billeted in his house and was set upon by the latter with his drawn sword. The wife of the carpenter at first trembled from fear and terror, and then suddenly threw herself furiously between the combatants, wrested the sword from the soldier's hand, broke it in pieces, and threw it away. During the tumult, some neighbours came in and separated the men. While in this state of strong excitement, the mother took up her child from the cradle, where it lay playing and in the most perfect health, never having had a moment's illness. She gave it the breast, and in so doing sealed its fate. In a few minutes the infant left off sucking, became restless, panted, and sank dead upon its mother's bosom. The physician, who was instantly called in, found the child lying in the cradle as if asleep, and with its features undisturbed, but all his resources were fruitless. It was irrevocably gone."

Professor William A. Hammond, of New York, mentions, in a recent number of the *Journal of Psychological Medicine*, several instances, from his own practice, of affections in the child caused by the mother's milk. "A soldier's wife, whilst nursing her child, was very much terrified by a sudden thunderstorm, during which the house where she was then quartered was struck by lightning. The infant, which had always been in excellent health, was immediately attacked with vomiting and convulsions, from which it recovered with difficulty." "A lady, three weeks after delivery, was attacked with puerperal insanity. She nursed her child but once after the accession of the disease, and in two hours subsequently it was affected with general convulsions, from

which it died during the night. Previous to this event it had been in robust health."

Again Dr. Seguin, of New York, relates, in his work on Idiocy, a number of cases of *loss of mind* produced by the altered state of the mother's milk. "Mrs. B. came out from a ball-room, gave the breast to her baby, three months old; he was taken with spasms two hours after, and since is a confirmed idiot and epileptic."

"In a moment of great anxiety Mrs. C. jumped into a carriage with her suckling, a girl of fifteen months, so far very intelligent and attractive. The child took the breast only once in a journey of twenty miles, but before arriving at destination she vomited several times, with no interruption but that of stupor, and after an acute fever the little girl settled down into the condition of a cripple and idiot."

The celebrated physician Boerhave mentions the milk of an angry nurse as among the causes of *epilepsy*.

These facts show the importance of a placid mind and cheerful temper in the mother while nursing.

POSITION OF THE MOTHER DURING NURSING.

The habit of nursing a child sitting up in bed or half reclining upon a lounge is a wrong one. Such a position is injurious to the breasts, hurtful to the woman's figure, and apt to cause backache. When in bed, the mother ought always to be recumbent while the child is at the breast, held upon the arm of the side upon which she lies. When out of bed, she should sit upright while nursing.

QUANTITY OF MILK REQUIRED BY THE INFANT.

The amount of milk furnished every day by a healthy woman has been estimated at from a quart to a quart and a half. An infant one or two months of age takes about two wine-glassfuls, or three ounces, every meal; that is,—as it nurses every two hours, excepting when asleep,—in the neighborhood of a quart and a quarter during the twenty-four hours. When it attains the age of three months, it thrives well on five meals a day, the quantity taken at each

meal then—the stomach being more capacious—amounting to about half a pint. A child above three months of age ordinarily requires a quart and a half daily.

A healthy mother is fully capable of furnishing this quantity of milk per day, and of affording the child all the nourishment it needs until four or six months after birth.

The quantity of the mother's milk varies according to many circumstances. It is most abundant and also most nutritious in nursing women between the ages of fifteen and thirty; least so, in those from thirty-five to forty. There is likewise a great difference in different women in this respect.

THE QUALITIES OF A GOOD NURSING-MOTHER

are well described by Professor J. Lewis Smith. "The best wet-nurses are usually robust, without being corpulent. Their appetite is good, and their breasts are distended, from the number and large size of the blood-vessels and milk ducts. There is but a moderate amount of fat around the gland, and tortuous veins are observed passing over it. Such nurses do not experience a feeling of exhaustion, and do not suffer from lactation. The nutriment which they consume is equally expended on their own sustenance and the supply of milk. There are other good wet-nurses who have the physical condition described, but whose breasts are small. Still the infant continues to nurse till it is satisfied, and it thrives. The milk is of good quality, and it appears to be secreted mainly during the time of suckling. Other mothers evidently decline in health during the time of nursing. They furnish milk of good quality and in abundance, and their infants thrive, but it is at their own expense. They themselves say, and with truth, that what they eat goes to milk. They become thinner and paler, are perhaps troubled with palpitation and are easily exhausted. They often find it necessary to wean before the end of the usual period of lactation. There is another class whose health is habitually poor, but who furnish the usual quantity of milk without the exhaustion experienced by the class just described. The milk of these women is of poor quality. It is abundant but watery. Their infants are pallid, having soft and flabby fibre."

OVER-ABUNDANCE OF MILK.

An excessive amount of milk often distends the breasts of those women who are prone to have long and profuse monthly sickness. It is also apt to occur in those subject to bleeding piles. It may be produced by any excitement of the womb or ovaries, and by overnursing. In these cases there is usually a constant oozing away and consequent loss of milk. The mother is troubled by this overflow, because it keeps her clothing wet, and the child suffers because of the unnutritious, watery character of the milk under such circumstances.

This over-abundant supply may be moderated and the quality improved by diminishing the quantity of drink, and by the use of preparations of iron. Fifteen drops of the muriatic tincture of iron, taken three times a day in a little sweetened water, through a glass tube, will be useful. It will lessen the amount of the milk, and make it richer. So soon as these objects are accomplished, the medicine should be discontinued, as if taken too long it may so much diminish the milk as to necessitate weaning. The application of a cloth, wrung out in cold water, around the nipples is also often of value. It is to be removed as soon as it becomes warm, and reapplied. In those cases in which the trouble seems to be not so much an over-supply as an inability to retain the milk, the administration of tonics addressed to the nervous system, and the local use of astringents and of collodion around the nipples, will overcome the difficulty; but these remedies can only be employed successfully by the physician. And to him alone should be intrusted the use of those medicines which directly diminish the amount of milk secreted within the breast. The expedients we have mentioned are the only ones which can be safely employed by the mother herself in this annoying affection.

SCANTINESS OF MILK.

Some mothers have habitually an insufficiency of milk. They are most numerous in large cities, and among working

wom
the
nour
So a
secre
who
than
in th
insta
a cas
sudd
sente
In
best
plica
may
thum
breas
Fr
nipp
the o
door
prove
and p
A soj
tion
of th
large
who
of the
Oatm
milk.
The s
a day
and a
away
the se
from
efficie
the b

women, whose daily occupations require a separation from the infant. Indigestion and the want of a proper amount of nourishing food cause a diminution in the quantity of milk. So also do overfeeding and gormandizing. Age lessens the secretion of milk, as has been already mentioned. Those who first bear children late in life have less milk for them than those who begin earlier. In some cases want of milk in the breasts seems to be due to its reabsorption. In such instances it may make its appearance at distant parts. Thus, a case has been recorded of the coughing up of milk following sudden arrest of the secretion, and others in which it presented itself as an exudation in the groins.

In the treatment of a scanty formation of milk, one of the best measures which can be resorted to, is the frequent application of the child to the breast. In addition, the flow may be increased by milking the breasts by means of the thumb and finger, suction through a tobacco pipe, or the breast-pump, or by the use of the puppy, or of another infant.

Friction of the breasts and forcible drawing upon the nipples will make them sore, and so irritate them as to defeat the object in view. A change of scene, fresh air, and outdoor exercise, attention to personal cleanliness, and the improvement of the general health, all increase the quantity and produce a favorable effect upon the quality of the milk. A sojourn at the sea side often promotes an abundant secretion of milk. The diet should be regulated by the condition of the constitution. By those who are weak and pale, a large proportion of meat is required. On the contrary, those who are full-blooded and corpulent should restrict the amount of their animal food, and take more exercise in the open air. Oatmeal gruel enjoys a reputation for increasing the flow of milk. A bowl of it sometimes produces an immediate effect. The same is true of cow's milk. Porter or ale once or twice a day, in those with reduced systems and impaired digestion and appetite, will be found useful. Anise, fennel, and caraway-seeds, given in soup, act sometimes as stimulants upon the secretion of milk. The application of a poultice made from the pulverized leaves of the castor-oil plant is a most efficient remedy when milk fails to make its appearance in the breast in sufficient quantity after confinement.

WET-NURSING BY VIRGINS, AGED WOMEN, AND MEN.

As a rule, the secretion of milk is limited to one sex, and in that is confined to a short period after childbirth. But there are many cases on record of the flowing of milk in women not recently mothers, in girls before the age of puberty, in aged women, and even in individuals of the male sex. In such instances, the secretion is induced by the combined influence, acting through the nervous system, of a strong desire for its occurrence, of a fixed attention towards the mammary glands and of suction from the nipples.

Travellers among savage nations report many examples of such unnatural nursing. Dr. Livingstone says he has frequently seen in Africa a grandchild suckled by a grandmother. Dr. Wm. A. Gillespie, of Virginia, records, in the *Boston Medical and Surgical Journal*, the case of a widow, aged about sixty, whose daughter having died, leaving a child two months old, took the child and tried to raise it by feeding. The child's bowels became deranged, and being unable to procure a nurse, and her breasts being large and full, he advised her to apply the child, in hopes milk would come. She followed his advice perseveringly, and to her astonishment, a plentiful secretion of milk was the result, with which she nourished the child, which afterwards became strong and healthy. A similar instance, still more remarkable, is recorded of a woman at seventy years, who wet-nursed a grandchild twenty years after her last confinement.

Cases of nursing in the opposite extreme of life are also well authenticated. The distinguished French physician Baudelocque has related that of a deaf and dumb girl, eight years old, who, by the repeated application to her breast of a young infant, which her mother was suckling, had sufficient milk to nourish the child for a month, while the mother was unable to nurse it on account of sore nipples. The little girl was shown to the Royal Academy of Surgery on the 16th of February, 1783. The quantity of milk was such, that by simply pressing the breast it was made to flow out in the presence of the Academy, and, on the same day, at the house of Baudelocque, before a large class of pupils. Again, an

interesting case is known of a young woman who, in consequence of the habit of applying the infant of her mistress to her breast in order to quiet it, caused a free secretion of milk. In the Cape de Verde Islands, it is stated that virgins, old women, and even men, are frequently employed as wet-nurses. Humboldt speaks of a man, thirty-two years old, who gave the breast to his child for five months. Sir John Franklin saw a similar case in the arctic regions. Professor Hall presented to his class in Baltimore a negro, fifty-five years old, who had been the wet-nurse of all the children of his mistress.

Instances of powers of *prolonged nursing* in mothers are not uncommon. Indeed, it is the habit among some nations to suckle children until they are three or four years of age, even though another pregnancy may intervene, so that immediately one child is succeeded at the breast by another. In those who have thus unnaturally excited the mammary glands, an irrepressible flow sometimes continues after the demand for it has ceased. Dr. Green published, some years ago, in the *New York Journal of Medicine and Surgery*, the case of a woman, aged forty-seven, the mother of five children, who had had an abundant supply of milk for *twenty-seven years* previously. A period of exactly four years and a half occurred between each birth; and the children were permitted to take the breast until they were running about at play. At the time when Dr. G. wrote, she had been nine years a widow, and was obliged to have her breasts drawn daily, the secretion of milk being so copious. When, therefore, it is desirable, on account of the feebleness of the child, to protract the period of nursing, a wet-nurse should relieve the mother at the end of twelve or fifteen months.

RULES FOR CARE OF HEALTH WHILE NURSING.

From what we have previously said of the influence of the nervous system over the quantity and quality of the milk, and the instances we have adduced of the danger to the infant of all violent passions—such as anger, terror, anxiety, and grief—on the part of the mother, it will be apparent that it is of the greatest moment, during the whole course of nursing, to maintain a tranquil state of mind. Pleas-

ing and peaceful emotions favor the normal secretion of milk, and go far towards securing the health of the child. When strongly affected by any powerful feelings, mothers should not give the breast, but should wait until they have calmed down to their usual tenor of temper. A case is related of a woman who was always excited by a highly electrical state of the atmosphere, and particularly during stormy weather. If when thus influenced she nursed her child, he was sure to fall into convulsions, while if she delayed doing so until this nervous excitement had passed, no unpleasant symptoms occurred. But we have already dwelt at length upon this subject in speaking of the influence of the mind of the mother over the child at her breast, and need not, therefore, recur to it. The *food*, while nursing, must be nutritious and varied, though simple and unstimulating, and should consist both of meat and vegetables, soups, fish, flesh, and fowl, either in combination or succession. When the digestion requires aid, a glass of mild ale twice a day will be useful. Wines, brandy and whisky, should not be taken without the advice of a physician. Moderate exercise in the open air and regular habits are necessary.

A defective or excessive diet, fatigue, loss of rest at night, and irregularities and excesses of all kinds, are unfavorable to mother and child. The proper methods of combating a tendency to over abundance or to scantiness of milk have been alluded to. Medicines, unless prescribed by the medical attendant, should rarely or never be taken during this period, as many of them enter the milk and may thus affect the child.

RELATIONS OF HUSBAND AND WIFE DURING NURSING.

After natural and healthful confinement, the nurse usually remains with the mother for a period of four weeks. During the whole of this time the husband should occupy a separate apartment, and, according to some physicians, this separation should be protracted during the entire period of nursing. But this is unusual, and in most cases unnecessary. Only those women who are warned by the recurrence of their monthly illness that they are liable to another preg-

nancy immediately, should insist on such an ascetic rule as this.

Unquestionably the quality of the milk is much deteriorated by a conception, and, therefore, both in the interest of the mother and child, the husband should renounce his usual privileges at such times.

Most women do not have their periodical illness, and consequently are not liable to a second pregnancy, before seven months have elapsed after childbirth. There are, however, numerous exceptions to this rule, and it is impossible to foretell who will and who will not be the exception.

Morover, as any excitement of the passions, alters, to some extent, the secretion of the breasts, often to the injury of the child, it is every way desirable that great temperance be exercised in all cases in the marital relations at these epochs.

SIGNS OF OVER-NURSING.

The symptoms of over-nursing may be enumerated as follows: Aching pain in the back; often pain across the shoulders, and on the top of the head or forehead; marked paleness of the face; inability to sleep; frightful dreams when sleep does come; great debility; extreme depression of spirits; disorders of the sight, and mental disturbances, which take on the form of melancholy, the delusions relating mostly to subjects of a religious character, to the effect that the unpardonable sin has been committed, and the like. The headache is situated on the top of the head, and this spot may be noticed to be perceptibly hotter to the touch than other parts of the head. These symptoms indicate that the process of nursing is making too great a drain upon the system.

A woman in ordinary health will generally be able to suckle her child for twelve months without experiencing any bad effects. When the child is kept at the breast much beyond this time, most mothers render themselves liable to the injurious consequences we have mentioned. Some, indeed, cannot furnish the child all the nourishment it needs longer than three or four months without detriment to themselves. In such cases, by feeding the child two or three

times a day, the mother may be relieved of the burden of its entire support, and may thus be enabled to continue nursing. The proper food for infants, under these circumstances, will be shortly mentioned. The prostrating effects of nursing upon the body and mind of the mother are in some, though comparatively rare instances, so marked as to render it altogether improper from the commencement.

The treatment of the condition of the system described as resulting from over-nursing is, if it cannot be remedied by partially feeding the infant and the use of tonics, to remove the child from the breast altogether, and either procure a wet nurse for it or wean it. The wet-nurse is greatly to be preferred, and the preference is the stronger the younger the child. We have already alluded to the great difficulty of rearing children from birth by the hand. But after the infant has attained the age of several months, the danger of artificial feeding is much lessened, provided that the weaning does not take place during hot weather. This brings us to the consideration of the regimen of the mother who cannot nurse her own child, of the rules for the selection of a wet-nurse, of the directions for bringing up by hand, and of the proper method of weaning. These subjects we will now take up in the order mentioned.

DIRECTIONS FOR MOTHERS WHO CANNOT NURSE THEIR OWN CHILDREN.

There are many reasons why a mother should, if possible, nurse her own child. "One of the principal is," says the distinguished Dr. Tilt, of London, "that as nursing, generally speaking, prevents conception up to the tenth month, so its prevent the ruin of the mother's constitution by the too rapid bringing forth of children, and, we might even add, prevents a deterioration of the race, by the imperfect bringing up of this too-fast-got family.

The same author appropriately adds: "But while advocating maternal nursing, we must not forget that woman is now the Eve of a primeval world; that human nature, wherever it is now met, in barbarous tribes or in civilized communities, is frequently so deteriorated, so diseased or prone

to disease, that, by nursing, a mother may sometimes undermine her own frail constitution for the sake of giving an imperfect sustenance, and perhaps a poisonous heritage, to her babe."

Some mothers cannot nurse, however anxiously they may wish to do so. They are shut out from this charming and tender experience in the life of a woman. The milk that comes is not sufficient, and quickly disappears. Because of the influence of the mind of the mother over the child at her breast, to which we have before called attention, women who are very hysterical and nervous, subject to violent perturbations of the mind, should not, particularly if there be any family tendency to insanity, expose the child to the mischievous effects latent in their milk. So, also, the presence of certain diseases forbids wet-nursing. Thus, it is ordinarily prohibited by consumption, scrofula, skin affections of long standing, and cancer. In consumption, all efforts to suckle are frequently equally fatal to the mother and child. Even a strong hereditary predisposition to this disease may render it advisable, in the opinion of the medical attendant,—who should always be consulted in such a case,—to counteract the family taint by giving the milk of the healthiest nurse that can be procured. The condition of the nipples and of the breast may not permit of nursing. We have pointed out how best to guard against such an occurrence, in treating of the care of the nipples during pregnancy.

She who is to be debarred from nursing her own child should take care that it is not allowed to approach her breasts, as sometimes the mental and physical excitement caused by such an approach is of an injurious and lasting character.

Ordinarily, if this direction be followed out, the mother will have little trouble in regard to herself. Under such circumstances the chief danger is to the child. Hence the importance of knowing

HOW TO SELECT A WET-NURSE.

The choosing of a wet-nurse is a matter of great moment

and responsibility. She should not be over thirty years of age, and should, if possible, be one who has previously suckled and had charge of children. Her own infant should be under the age of six months, for when above that age the milk sometimes disagrees with her new-born charge. One who has had several children should be preferred, because her milk is richer than after the first confinement.

The doctor should always examine carefully into the condition of the nurse's health and into the quality and quantity of her milk. Various diseases and taints of the system are so hidden, while yet communicable to the child, that the knowledge and skill of a professional expert are required for their detection and the protection of the nursling. In testing the quality of the milk, the experienced physician allows a little to rest on his finger nail, and by its examination readily decides as to its richness and fitness to nourish the little applicant for food. It is not necessary that the breasts should be large, as those of moderate size often furnish a sufficient amount of milk. But it is important that the nipples should be well developed. Those wet-nurses should be preferred in whom large blood-vessels are seen prominently passing, in blue lines, over the surface of breasts. The possession of a vigorous, healthful infant is a good recommendation for a nurse, but care should be taken to ascertain that it is her *own*, as nurses have been known to borrow for such an occasion, and so obtain credit not justly their due.

The moral and mental as well as physical characteristics should be considered. Temperance and cleanliness are indispensable in a wet-nurse, and the want of either should be an imperative reason for rejection. Equanimity of temper, cheerfulness, and an open, frank, affectionate disposition are, of course, greatly to be desired.

If the nurse becomes "unwell," shall the child be taken from her? Should the monthly sickness reappear early, and both nurse and child be in good health, sucking may be continued. But when the return happens about the ninth or tenth month, the child should be weaned or the nurse changed. There is no physiological reason for preventing the nurse from living matrimonially, but if pregnancy occurs, the child should be taken from her.

The same rules that we have laid down for the mother for the care of her health while nursing, are of course applicable to the hired wet-nurse, and should be insisted upon and enforced.

Changing a nurse.—When it becomes necessary to change a nurse, for any of the reasons above mentioned, it may be done without injury to the child. For fear of the effect of the unwelcome tidings upon the mind of the nurse, and the possible influence upon the milk, she should not be informed of the projected change until a successor has been secured to take her place at once. In choosing the second nurse, the same precautions should be had as in the selection of the first.

BRINGING UP BY HAND.

We have already alluded to the great danger to the child, particularly in a city, that is artificially fed from birth. But as there are many mothers who are unable, on account of the expense, to have a wet-nurse for the child they cannot suckle themselves, we will give such directions in regard to the diet as are best calculated to lessen the risk invariably incurred under such circumstances.

The child's food should be of the best quality, and prepared with the most scrupulous attention to cleanliness. The milk of the cow is preferable to that of the ass or of the goat, the former of which it is difficult to procure, and the latter having a disagreeable odor. For a child under three months of age, cow's milk should be used as the only food. It should be fresh, and if possible from one cow. When of the ordinary richness, it is to be diluted with an equal quantity of water or thin barley-water. If, however, the first milking can be obtained, which is more watery, and bears a closer resemblance in its chemical composition to human milk, but little dilution will be required. If green and acrid stools make their appearance, accompanied by emaciation and vomiting, the milk must be more diluted and given less frequently. If the symptoms of indigestion do not yield, milk containing an excess of cream should be used. To procure it, allow fresh milk to stand for two or three hours, and remove the upper third, to which add two or three parts of

warm water or barley-water, after having dissolved in it a little sugar of milk. Should this food also disagree, any of the preparations we are about to mention may be prepared and tried.

Professor Falkland recommends the following method of preparing milk for infants, as affording a product more nearly-like the natural secretion :—"One-third of a pint of pure milk is allowed to stand until the cream has risen. The latter is removed, and to the blue milk thus obtained, about a square inch of rennet is to be added, and the milk-vessel placed in warm water. In about five minutes the curd will have separated, and the rennet, which may again be repeatedly used, being removed, the whey is carefully poured off, and immediately heated to boiling, to prevent it becoming sour. A further quantity of curd separates, and must be removed by straining through calico. In one quarter of a pint of this hot whey three-eighths of an ounce of milk sugar are to be dissolved ; and this solution, along with the cream removed from the one-third of a pint of milk, must be added to half a pint of new milk. This will constitute the food for an infant from five to eight months old for twelve hours ; or more correctly speaking, it will be one half of the quantity required for twenty-four hours. It is absolutely necessary that a fresh quantity should be prepared every twelve hours ; and it is scarcely necessary to add that the strictest cleanliness in all the vessels is indispensable"

Dr. J. Forsyth Meigs directs the following article of diet as one which he has found to agree better with the digestive system of the infant than any other kind of food :—"A scruple of gelatine (or a piece two inches square of the flat cake in which it is sold) is soaked for a short time in cold water, and then boiled in half a pint of water, until it dissolves—about ten or fifteen minutes. To this is added, with constant stirring, and just at the termination of the boiling, the milk and arrowroot, the latter being previously mixed into a paste with a little cold water. After the addition of the milk and arrowroot, and just before the removal from the fire, the cream is poured in, and a moderate quantity of loaf sugar added. The proportions of milk, cream, and

arrowroot must depend on the age and digestive powers of the child. For a healthy infant, within the month, I usually direct from three to four ounces of milk, half an ounce to an ounce of cream, and a tea-spoonful of arrowroot to half a pint of water. For older children the quantity of milk and cream should be gradually increased to a half or two-thirds milk and from one to two ounces of cream. I seldom increase the quantity of gelatine or arrowroot."

The egg is a valuable article of food for infants and young children, especially in conditions of debility. It should be given nearly raw, and is best prepared by placing it in boiling water for two minutes. It is then easily digested.

Beef-tea, prepared in the manner described already, is highly nutritious and useful as a food for infants; if it produces a laxative effect, it should be discontinued. When the child shows signs of weakness or of a scrofulous condition, its nutrition will be improved by mingling with its food a small piece of butter or mutton suet.

During the first four or five months, the food should be thin, and taken through a teat, thus preventing the stuffing of the infant.

On attaining the age of twelve or fifteen months, infants are usually able to digest ordinary wholesome solid food, neatly and well cooked, when mashed or cut into fine pieces.

An article of food employed for the diarrhoea of infants, is prepared as follows:—"A pound of dry wheat flour, of the best quality, is packed snugly in a bag and boiled three or four hours. When it is taken from the bag it is hard, resembling a piece of chalk, with the exception of the exterior, which is wet, and should be removed. The flour grated from the mass should be used the same as arrowroot or rice."

Infants nourished by prepared food thrive well enough during cool weather; but during the warm months of the year they are exceedingly liable to bowel complaint, of which it is said one-half of the spoon-fed infants of New York city die each summer season. Hence the importance of taking them into the country, and keeping them there until the return of cool weather lessens the danger of city life.

WEANING.

This should take place when the child is about twelve months of age, sometimes a few months earlier, oftener a few later. If the mother's health be good and her milk abundant, it may be deferred until the canine teeth appear—between the fifteenth and twentieth month. The child will then have sixteen teeth with which it can properly masticate soft solid food.

Time of the year for.—The infant should not be taken from the breast during or immediately preceding warm weather. If the mother, either on account of sickness or failure in her breast-milk, is obliged during the summer to give up nursing, she should at once procure a wet-nurse. If she cannot, the child must be sent into the country. To wean an infant in the city in hot weather is to expose it to almost certain death.

Proper method.—The process of weaning should be a very slow one. No definite day should be fixed for it. Little by little, from week to week, the amount of spoon-food is to be increased and the nursing lessened,—being first given up at night. The breast should never be suddenly denied to a child unaccustomed to artificial food, but be displaced by degrees, by the bottle and the spoon. This gradual change will neither fret the child nor annoy the mother, as sudden weaning always does.

The infant may begin to be accustomed to artificial food at the age of four months. At first, only dilute cow's milk should be given it occasionally between the times of nursing. In a tumbler one-third full of water, dissolve a tea-spoonful of sugar of milk; add to the sweetened water an equal quantity of fresh cow's milk; then, if the child's stools are at all green, mix with this two tea-spoonfuls of lime-water. Instead of pure water, barley-water, made in the usual way, and boiled to the consistency of milk, may be employed in this preparation, being added, while still warm, to an equal amount of milk. Or, toast-water may be substituted as a diluter of the milk. Cow's milk should not be boiled if it can be preserved in any other way. As

the infant advances in months, some solid food may be allowed. After six months, pap, made with stale bread and crackers, is proper, once or twice a day. Beef-tea, made according to the recipe we have given, and chicken, lamb, or mutton broth, may now also be occasionally taken. As the quantity of milk diminishes towards the close of the first year, the spoon-food should be resorted to more frequently to supply the want. Solid food ought not to be given before the child is a year old.

The breasts usually cause little trouble when the weaning is performed in the gradual manner which has been recommended. The mother should during this time drink as little as possible, refrain from stimulating food, and take occasionally a little cream of tartar, citrate of magnesia, or a seidlitz powder. If the breasts continue to fill with milk, *they should not be drawn*. The "drying up of the milk" may be facilitated by gently rubbing the breasts several times a day with camphorated oil, made by dissolving over the fire, in a saucer of sweet oil, as much camphor as it will take up. Tea made from the marshmallow has also been recommended for this purpose.

THE CARE OF INFANCY.

By infancy we mean that portion of the life of the child between birth and the completion of teething, about two and a half years. The care of this period of human life is entrusted to the mother. It forms an important era in the physical life of woman. Its discussion is therefore germane to our subject. In order that the young mother may fully appreciate the responsibilities of her position, she should know something of the liability of infants to sickness and death.

Out of one thousand children born, one hundred and fifty die within the first year, and one hundred and thirteen during the next four years. Thus, two hundred and sixty-three, or *more than one-fourth, die within five years after birth*. Between the ages of five and ten, thirty-five die. During the next five years, eighteen more are recorded on the death list. Hence, at fifteen years of age only six hundred and eighty-

five remain out of the one thousand born. When these figures are considered, and the additional fact that out of those who survive, very many bear permanent marks of imperfect nourishment, or of actual disease, the consequence of maladies contracted in early life, the importance of our present inquiry, the care of infancy, will be apparent to all mothers.

The younger the infant the greater the danger of death. *One-tenth of all children born, die within the first month after birth, and four times as many as during the second month.*

The mortality is much larger in cities than in the country. In Dublin, during 1867, very nearly one-third of all the persons who died were under five years of age. In the same year, forty-three per cent. of those who died in the eight principal towns of Scotland were children below the age of five. In Philadelphia, during the same year, forty-five per cent. of all the deaths were of children under five years of age. In New York city fifty-three per cent. of the total number of deaths occur under the age of five years, and twenty-six per cent. under the age of one year.

The danger of death lessens as the period of puberty approaches. Yet, even in the last years of childhood, there is greater liability to disease and a larger proportionate loss of life than during youth or middle age.

What are the causes of this startling mortality of infant life? Why does one child out of ten die in the first month, and only three out of four live to be five years old? And what are the means of prevention?

Some of the causes which are active in producing this mortality among the little ones cannot be successfully opposed after birth. Such, for instance, are imperfect and vicious developments of internal organs, existing when born. These malformations often result from inflammation while in the womb, excited by some taint of the mothers blood, or by some agitation of her nervous system. Means of prevention in those cases are therefore to be directed to the mother, in the manner indicated in treating of pregnancy. But other causes of death begin to act only after birth, and are to a greater or less extent avoidable. These are largely traceable to ignorance, negligence, and vice.

One cause of death to which infants are peculiarly liable, and which alone is said to have destroyed forty thousand children in England between the years 1686 and 1799, is being *overlain* by the parents. For this reason, some physicians caution the mother against having the infant in bed with her while she sleeps.

The frightful waste of life caused by bringing children up by hand has been mentioned, and the importance of avoiding it when possible.

The natural feebleness of the system of infants is the reason why they succumb so easily to any malady. Deaths from any given disease are more numerous among infants than children, and among children than adults. Hence the importance of timely corrective measures in infantile affections; hence, also, the need that mothers should know and practice the means best adapted to preserve the health of their frail charges.

These means we shall proceed to give in detail, commencing with

THE CLOTHING OF INFANTS AND YOUNG CHILDREN.

A fertile cause of disease and death is to be found in the negligence or ignorance displayed in regard to the dress of children. And it is not the poorly attired, but in many cases the fashionably robed child which suffers the most. To parental vanity can be traced the 'catarrh on the chest or the inflammation of the bowels which has resulted in death. Most mothers appear to be ignorant of the fact that children are exceedingly susceptible to the influence of cold. The returns of the Registrar General of England show that a very cold week always greatly increases the mortality of the very young. While adults carefully protect themselves against every change of the weather, and against currents of air, children, who most need such protection, are too often neglected.

The warmth of the infant's body is best secured by that of the nurse and by warm clothing. It is more effectually and healthfully provided for in this manner than by confining the child to a warm atmosphere. Young children should

never be dressed décolleté—in low necks and short sleeves. That fashion is a dangerous one which leaves the neck, shoulders, and arms uncovered. To this irrational custom may be traced a vast amount of the suffering, and many of the deaths of early life; doubtless, also, in many cases it lays the foundation of consumption, which manifests itself a little later. But, it is said, the child will be “hardened” by having its chest and limbs thus exposed. The surest and safest way to harden the child is to so care for it that it shall pass through its first months and years of life without any ailment. Every mother should see to it that her charge is so clothed that every part of the body is effectually protected from dampness and cold. She can then best secure for it a hardened constitution by carrying it daily into the sunlight of the open air.

The material of the clothing should be such as will unite lightness with warmth. Flannel and calico are therefore to be preferred. At first, as the skin of the child is very delicate, a shirt of fine linen may be interposed between it and the flannel. But, after the first few months, the gentle friction of fine soft flannel next the skin is desirable, as it stimulates the circulation of the blood on the surface of the body, and promotes health. Flannel under-clothing should be continued all the year; and during the summer months a very light texture being used. When the dress of the child is shortened care must be taken that the feet are well covered with soft stockings of cotton or woollen (which in winter should extend up above the knees,) and with light leather shoes.

The *night-dress*, at least during cold weather, is best made of flannel, thin or thick according to the climate. It has been recommended that after the child is somewhat advanced the night-clothes be constructed in the form of night-pants, so that it may not be exposed if the bedclothing be thrown off. Every article of dress worn during the day ought to be removed at night.

The rule in regard to the *quantity of clothing*, is that it should be in sufficient amount to preserve due warmth. It must therefore be regulated by the season of the year and the state of the weather. We have mentioned the fatal

practice of leaving bare at all seasons of the year the upper part of the chest and arms of the little one, while the rest of the body is warmly clad. We can scarcely speak too emphatically nor too often of the danger to which the mother thus exposes that life which it is her duty to wisely and safely conduct through the period of dependant infancy and childhood. It is of course possible for the child to be too closely enveloped, and the skin thus rendered highly susceptible to the impressions of cold. The prevalent error, however, at the present time, is in the direction of too scanty clothing.

The make of the dress should be loose and easy, so as to permit of the free movement of all portions of the body; it should be cut high in the neck, and with sleeves to the wrists; its construction should be simple, so that it may be quickly put off and on; and the fastenings employed should be tapes, not pins.

BATHING.

Many advantages attach to the daily use of the bath for infants. It secures cleanliness. It strengthens the nervous system. It preserves from colds and coughs.

We have already endeavoured to impress upon the mind of the reader the great susceptibility to cold which exists in early life. On this account the water for the bath should be warm (96° or 98°) for the first few weeks of infancy, especially during the winter season. Gradually the temperature may be reduced to that of the apartment, never to actual coldness. It is as foolish and hazardous to attempt to "harden" infants by plunging them into cold water, as it is by carrying them with uncovered necks, chests, and limbs, into the keen and damp air. Knowledge of these facts would bring safety to many children who now suffer because of the dangerous ignorance of mothers in regard to the susceptibility of the infant organization.

An infant should be immersed in its tub every morning. Besides the regular morning bath, it is often advisable to put the child for a few minutes in tepid water in the evening. This will quiet the nervous system and induce sleep. The bath should not be too long a one, for fear of exciting

perspiration ; nor, for the same reason, should the water be too warm. If the child be of a delicate constitution, the evening bath will be especially useful, and can be made more so by the addition of two tablespoonfuls of salt to the water necessary for the bath.

The time immediately after nursing or feeding is not proper for bathing. An hour or two after a meal should be allowed to elapse. Neither should a bath ever be given in a cold room. Even in a warm atmosphere, care should be taken, both after and during the ablution, that the wet skin of the infant be not exposed to the air. Its body should be completely immersed ; it should not be held up out of the water, nor, if it be old enough, allowed to stand or sit in the tub. It is well also to have a warm blanket in which to receive the child as it comes dripping from the bath. It should be wrapped up in this for a few minutes to absorb a part of the moisture. Then a portion of the body should be uncovered at a time, and dried before exposing the rest.

Drying the Skin.—For this purpose a piece of soft flannel will be found serviceable. By gently rubbing the surface of the body with it the skin will be warmed and stimulated, and the resulting glow will be as agreeable to the child as is that in the adult which follows the Turkish bath. The actual grooming of the human body is very useful to improve the health of scrofulous children.

At first from three to five minutes will be a sufficiently long immersion. In a little while, however, this period may be lengthened, all the precautions mentioned against injurious exposure being observed.

The lukewarm daily bath, taken either in the morning or evening, ought to be continued until at least the age of four years. If, after the fourth or fifth year, ablutions of the entire body be resorted to only every second or third day, the practice should be commenced of sponging the chest every morning with cold, or alternately with cold and hot water, followed by brisk frictions.

Soap is to be used but sparingly in the bath of young children. It must be of the blandest and purest quality. Various eruptions are caused by the employment of impure soaps, and even by the excessive application of the best

kind. In illustration of the importance of our present subject, we may state that Dr. Hufeland, to whose admirable work on the art of prolonging life we have before alluded, lays down, as one of the means which lengthen life, the care of the skin. He dwells upon the benefit of paying such attention to it from infancy that it may be kept in a lively, active, and useful condition.

The power of the bath to ward off disease in childhood is not appreciated by parents. Properly managed, it soothes but never increases any internal irritation which may exist, and often does away with the necessity of resorting to the administration of drugs. If due attention were paid to the condition of the skin in early life, many of the most common ailments of childhood would be averted. The daily employment of the bath, and scrupulous attention to cleanliness of the person and clothing, would materially lessen the demand both for purgative medicines and for soothing syrups.

One word more in regard to the washing of the infant. The mother herself, if she be in health, should always perform this office, and not entrust it to the child's nurse. Plutarch awards high praise to Cato, the censor, for his invariable custom of being present when his child was washed. Every mother, at least, would do well to follow the example of this old Roman. It will give her the opportunity to detect many incipient affections which would for a long while escape her attention if she saw the child only when dressed. The mother will also take pains to engage the mind of the little one and render the bath a source of amusement to it.

After the fourth or fifth year two or three baths a week during the colder seasons of the year, will be sufficient to keep the skin clean and properly active. During the summer, however, a daily bath is of great advantage to children, and ought not to be neglected.

Swimming is very useful and very invigorating to the health of both sexes. It is desirable that children be taught this art.

The importance of the *culture of the skin* to the well-being of infancy and childhood, cannot be brought too prominently to the notice of all mothers. We have, therefore, endeav-

ored to give some useful hints in regard both to the preservation of its cleanliness and to the prevention by means of garments and warming, of its exposure to too great changes of temperature.

By proper attention to the skin, in the manner pointed out, many of the eruptions with which children are afflicted might be prevented. The appearance of these the mother ought to regard as a great calamity, for they are often difficult of cure and render the child an object of disgust. She ought also to look upon them as the mischievous consequences of the neglect of those laws of health which it is her duty to learn and observe.

THE FOOD OF INFANTS AND CHILDREN.

The diet of children is frequently improper either in regard to quantity, quality, or variety. In 1867, a committee, of which Professor Austin Flint, Jr., was chairman, was appointed in New York city to revise the "Dietary Table of the Children's Nurseries on Randall's Island." In the report rendered, attention was forcibly called to the fact that in childhood "the demands of the system for nourishment are in excess of the waste, the extra quantity being required for growth and development. If the proper quantity and variety of food be not provided, full development cannot take place, and the children grow up, if they survive, into young men and women, incapable of the ordinary amount of labor, and liable to diseases of various kinds. This is frequently illustrated in the higher walks of life, particularly in females, for many suffer through life from improper diet in boarding schools, due to false and artificial notions of delicacy or refinement. After a certain period of improper and deficient diet in children, the appetite becomes permanently impaired, and the system is rendered incapable of appropriating the amount of matter necessary to proper development and growth."

Charlotte Bronte has drawn, in *Jane Eyre*, a graphic and physiologically true picture of the effects upon young girls of long-continued insufficiency of food. Let mothers bear in mind that proper food cannot be too abundantly

eaten by children, and that the greatest danger to which they are exposed arises from defective nutrition. We would again urge the value of a large amount of milk in the dietary of young people. The disorders of the bowels, which are not uncommon in infancy and childhood, are due to errors in diet by which improper food is supplied, and not to an excess of simple and proper nourishment.

We have already given some directions for the preparation of infant's food in treating of "bringing up by hand." In addition to the various substitutes for the mother's milk there mentioned, we wish to note that known as *Liebig's soup*. This great chemist thus describes the method of making it.

"Half an ounce of wheat flour, half an ounce of malt meal, and seven and a half grains of bicarbonate of potassa, are weighed off. They are first mixed by themselves, then with the addition of one ounce of water, and lastly of five ounces of milk. This mixture is then heated upon a slow fire, being constantly stirred until it begins to get thick. At this period, the vessel is removed from the fire, and the mixture is stirred for five minutes, is again heated and again removed when it gets thick, and lastly, it is heated till it boils. The soup is purified from bran by passing it through a fine sieve (a piece of fine linen), and now it is ready for use."

Barley-malt can be obtained at any brewery. First, it is separated from the impurities, and then ground in an ordinary coffee-mill to a coarse meal. Care should be taken to get the common fresh wheat-flour, *not the finest*, because the former is richest in starch.

In practice, the troublesome weighing of the materials may be dispensed with, as a heaped tablespoonful of wheat flour weighs pretty nearly half an ounce, and a like tablespoonful of malt-meal, not quite as heaped, weighs also half an ounce. The bicarbonate of potassa can be obtained from the druggist put up in powders of seven and a half grains each ready for use. The amount of water and of milk prescribed can be attained with sufficient accuracy by means of the tablespoon; two tablespoonfuls will give the quantity of water (one ounce), and ten tablespoonfuls, the quantity of

milk (five ounces). These directions will enable any sensible mother to make the preparation without difficulty. The soup tastes tolerably sweet, and, when diluted with water, may be given to very young infants.

Although the method of preparing Liebig's soup is a somewhat tedious one, yet as it is a combination so highly recommended by physicians of the largest experience for having visibly saved the life of many wasting children, it deserves a trial in all cases in which the ordinary kinds of food disagree.

Elsewhere are recorded the directions given by Dr. J. Forsyth Meigs, for an article of diet, consisting of gelatine and arrowroot, which he prefers to all other kinds of artificial infant food. Another method of preparing a useful arrowroot mixture is as follows:—

Place a teaspoonful of arrowroot into a porcelain vessel with as much cold water as will make it into a fine dough. Then add a cupful of boiling milk or of beef-tea, stir the mixture a little and allow it to boil for a few minutes until the whole acquires the consistency of a fine light jelly.

The *manner* in which nutriment is administered to infants is not immaterial. The custom of feeding them from a small spoon or from a cup with a snout is objectionable. The use of a sucking-bottle most nearly imitates the way in which nature designed the nursling to obtain its nourishment. By the act of sucking the muscles of the face are exercised in an equal manner, and the saliva is mixed with the food to an extent which is not possible if any other mode of feeding be resorted to. The bottle may be provided with mouth pieces of gold, silver, tin, ivory, bone, a prepared cow's teat, a piece of washed chamois leather, or a few folds of fine soft linen. Children drink very readily out of the perforated rubber nipples, which are now so popular for this purpose. They are made to fit over the mouth of any bottle, and are especially to be recommended on account of their cleanliness. The bottle should never be refilled until both the bottle and rubber cap have been thoroughly cleansed in hot water. A white glass bottle only should be employed, in order that any want of cleanliness may readily be detected. It should be recollected that milk very quickly sours when

kept in this way in a warm room ; it is therefore better always to empty the bottle and fill it afresh each time it is given to the child, rather than wait until its contents are exhausted before replenishing it.

We have hitherto been treating mainly of the diet proper for the first year of life. In the second year children may be permitted to have soft finely-cut meat. Fresh ripe fruit in season ordinarily agrees excellently well. But boiled green vegetables and husk fruits are very apt to cause indigestion and diarrhoea. Fruit for children should be freed from the seeds and skins, which are indigestible and often do harm,

As an example of a diet suitable for a child two years of age, we append the following : In the mornings, between six and seven o'clock in summer, or between seven and eight in winter, milk gruel ; between nine and ten o'clock, a piece of wheat bread with a little butter on it. At twelve o'clock, well-prepared beef-tea, or chicken, lamb, mutton, or oyster broth, or meat with a little gravy, or in place of the meat a meal-broth prepared with eggs, but with very little fat ; green vegetables to be allowed very rarely, and in very small quantities. At this noon meal, a mealy, well-mashed potato is unobjectionable ; so, also, is rice pudding, for a change. In the afternoon, between three and four, bread and milk, with the addition in summer of fresh ripe fruit. In the evening at seven, bread and milk.

It will be observed that this dietetic table calls for five meals a day. Should the child eat so frequently ? We answer, yes. But the meals should be at regular intervals. A child, in order to replace the waste of the system and to furnish over and above sufficient material to build up the growing body, requires a much larger proportionate amount of food than an adult. It also requires its food at shorter intervals. By observing the hours for meals stated above, *regularity*, which is of so much importance to the health of the digestive organs, will be secured. If a young child be allowed only the three ordinary meals of the family, it will crave for something between times, and too often have its craving met with a piece of cake or other improper food.

Its appetite for dinner or supper will in this manner be destroyed, and the stomach and the general health suffer.

After the third or fourth year children are able to eat all kinds of vegetables. They may then very appropriately be allowed to eat at the table with the family. It is only necessary to refuse them very salt, sour, and highly spiced victuals. Of all others they may partake in moderation. Neither wine nor any malt liquor should be given them. Tea and coffee are also unnecessary. They should have a regular luncheon between the meals which are farthest apart. This must be at a regular hour, and consist of bread and butter with milk or water.

Pains should be taken to see that children do not fall into the habit of eating rapidly. Too often this pernicious habit, so destructive to healthy digestion, is formed in early life and becomes the source of that dyspepsia which is the bane of so many lives. Food that is gulped down enters the stomach unchewed and unmixed with the secretions of the mouth. A dog may bolt his food without injury, but a human being cannot.

A child should be taught to eat everything that is wholesome, and not permitted to become finical or fastidious in its appetite. It ought not, however, to be forced to eat any particular article for which it is found that there is an invincible dislike. Variety of diet is good for a child, after the second or third year.

The Position of the Child when Fed.—An infant, no matter how young, should not receive its meals when lying. Its head should always be raised in the nurse's arm, if it be too young to support it itself. The practice of *jolting* and *dandling* the infant after eating is a wrong one. Rest of the body should be secured by placing the child on a bed or holding it on the mother's knee for a half hour or so. Observe the inclination which all animals show for repose and sleep after a full repast, and respect the same inclination in the infant.

In our remarks upon bathing we pointed out the importance of the mother herself performing for her child this office. So, again, in connection with children's food, we must notice the necessity of the mother being always

present at their meals, in order that they may be taught to take them quietly, with cleanliness and without hurry. Such advice is not needed by the poor nor by women of moderate fortune, who, ordinarily, constantly have their children under their eyes. But affluence brings with it many occupations which are frequently deemed of more moment than presiding over a child's dinner.

CONCERNING SLEEP IN EARLY LIFE.

There is a natural desire for much sleep during infancy, childhood, and youth, and there is reason for its free indulgence. Infants pass the greater portion of both day and night in sleep. Children up to the age of six years require, as a rule, twelve hours of repose at night, besides an hour or more in the middle of the day. About the sixth year the noon nap may be discontinued, but the night sleep ought not to be abridged before the tenth year, and then only to a moderate extent until the age of puberty. From this time the period of slumber may be gradually reduced to nine or ten hours. No further diminution should be attempted until the completion of growth, when another hour or two may be taken away, leaving about eight hours of daily sleep as the proper amount during middle life.

It is wrong, therefore, to wake a child in the morning. It should be allowed to sleep as long as it will, which will be until the wants of the system are satisfied, if it be not aroused by noise or light.

When after a few months the infant is awake a considerable portion of the day, it should be brought into the habit of taking its second sleep near the middle of the day, say from eleven to one o'clock, and again, from half an hour to an hour, about three o'clock. It should not be permitted a nap later than this in the afternoon, as it would be very apt to cause a disturbed night. Although some physicians recommend that the sleep during the day be discontinued after the infant has attained the age of fifteen months, the wisdom of such advice may well be doubted. As soon as the child begins to walk, not only are its movements very constant and active, but its mind is busily employed and its

nervous system excited. It therefore thrives better if its day be divided into two by sleep for an hour or two.

Should the infant sleep alone? We have mentioned the danger of being overlain to which it is exposed when in bed with its mother or nurse. On the other hand, it must be remembered that an infant keeps warm with difficulty even when well covered, and that contact with the mother's body is the best way of securing its own warmth. Hence, during the first months the child had better be allowed to sleep with its mother. How then can the risk of being suffocated, which is no imaginary one, be lessened? The following rules are those given by an English physician of reputation to prevent an infant from being accidentally overlain.

"Let the baby while asleep have plenty of room in the bed. Do not allow him too be too near, or, if this be unavoidable from the small size of the bed, let his face be turned to the opposite side. Let him lie fairly, either on his side or on his back. Be careful to ascertain that his mouth be not covered with the bedclothes. Do not smother his face with the clothes, as a plentiful supply of pure air is as necessary as when he is awake. Never let him lie low in the bed. Let there be *no* pillow near the one his head is resting on, lest he roll to it and bury his head in it. Remember a young child has neither the strength nor the sense to get out of danger; and, if he unfortunately either turn on his face or bury his head in a pillow that is near, the chances are that he will be suffocated, more especially as these accidents usually occur at night, when the mother or the nurse is fast asleep. Never intrust him at night to a young, giddy, and thoughtless servant. A foolish mother sometimes goes to sleep while allowing her child to continue sucking. The unconscious babe, after a time, loses the nipple and buries his head in the bedclothes. She awakes in the morning, finding to her horror a corpse by her side! A mother ought, therefore, never to go to sleep until her child has ceased sucking."

When a couple of months have elapsed, the child, if a healthy one, may sleep alone. What the child sleeps in is not a matter of great moment, provided it has a sufficiency of clothing, and be not exposed to currents of air. A large clothes basket will serve all the purposes of a crib, The

mistake is often made of burying the child under too heavy a mass of bedclothes in a warm room when asleep. And this inconsistency is committed by the very mothers who scantily clad the child during the day in order to inure it to the cold. The great transition from its wrappings by night to those by day is injurious to the health and comfort of the infant.

"In arranging night coverings, the soft feather-bed is very often estimated as nothing; or, in other words, the same provision of blankets is considered indispensable, whether we lie upon a hard mattress or immersed in down. The mother, looking only to the covering laid over the child, forgets those on which it lies, although, in reality, the latter may be the warmer of the two. An infant deposited in a downy bed has at least two-thirds of its body in contact with the feathers, and may thus be perspiring at every pore, when from its having only a single covering thrown over it the mother may imagine it to be enjoying the restorative influence of agreeable slumber. In hot weather, much mischief might be done by an oversight of this kind."

It is of course essential to the health and comfort of the infant, that its bed and bedclothing be kept perfectly dry and sweet. They should frequently be taken out and exposed to the air.

A child should be accustomed early to sleep in a darkened room. Plutarch praises the women of Sparta, for, among other things, teaching their children not to be afraid in the dark. He says they "were so careful and expert, that without swaddling-bands, their children were all straight and well-proportioned; and they brought them up not to be afraid in the dark, or of being alone, and never indulged them in crying, fretfulness, and ill-humor; upon which account Spartan nurses were often bought by people of other countries."

Position in Sleeping.—It has long been a popular opinion that the position of our bodies at night, with reference to the cardinal points of the compass, has some influence on the health. This belief has recently been corroborated by some observations made by a prominent physician, Henry Kennedy, A. B., M. B. In an essay on the "Acute Affections of Children," published in the *Dublin Quarterly Journal of*

Medical Science, he states that for several years he has put in force in his practice a plan of treatment by means of the position of the patient, and often with very marked results. He asserts that in order to insure the soundest sleep the head should lie to the north. Strange as this idea may at first sight appear, it has more in it than might be supposed. There are known to be great electrical currents always coursing in one direction around the globe. In the mind of Dr. K. there is no doubt that our nervous systems are in some mysterious way connected with this universal agent, as it may be called, electricity. He relates several cases of acute diseases in children in which by altering the position of the body so that the patient should lie from north to south, instead of from east to west, quiet sleep was induced. This plan of invoking sleep is often successful, but not always so, for all are not equally susceptible. It applies likewise to adults. It is not so striking in its effects on the poorer as on the richer classes of society. This is what might be expected, for it cannot be doubted that the nervous system in the middle and upper ranks is always in a much more sensitive state than with their poorer brethren. It is worth noting that even in healthy persons sleep will often be absent or of a broken kind from the cause of which we are now speaking. It is very common to hear people saying they can never sleep in a strange bed. Although many causes may conspire to this, Dr. Kennedy cannot doubt that amongst these ought to be placed the one to which we are now drawing attention.

VACCINATION.

This operation, to which every infant should be subjected, is one of the great practical importance. The attempt has been made of late to shake the public faith in its efficacy, and to revive the old fabulous stories and foolish notions as to the production of serious affections of the blood and skin in this manner. At the same time, the increasing frequency and virulence of smallpox in this country are becoming only too evident. We therefore consider it our duty, in treating of the maternal management of infancy, to lay some stress upon the necessity for vaccination as a preservative of life

and health. If observation and experience ever taught anything, they have taught the protective power of this operation against the most loathsome and one of the most fatal diseases that ever afflicted the human race. And that mother who is careless and indifferent in this matter neglects for her children a means of preventing disfigurement and saving life, compared with which all other means are scarcely worthy of mention.

In order to appreciate the value of vaccination it is only necessary to consider what smallpox was before its discovery—to look at that disease through the eyes of our fathers and grandfathers. Until the close of the last century it was the most terrible of all the ministers of death. It filled the churchyards with corpses. When Jenner published his great discovery, about seventy years ago, the annual death-rate from small pox in England was estimated at three thousand in the million of population. In other countries of Europe the rate reached as high as four thousand in the million. And these fatal cases must be multiplied by five or six to give the entire number of persons annually attacked by the disease. It spared neither high nor low. Macaulay informs us that Mary, the wife of William III., fell a victim to it. Those, in whom the disease did not prove fatal, carried about with them the hideous traces of its malignity, for it “turned the babe into a changling at which the mother shuddered, and made the eyes and cheeks of the betrothed maiden objects of horror to the lover.” Few escaped being attacked by this fell disease. Nearly one-tenth of all the persons who died in London during the last century, died of this one cause. Children were peculiarly its victims. In some of the great cities of England more than one-third of all the deaths among children under ten years of age arose from smallpox. Two-thirds of all the applicants for relief at the Hospital for the Indigent Blind had lost their sight by smallpox. The number of hopelessly deafened ears, crippled joints and broken-down constitutions from the same cause cannot be accurately computed, but was certainly very large. *Vaccination is all that now stands between us and all these horrors of*

the last century. To the mothers in the land is entrusted the care of this only barrier against their return.

Is the strength of this barrier doubted? Its efficacy is readily proved. In England, during the twelve years (1854-1865) in which vaccination has been, to a certain extent, compulsory, the average annual rate of deaths by smallpox has been two hundred and two in the million of population. Contrast this with the annual death-rate of three thousand to the million, which was the average of thirty years previous to the introduction of vaccination. John Simon, medical officer of Her Majesty's Privy Council, one of the best statisticians in England, has collected a formidable array of figures, "to doubt which would be to fly in the face of the multiplication table." From this mountain height of statistics Mr. Simon says: "Wheresoever vaccination falls into neglect, smallpox tends to become again the same frightful pestilence it was in the days before Jenner's discovery, and wherever it is universally and properly performed, smallpox tends to be of as little effect as any extinct epidemic of the Middle Ages."

Are other diseases ever produced by vaccination? The popular belief would answer this question in the affirmative. All affections of the skin and swellings of the glands noticed in children soon after vaccination, are attributed by parents in many cases to this operation. They forget that such diseases are met with constantly in infancy and childhood, as often among the unvaccinated as the vaccinated. Observation does not show that they occur with greater frequency among the vaccinated. An English physician has been at the trouble to examine and record a thousand cases of skin disease in children; he found no evidence whatever that vaccination disposes the constitution to such affections. It has been stated with apparent justness, that parental complaints of this kind frequently arise from their unwillingness to believe there is anything wrong in their offspring. Hence, when other diseases follow, vaccination gets blamed for what is really and truly due to other causes. So far from doing any harm to the system, it has been observed in those countries where vaccination has been most thoroughly practised, that leaving smallpox out of the question, there

have been fewer deaths from other maladies. This is especially true of two of the most important classes of diseases, namely, scrofulous affections and low fever. For this reason some medical statisticians have attributed to vaccination an indirect protective influence against these disorders.

At what *age* should the child be vaccinated? If the health permit, the operation should always be performed in very early infancy. The chief sufferers from smallpox are young children. One-fourth of all who die from this fatal disease in England are children under the age of one year. In Scotland, where, until recently, vaccination has been much more neglected than in England, the proportion even amounted to nearly one-third; and of these one-fourth were under the age of three months. The great risk, particularly in large towns where smallpox is seldom absent, of delaying vaccination is obvious. City children, if hearty, should be vaccinated when a month or six weeks old. Rarely or never ought it to be delayed beyond two or three months. This early period of life is also particularly suitable to vaccination, because the accompanying fever will then be over before the disturbing influence of teething begins.

Revaccination.—If the first vaccination be found imperfect in character, that is, if it has not properly “taken,” the operation should be repeated at the earliest opportunity. It has been recommended in all cases, to perform a second vaccination, not later than the sixth or eighth year. If smallpox be prevailing, it is proper to vaccinate all who have not been vaccinated within three or four years. In any event, revaccination at or after the period of puberty is of extreme importance. It will give additional security even to those whose original vaccination was perfect. In some cases, the susceptibility to smallpox is not wholly exhausted by one vaccination. Inasmuch as it is desirable for every one to escape this disease even in its most modified form, revaccination should always be performed as it affords a very sure and reliable means of such escape. After successful revaccination, smallpox even in its mildest shape is rarely met with. In girls especially, in whom the changes

which occur at puberty are most marked, re-vaccination should be performed about the age of fourteen.

AIR AND VENTILATION.

Fresh air is necessary for the robust developement of infancy and childhood. Infants born in the summer season should be carried out daily when the weather is pleasant, from the second or third day after birth. Those born in the winter should be kept in the house for two or three months before being introduced to the outer world on some sunny noonday. Older children can scarcely pass too much time in the open air.

A change in the dress must, of course, be made before exposing the child to the out-door air. The head should be covered, and the chest and limbs well protected from the cold.

As a rule, a child ought to be carried out, or permitted, when old enough, to walk out at least once every pleasant day during the year. The time of the day is to be varied with the season. In the winter the middle of the day is to be chosen; in summer, the early portion of the forenoon, a few hours after sunrise.

Children show very quickly, even when in ill-health, the beneficial results of a ride or walk. It quiets the irritability, to which they are liable, more effectually than any other procedure. For a delicate child, or one recovering from sickness, fresh air and sunshine are the best tonics which can be administered. A fretful, peevish child will soon learn to look forward to its daily jaunt on the street or road, and will be quieted by it for the rest of the day.

At all times of the year regard must be had to the state of the weather. The infant ought never to be taken out on a wet day. Exposure to a damp atmosphere is one of the most powerful causes of catarrh on the chest and inflammation of the lungs, to which young children are so subject. A very high wind, even though the day be bright and dry, is injurious to a young infant, as it has been known to suspend his breathing for a time, which accident might, if not at once observed, bring about a fatal result.

Besides fresh air, *light* is an indispensable requisite to the health of children. Nothing can compensate for the absence of its beneficial effects. It is to be remembered, however, that during the first week or two the eyes of the new-born babe are not strong enough to bear the full glare of light. The first eight days of its existence should be spent in a half-darkened room. Gradually the apartment may be brightened, until finally, after about two weeks, the young eyes become entirely accustomed to the light, and may be exposed to it without injury. A neglect of this precaution is one of the most common causes of the bad inflammation of the eyes so frequently met with among young infants. After the sight has become quite strong, a bright room will strengthen the eyes, not weaken them, for light is the natural stimulant of the eye, as exercise is of the muscles, or food of the stomach.

Scrofulous diseases are the heritage of those children who are deprived of a plentiful supply of pure air and light. A distinguished English writer upon the laws of health ascribes to the careful avoidance of the salutary influence of air and light by so many young girls, who are fearful of walking out while the sun is powerful, much of their sickly appearance, the loss of consistency of their bones, and their being able to afford but a deformed temple to the immortal soul.

Humboldt states that during a five years' residence in South America, he never saw any national deformity amongst the men or women belonging to the Carif, Muyscas, Indian, Mexican or Peruvian races. If parents in our own country were to accustom their daughters from an early age to daily exercise in the open air and sunlight, there would be fewer weak backs requiring the support of apparatus from the surgical instrument maker, and less pallor in lips and cheeks, to be remedied by iron, from the shop of the apothecary.

EXERCISE.

The first exercise which a child obtains is had, of course, in its nurse's arms. Are there any directions then to be noticed in regard to the *manner of carrying an infant*? Dr.

Eberle gives the following useful advice upon this subject : "The spine and its muscles seldom acquire sufficient strength and firmness before the end of the third month, to enable the child to support its body in an upright position, without inconvenience or risk of injury. Until this power is manifestly acquired, the infant should not be carried or suffered to sit with its body erect, without supporting it in such a manner as to lighten the pressure made on the spine, and aid it in maintaining the upright posture of its head and trunk ; therefore at first (a few days after birth), the infant should be taken from its cradle or bed two or three times daily and laid on its back upon a pillow, and carried gently about the chamber. After the third or fourth week, the child may be carried in a reclining posture on the arms of a careful nurse, in such a manner as to afford entire support both to body and head. This may be done by reclining the infant upon the forearm, the hand embracing the upper and posterior part of the thighs, whilst its body and head are supported by resting against the breast and arm of the nurse. When held in this way, it may be gently moved from side to side, or up and down, while it is carefully carried through a well-ventilated room."

After the child is three months old, it will probably have become strong enough to maintain itself in a sitting position. It may then be carried about in this upright posture, with the spine and head carefully supported by the nurse, which aid ought not to be withdrawn until the age of six or seven months.

"In *lifting* young children," as has been well observed by Dr. Barlow, "the nurse should be very careful never to lay hold of them by the arms, as is sometimes thoughtlessly done ; but always to place the hands, one on each side of the chest, immediately below the arm pits. In infancy, the sockets of the joints are so shallow and the bones so feebly bound down and connected with each other, that dislocation and even fracture of the collar bone may easily be produced by neglecting this rule. For the same reason, it is a bad custom to support a child by one or even by both arms, when he makes his first attempt to walk. The grand aim which the child has in view, is to preserve his equilibrium.

If he is partially supported by one arm, the body inclines to one side, and the attitude is rendered most unfavorable to the preservation of his natural balance ; and consequently, the moment the support is in the least relaxed, the child falls over and is caught up with a jerk. Even when held by both arms the attitude is unnatural and unfavorable to the speedy attainment of the object. To assist the child, we ought to place one hand on each side of the chest, in such a way as to give the slightest possible support, and to be ready instantly to give more if he lose his balance. When this plan is followed all the attitudes and efforts of the child are in a natural direction ; and success is attained not only sooner but more gracefully than by any ill-judged support given to one side.

“There is one very common mode of exercising infants, which, we think, deserves particular notice—we mean the practice of hoisting or raising them aloft in the air. This practice is of such venerable antiquity, and so universal, that it would be vain to impugn it. The pleasure, too, which most children evince under it, seems to show that it cannot be so objectionable as a cursory observer would be disposed to consider it. Still, there are hazards which ought not to be overlooked. The risk of accident is one of some amount ; children have slipped from the hands and sustained serious injury. Some people are so energetic as to throw up children and catch them in descending. This rashness there can be no hesitation in reprobating ; for, however confident the person may be of not missing his hold, there must ever be risks of injury from the concussion suffered in the descent, and even from the firmness of the grasp necessary for recovering and maintaining the hold. The motion of the body, too, has a direct tendency to induce vertigo ; and when the liability of the infant brain to congestion and its consequences is considered, when the frequency of hydrocephalus in infants is borne in mind, an exercise which impels blood to the brain, will not be regarded as wholly insignificant. There is one more objection which seems not to have attracted attention. The hold taken of a child in the act of hoisting him, is by the hand grasping the chest. The fingers and thumb placed on each

side of the breast bone, compress the ribs, and any one with the hand so placed, will at once perceive that if the pressure were strong and the resistance from the elasticity of the ribs weak, the impression on the chest resulting, would correspond exactly with the deformity named chicken-breast. That any force is ever used, capable of inducing speedily such a change, is in the highest degree improbable; but that reiterated pressure of this kind, however slight, would, in a weakly child, have power to impress and distort the chest, few, we imagine will doubt."

When two or three months old, the infant may be placed on a soft mattress upon the floor or on the carpet. He can then toss his limbs about without danger, and develop the powers of his muscular system.

"The best mode of teaching a child how to walk," says Dr. Bull, "is to let it teach itself, and this it will do readily enough. It will first learn to crawl; this exercises every muscle in the body, does not fatigue the child, throws no weight upon the bones, but imparts vigor and strength, and is thus highly useful. After a while, having the power, it will wish to do more; it will endeavour to lift itself upon its feet by the aid of a chair, and though it fail again and again in its attempts, it will still persevere until it accomplish it. By this it learns, first, to raise itself from the floor; and secondly, to stand, but not without keeping hold of the object on which it has seized. Next it will balance itself without holding, and will proudly and laughingly show that it can stand alone. Fearful, however, as yet of moving its limbs without support, it will seize a chair or anything else near it, when it will dare to advance as far as the limits of its support will permit. This little adventure will be repeated day after day with increased exultation; when, after numerous trials, he will feel confident of his power to balance himself, and he will run alone. Now, time is required for this gradual self-teaching, during which the muscles and bones become strengthened; and when at last called upon to sustain the weight of the body, are fully capable of doing so."

It is not merely want of strength which prevents an infant from walking at first. The natural shape of the legs

renders it impossible. The feet are turned in so that the inner sides look upwards. When placed upon its feet, therefore, the soles will not rest upon the ground. In a short time, the position of the feet changes, and they become fitted for the purposes of support and locomotion. When he begins to walk, the child should have shoes with tolerably broad soles, which ought to be at least half an inch longer than the foot.

The first efforts of the little one to support and propel itself are to be carefully watched, but not unnecessarily interfered with, neither frightened by expressions of fear nor rendered timid by too frequent warnings.

The first seven years of life should be one grand holiday for all sports and amusements which will bring into play the muscles and divert, at the same time, the mind. Time cannot be more usefully employed than in thus laying the foundation of health, upon which alone can rest the physical, mental, and moral well-being of after life.

TEETHING.

The period at which the teeth first make their appearance is not a fixed one. It varies considerably even within the limits of perfect health. It may be said, as a rule, that the babe begins to cut his teeth at the age of six or seven months. Quite frequently, however, the first teeth appear as early as the fourth month, or are delayed until the eighth. In some instances children come into the world with their teeth already cut. This is said to have been the case with Louis XIV., and with Mirabeau. King Richard the Third is another example. Shakespeare makes the Duke of York refer to this circumstance in these words :—

“Marry, they say my uncle grew so fast,
That he could gnaw a crust at two hours old ;
'Twas full two years ere I could get a tooth.”

It does not follow that children, whose teeth show themselves early, will have therefore a quicker general development. Such cases are merely instances of irregularity in the time of dentition, and carry with them no particular

significance. Irregularities in regard to the order in which the teeth are cut, are also of frequent occurrence.

While therefore it cannot be maintained that all healthy children cut their teeth in a certain regular order and time, yet it is certain that those children who follow the general rule, which prevails in this respect, suffer least from the difficulties and effects of dentition. As all mothers desire to know at what time they may expect the teeth, we will state the rule of their development in the great majority of cases.

The lower teeth generally precede those of the upper jaw by two or three months.

The twenty milk teeth usually appear in the five following groups :—

First. Between the fourth and eighth months of life the two lower middle front teeth appear almost simultaneously. Then a pause of from three to nine weeks ensues.

Second. Between the eighth and tenth months of life the five upper front teeth appear, following shortly upon each other, the two central preceding the two on each side of them. Another pause of from six to twelve weeks succeeds.

Third. Between the twelfth and sixteenth months of life, six teeth appear nearly at once. They are first the two front grinding teeth in the upper jaw, leaving a space between them and the front teeth which before appeared ; next, the two lower front teeth situated one on each side of the central ones, which were the first to appear ; and, lastly, the two front grinders of the lower jaw. A pause until the eighteenth month now ensues.

Fourth. Between the eighteenth and twenty-fourth months of life the canine teeth cut through (the upper ones are called eye teeth). Again a pause until the thirtieth month.

Fifth. Between the thirtieth and thirty-sixth months, the second four grinders finally make their appearance.

This concludes the first teething. The child has now twenty milk teeth.

We have mentioned that children are sometimes born with teeth. It is also true that sometimes they never acquire any. Instances are on record of adults who have never cut any teeth. Dentition has been known to take place very

late in life. A case is related, on excellent authority, of an old lady aged eighty-five, who cut several teeth after attaining that age.

APPEARANCE OF THE PERMANENT TEETH.

Between the fifth and sixth years of life the second dentition begins. The front grinders are the ones first cut through. Between the sixth and tenth years all the front teeth appear, followed by the canines before the twelfth year. At this time the second grinders show themselves, and finally, between the sixteenth and twenty-fourth year, the wisdom teeth complete the dental furniture of the mouth.

GROWTH AND DEVELOPMENT.

During infancy the body grows with great rapidity. About the end of the third year, one-half of the adult height of the body is attained. After this period growth is more gradual, for in order to reach the remaining half, about eighteen years more are required. At twenty years of age, the height is somewhat more than three and a half times that at birth, and the weight about twenty times. Development does not go on at an equal rate in all parts of the body. The lower limbs, small at birth, increase proportionally more rapidly, while the head, relatively large at birth, develops more slowly. The muscular system is gradually strengthened. At the end of the third month, the infant is able, if in good health, readily to support its head; at the fourth month it can be held upright; at the ninth month it crawls about the floor; before the end of the year it is able with assistance to step; and between one and two years, at different times, according to its vigor and activity, it acquires the power of standing and walking alone. The periods of greatest and least growth of the child are, on the one hand, spring and summer, on the other, autumn and winter. It has long been known that animals grow more rapidly in the spring than at any other season of the year. This has been attributed to the abundance of herbage they

are then able to obtain. It has been ascertained by actual measurement that children grow chiefly in the spring.

At six months of age the child begins to lisp, and at twelve months it is usually able to utter distinct and intelligible sounds of one or two syllables. The development of the senses and of the mind proceeds gradually. The sense of hearing is more active and further advanced than that of sight. Sounds are appreciated sooner than light or bright colored objects. The next sense which is developed is, perhaps, that of taste, then follow smell and touch.

IS THE RACE DEGENERATING ?

This is a question which perplexes some minds in our times. A German author of note has recently written a volume to prove that each generation is feebler than the preceding. Old physicians say that in their youth diseases of exhaustion were rarer than nowadays. For this our habits of life, the pressure on our nervous systems, the prevalence of hereditary diseases, and the excessive use of narcotics and stimulants, are held responsible. "The fathers," say these croakers, "have eaten sour grapes, and the children's teeth are set on edge."

We attach little weight to these gloomy views. There are plenty of facts on the other side. The suits of old armor still preserved in Europe prove that, as a rule, we have slightly gained in weight and size. Tables of life insurance companies and reports of statistics show that the average length of human life is greater than it ever was. Dr. Charles D. Meigs used to state in his lectures that the size of the head of our American infants at birth is somewhat greater than in the Old World.

That there are more numerous diseases than formerly is not true ; but it is true that we know more, for we have learned to detect them more readily and to examine them more minutely. This is especially true of such as are peculiar to women. Within the last ten or twenty years so much that is of sovereign importance has been contributed to this department of medical science that it is hardly possi-

ble for one to become an expert in it unless he gives it his whole attention,

To avoid the tendency to debilitated frames and chronic diseases, woman should, therefore, learn not only the laws of her own physical life, but the relations in which she stands to the other sex. Thus she can guard her own health, and preserve from degeneracy her offspring. It is only by enlightenment and the extension of knowledge on the topics relating to soundness of body and mind, that we can found rational hopes of a permanent and wide-spread improvement of the race.

Some have maintained, not understanding the bearing of the facts, that such degeneracy is more conspicuous in the frame of woman than anywhere else. They quote the narratives of travellers who describe with what fortitude, we might almost say, with what indifference, the Indian women, and those of other savage races, bear the pangs of childbirth, and how little the ordeal weakens them. A squaw will turn aside for an hour or two when on the march, bear a child, wash it in some stream, bind it on the top of her load, and shouldering both, quietly rejoin the vagrant troop. Our artificial life seems, indeed, in this respect, to be to blame; but if we look closer, we can learn that these wild women often perish alone, that they are rarely fertile, that unnatural labours are not unknown, and that the average duration of their life is decidedly less than among the females in civilized States.

THE PERILS OF MATERNITY.

In the early part of this work we quoted some authorities to show that those women who choose single life as their portion, do not escape the ills of existence, nor do they protract their days, but, on the contrary, as shown by extensive statistics, are more prone to affections of the mind, and die earlier. While therefore, Nature thus rewards those who fulfil the functions of their being, by taking part in the mysterious processes of reproduction, and perpetuating the drama of existence, it is true, also, that she associates these privileges with certain deprivations and

suffering. We do not wish to throw around the married state any charms which are not its own. Rather is it our aim to portray with absolute, and therefore, instructive, fidelity, all that this condition offers of unfavorable as well as favorable aspects.

Let us say at once, maternity has its perils apart from those of pregnancy and child-birth, perils as peculiar and as inevitable as those which pertain to single life. Our present purpose is to mention these, and by stating their nature and what are their causes, so far as known, to put married women on their guard against them. Some are almost trifling, at least not involving danger to life, others most harassing to the sufferer and to her friends.

Of the latter character is that deplorable condition called by physicians puerperal mania. This is a variety of insanity which attacks some women shortly after child-birth, or at the period of weaning a child. The period of attack is uncertain, as it may manifest itself first in a very few days, or not for some months after the confinement. Its duration is likewise very variable. In most instances a few weeks restore the patient to herself, but there are many cases where judicious treatment for months is required, and there are a few where the mental alienation is permanent, and the wife and mother is never restored to her sanity.

The question has been much discussed whether such a condition is to be imputed to a hereditary tendency to insanity in the family, and also whether a mother who has had such an attack is liable to transmit to her children, male or female, any greater liability to mental disease. We are well aware what deep importance the answers to these inquiries have to many a parent, and in forming our replies we are guided not only by our own experience, but by the recorded opinion of those members of our profession who have given the subject close and earnest attention. To the first query, the reply must be made that in one-half or nearly one-half of the cases of this variety of insanity there is traceable a hereditary tendency to aberration of mind. Usually one or more of the direct progenitors, or of the near relatives of the patient, will be found to have manifested unmistakable marks of unsoundness of mind. In the remaining one-half cases no

such tendency can be traced, and in these it must be presumed that the mania is a purely local and temporary disorder of the brain. The incurable cases are usually found in the first class of patients, as we might naturally expect.

The likelihood of the children in turn inheriting any such predisposition depends on the answer to the inquiry we first put. If the mania itself is the appearance of a family malady, then the chances are that it will pass downward with other transmissible qualities. But if the mania arises from causes which are transitory, then there is no ground for alarm.

An inquiry still more frequently put to the physician by the husband and by the patient herself after recovery is whether an attack at one confinement predisposes her to a similar attack at a subsequent similar period. There is considerable divergence of opinion on this point. Dr. Gooch, an English physician of wide experience, is very strenuous in denying any such increased likelihood, while an American obstetrician of note, is quite as positive in taking the opposite view. The truth of the matter undoubtedly is, that where the mania is the exhibition of a hereditary tendency, it is apt to recur, but where it arises from transient causes, then it will only occur again if such causes exist.

Here, therefore, we perceive the importance of every woman, who has had or who fears to have one of these distressing experiences, being put on her guard against disregarding those rules of health the neglect of which may result so disastrously. One of the most powerful of these causes is *exhaustion*. We mean this in its widest sense, mental or physical. In those instances where mania appears at weaning, it is invariably where the child has been nursed too long, or where the mother has not had sufficient strength to nourish it without prostrating herself. It should be observed as a hygienic law that no mother should nurse her children after she has had one attack of mania. The mere nervous excitement is altogether too much for her. She must once and forever renounce this tender pleasure. We even go so far as to recommend that no woman in whose family a mental taint is hereditary, shall nurse her children.

Anxiety, low spirits, unusual weakness from any cause,

are powerful predisposing causes, and therefore in all cases, especially in those where the family or personal history leads one to fear such an attack, they should be avoided. The diet should be nourishing and abundant, but not stimulating. Cheerful society and surroundings should be courted, and indulgences in any single train of ideas avoided. As for directions during the attack, they are unnecessary, as to combat it successfully, often tasks the utmost skill of the physician, and it will be for him to give these directions.

Many, we may say most, married women whose health is broken down by some disease peculiar to their sex, refer the commencement of their suffering to some confinement or premature birth. This, therefore, we must also take into account, in estimating the perils of maternity. Perhaps, in four cases out of five, this breaking-down is one of the symptoms of a displacement of the internal organs,—a malposition, in other words, of the uterus. This is familiarly known as an “inward weakness,” and many a woman drags through years of misery caused by a trouble of this sort.

It is true that these malpositions occur in unmarried women, and occasionally in young girls. But it is also true that their most frequent causes are associated with the condition of maternity. The relaxation of the ligaments or bands which hold the uterus in its place, which takes place during pregnancy and parturition, predisposes to such troubles. It requires time and care for these ligaments to resume their natural strength and elasticity after childbirth. Then, too, the walls of the abdomen are one of the supports provided by nature to keep all the organs they contain in proper place by a constant elastic pressure. When, as in pregnancy, these walls are distended and put on the strain, suddenly to be relaxed after confinement, the organs miss their support, and are liable to take positions which interfere with the performance of their natural functions. Therefore we may rightly class the greater tendency of married women to this class of diseases among the perils of maternity.

Within the last fifteen years, probably no one branch of medical science has received greater attention at the hands of physicians than this of diseases of women. Many hitherto inexplicable cases of disease, much suffering referred to

other parts of the system, have been traced to local misfortunes of the character we have just described. Medical works are replete with cases of the highest interest illustrative of this. We are afraid to state some of the estimates which have been given of the number of women in this country who suffer from these maladies. Nor do we intend to give in detail the long train of symptoms which characterize them. Such a sad rehearsal would avail little or nothing to the non-medical reader. It is enough to say that the woman who finds herself afflicted by manifold aches and pains without obvious cause ; who suffers with her head, and her stomach, and her nerves ; who discovers that, in spite of the precepts of religion and the efforts of will, she is becoming irritable, impatient, dissatisfied with her friends, her family, and herself ; who is, in short, unable any longer to perceive anything of beauty and of pleasure in this world, and hardly anything to hope for in the next ; this woman, in all probability, is suffering from a displacement or an ulceration of the uterus. Let this be relieved, and her sufferings are ended. Often a very simple procedure can do this. We recall to mind a case described in touching language by a distinguished teacher of medicine. It is of an interesting young married lady who came from the Southern States to consult him on her condition. She could not walk across the room without support, and was forced to wear, at great inconvenience to herself, an abdominal supporter. Her mind was confused, and she was the victim of apparently causeless unpleasant sensations. She was convinced that she had been and still was deranged.

The physician could discover nothing wrong about her system other than a slight falling of the womb. This was easily relieved. She at once improved in body and mind, soon was able to walk with ease and freedom, and once more enjoyed the pleasure of life. In a letter written soon after her return home, she said, " This beautiful world, which at one time I could not look upon without disgust, has become once more a source of delight." How strongly do these deeply felt words reveal the difference between her two conditions.

There is one source of great comfort in considering these

afflictions. It is, that they are in the great majority of cases traceable to causes which are avoidable. Most of them are the penalties inflicted by stern nature on infractions of her laws. Hence the great, the unspeakable importance of women being made aware of the dangers to which they are exposed, and being fully informed how to avoid them. This task we now assume.

There is, we concede, a tendency in the changes which take place during pregnancy and parturition to expose the system to such accidents. But this tendency can be counteracted by care, and by the avoidance of certain notorious and familiar infractions of the laws of health. It is usually not until she gets up and commences to go about the house that the woman feels any pain referable to a displaced womb. Very frequently the origin of it is leaving the bed too soon, or attempting to do some work, too much for her strength, shortly after a premature birth or a confinement. Not only should a woman keep her bed as a rule for nineteen days after every abortion and every confinement, but for weeks after she commences to move about she should avoid any severe muscular exertion, especially lifting, long walks, straining or working on the sewing machine. Straining at stool is one of the commonest causes. Many women have a tendency to constipation for weeks or months after childbirth. They are aware that it is unfavorable to health, and they seek to aid nature by violent muscular effort. They cannot possibly do a more unwise act. Necessarily the efforts they make press the womb forcibly down, and its ligaments being relaxed, it assumes either suddenly on some one well-remembered occasion, or gradually after a succession of efforts, some unnatural position. The same reasoning applies to relieving the bladder, which is connected in some persons with undue effort.

Constipation, if present, must, and almost always can, be relieved by a judicious diet and the moderate use of injections. These simple methods are much to be preferred to purgative medicines, which are rarely satisfactory if they are continued for much time. When anything more is needed, we recommend a glass of some laxative mineral water, that,

for instance, from the Bedford or Congress Springs. This should be taken before breakfast.

For the difficulty with the bladder we mentioned, diet is also efficacious. It is familiarly known that several popular articles of food have a decided action in stimulating the kidneys: for instance, asparagus and watermelon. Such articles should be freely partaken, and their effect can be increased by some vegetable infusion, taken warm, as juniper tea, or broom tea. The application to the parts of a cloth wrung out in water as hot as it can conveniently be borne is also a most excellent assistant to nature.

Similar strains on the muscles of the abdomen are consequent on violent coughing and vomiting. Therefore these should be alleviated, as they always can be, by some anodyne taken internally. Any physician is familiar with many such preparations, so that it seems unnecessary to give any formula, particularly as it would have to be altered more or less to suit any given case.

Women of a languid disposition and relaxed muscles are frequently urged to "take exercise" and to "go to work." Their condition sometimes excites censure rather than commiseration, because it is thought that they do not exert and thus strengthen themselves as much as they should. We are quite as much in favor of work and vigorous muscles as any one. But often it were the foolishlest advice possible to give a woman to tell her to seek active exercise. It is just what she should avoid, as it may ultimately give rise to that very trouble which, not only threatening, is the cause of her listlessness. Many instances are familiar to every physician of extensive experience where a long walk, a hard day's work, a vigorous dance in the evening, or a horseback ride, has left behind it a uterine weakness which has caused years of misery. Especially after confinement or premature delivery is it prudent for a woman to avoid any such exertion for months and months. Moderate employment of her muscles in any light avocation, short walks and drives, fresh air, with judicious exercise, these are well enough in every instance, but beyond them there is danger. We know too well that advice like this will sound like mockery to some who read these lines. They have to work, and work hard;

they have no opportunity to spare themselves; the iron hand of necessity is upon them, and they must obey. We can but sympathize with them, and cheer them with the consolation that many a woman has borne all this and lived to a healthy and a happy old age. Nature has surrounded the infinitely delicate machinery of woman's organization with a thousand safeguards, but for all that, the delicacy remains, and it is because so many women are forced to neglect their duties to their own selves that so many thousands walk the streets of our great cities, living martyrs.

But no. We must modify what we have just written. In justice to our own sex, and in all truthfulness, we cannot allow the blame to be removed altogether from women themselves. They alone are responsible for one of the most fruitful causes of their wretchedness. The theme is a threadbare one. We approach it with hardly any hope that we shall do good by repeating warnings utterly monotonous and tiresome. But still less can we feel comfortable in mind to pass it over in silence. We refer to the foolish and injurious pressure which is exerted on the lower part of the chest and the abdomen by tight corsets, belts, and bands to support the under clothing: in other words, *tight lacing*. Why it is, by what strange freak of fashion and blindness to artistic rules, women of the present day think that a deformed and ill-proportioned waist is a requisite of beauty, we do not know. Certainly they never derived such an idea from a contemplation of those monuments of perfect beauty bequeathed to posterity by the chisels of Attic artists, nor from those exquisite figures which lend to the canvas of Titian and Raphael such immortal fame. Look, for instance, at that work of the former artist, now rendered so familiar by the chromo-lithographic process, called "Titian's daughter." It is the portrait of a blonde-haired maiden holding aloft a trencher heaped with fruits. She turns her face to the beholder, leaning slightly backward to keep her equilibrium. Her waist is encircled by a zone of pearls, and it is this waist we would have our readers observe with something more than an æsthetic eye. It is the waist of health as well as beauty. Narrower than either the shoulders or the hips, it is yet anything but that "wasp-like waist"

which is so fashionable a deformity. With such a waist, a woman is fitted to pass through her married state with health and pleasure. There is little fear that she will be the tenant of doctors' chairs, and the victim of drugs and instruments. Let women aim at beauty, let them regard it as a matter of very high importance, worth money, and time, and trouble, and we will applaud them to the echo. But let them not mistake deformity, vicious shape, unnatural and injurious attitudes, and hurtful distortions for beauty. That not only degrades their physical nature, but it lowers their tastes, and places them in æsthetics on a level with the Indian squaw who flattens her head, and bores her nose, and with the Chinese woman who gilds her teeth, and compresses her foot into a shapeless mass. True beauty is ever synonymous with health, and the woman who, out of subservience to the demands of fashion, for years squeezes her waist and flattens her breast, will live to rue it when she becomes a mother. Away, then with tight corsets and all similar contrivances.

Of a similar objectionable character are many of the devices which ignorant men connected with the medical profession urge upon the public for the sake of remedying curvature of the spine, restoring the figure, or supporting the abdomen. Not a few of such braces and supporters are seriously dangerous. A good brace, well-fitting, carefully adjusted, suited to the particular case, is often of excellent service, but the majority of them do not answer this description. Our advice is that no girl, and still more no mother, should wear one of these without it is fitted upon her by an experienced hand. We have known more than one instance where the binder put on after childbirth has been wrongly placed, and pinned so firmly that it has resulted in producing falling of the womb. This, too, should be sedulously looked after.

All these are causes which are strictly under the control of the woman herself. They are therefore such as she should have in mind and be on her guard against. There are others, but they are less frequent, which are beyond her power, and it would be labor lost, therefore, for us to mention them.

Equally vain would it be for us to speak of the various

means by which difficulties of this nature are removed. Probably no one branch of medical surgery has been more assiduously cultivated than this, and the number of supporters, pessaries, braces, and levers which have been recently brought before the medical profession for this purpose is simply appalling. There are women and men who make it their business to carry them through the country and sell them on commission. We distinctly warn our readers against this class. They are almost invariably ignorant and unscrupulous, rich in promises and regardless of performances. She who patronizes them will be sure to lose her money and will be lucky if she does not forfeit her health.

The most we shall do is to give some advice how to treat such complaints on principles of hygiene. And indeed this means nearly one-half the battle. For without these simple cases, treatment of any kind is useless and sure to fail; and with them, many complaints are remedied as well as avoided.

The first point we would urge is, that the woman who finds herself thus afflicted should seek to have such a position that she can rest. If she is burdened with family cares, let her if possible diminish or escape them for a time. A rest of a month or two, not at a fashionable watering-place nor at a first-class hotel in some noisy city, but in quiet lodgings, or with some sympathizing friend, will be of great advantage. This she should obtain without travelling too far. Prolonged motion in railway cars or carriages is in every instance injurious. If it must be undertaken, for instance, in order to consult a qualified physician, or to reach some friends, the modern appliances of comfort, such as air cushions, foot-rests, and head-supports should be provided. They cost but little, and to the invalid their value is great. No such journey should be undertaken at or near the time when the monthly illness might come on, as the suffering is always greater at these periods.

The pleasant associations which group themselves around a happy home are an important element in the treatment of diseases which, like these, are so intimately connected with the mind and nervous system. It will not do heedlessly to throw such advantages away. When the home is pleasant, and rest can there be had, the patient, in the majority of in-

stances, will do well to abide there. But when, for any reason, be it domestic infelicities in which the husband has a share, be it disagreeable relatives, or importunate and tedious visitors, then the sooner such a mental weight is removed or avoided the better.

The diet is a very common subject of error. It is popularly supposed that everybody who is weak should eat a "strengthening" diet, meat three times a day, eggs, ale, and beef-tea to any extent. This is a great error. Frequently such a diet has just the contrary effect from what is expected. The patient becomes dyspeptic, nervous, and more debilitated than ever. The rule is that only that diet is strengthening which is thoroughly digested and taken up in the system. Frequently, we may say in the majority of cases, a small amount of animal food, especially game, fowls, fish, and soups, with *fresh* vegetables, and ripe fruits, will be far more invigorating than heavier foods. Pastry, cakes, and confectionery should be discarded, and great regularity in the hours of meals observed. Stimulants of all kinds are, as a rule, unnecessary, and highly-spiced food is to be avoided. There is an old German proverb which says, "Pepper helps a man on his horse, and a woman to her grave." This is much too strong, but we may avail ourselves in this connection of the grain of truth that it contains.

Cleanliness in its widest sense is an important element in the treatment. Not only should the whole surface of the body be thoroughly washed several times a week, but the whole person should be *soaked* by remaining in the water for an hour or more. This has an excellent effect, and is far from unpleasant. It was regarded in the days of ancient Rome as such a delightful luxury and such a necessity, indeed, that every municipality erected public bathing establishments, with furnaces to heat the water to such a temperature that persons could remain in it for several hours without inconvenience. The use of public baths is almost unknown in this country, but in place of them, every house of even moderate dimensions has its own bath-room, so that the custom of cleanliness might appear to be hardly less general among the better classes than in old Rome.

The difficulty is that so few people appreciate that to

thoroughly cleanse the skin, still more for the bath to have a medicinal effect, it must be prolonged far beyond the usual time we allow it. The European physicians, who as a rule attach much greater importance to this than ourselves, require their patients to remain immersed two, three, four, and even ten and twelve hours daily! This is said to have most beneficial results; but who would attempt to introduce it in this country?

Local cleanliness is of equal importance. This is obtained by means of injections or irrigations of simple water, or of some infusion or solution. The use of the syringe, as an article of essential service in preserving the health of married women, should never be overlooked. Even when they are aware of no tendency to weakness or unusual discharge, it should be employed once or twice a week, and when there is debility or disease of the parts actually present, it is often of the greatest service.

There are many varieties of female syringes now manufactured and sold, some of which are quite worthless. Much the most convenient, cleanly, and efficient is the self-injecting rubber syringe, which is worked by means of a ball held in the hand, and which throws a constant and powerful stream. They come neatly packed in boxes, occupying small space, and readily transported from place to place. Much depends on knowing how to apply them. The patient should be seated on the edge of a low chair or stool with a hard seat, immediately over a basin. The tube should then be introduced as far as possible without causing pain, and the liquid should be thrown up for five or ten minutes. About one or two quarts may be used, of a temperature, in ordinary cases, a little lower than that of the apartment. Water actually cold is by no means to be recommended, in spite of what some physicians say to the contrary. It unquestionably occasionally leads to those very evils which the judicious use of the syringe is intended to avoid.

No fluid but water should be used in ordinary cases. When, however, there is much discharge, a pinch of powdered alum can be dissolved in the water; and when there is an unpleasant odor present, a sufficient amount of a solution of permanganate of potash may be added to the water to

change it to a light pink color. This latter substance is most admirable in removing all unpleasant odors; but it will stain the clothing, and must, on that account, be employed with caution.

We will add a few warnings to what we have just said about injections. There are times when they should be omitted, as for instance during the periodical illness, when the body is either chilled or heated, and generally when their administration gives pain. There are also some women in whom the mouth of the womb remains open, especially those who have borne many children. In such cases the liquid used is liable to be thrown into the womb itself, and may give rise to serious troubles. These should either omit the use of the syringe altogether, or obtain one of those which throw the water backward and not forward. This variety is manufactured and sold by various dealers.

Irrigations are more convenient in some respects than injections. They are administered in the following manner: A jar holding about a gallon of water, simple or medicated, as may be advisable, is placed upon a table or high stand. A long rubber tube is attached to the bottom of the jar ending in a metallic tube, and furnished with a stopcock. The patient seats herself on the edge of a chair over a basin, introduces the tube, and turns the stopcock. The liquid is thus thrown up in a gentle, equable stream, without any exertion on her part. No assistant is required, and the force and amount of the liquid can be exactly graduated by elevating or lowering the jar, or by turning the stopcock. When there is much debility, or when it is desirable to apply the liquid for a long time, this method is much preferable to syringing. The necessary apparatus can readily be obtained in any large city. It has, however, the drawback that the jar is large, and not convenient to carry on journeys.

THE SINGLE LIFE.

A FEW words, ere we pass to another branch of our subject, on the physical relations of her who by choice or other reasons never marries. It is a common observation among physicians who have devoted themselves to the study of woman's physical nature that in spite of those "perils of maternity," which we have taken no pains to conceal, the health of single women during the child-bearing period, is as a general rule not better, not even so good, as that of their married sisters. Those insurance companies who take female risks, do not ask any higher premium for the married than the unmarried.

Various suggestions have been made to account for this unexpected fact. Some writers have pointed out that in many diseases marriage exerts a decidedly curative influence, especially in chronic nervous ailments. Chorea, for instance, or St. Vitus' dance, as it is popularly termed, has been repeatedly cured by marriage. As a rule painful menstruation, which always arises from some defect or disease of the ovaries or adjacent organs, is improved and often completely removed by the same act. There are, as is well known, a whole series of emotional disorders, hysteria, and various kinds of mania and hallucination, which are almost exclusively confined to single persons, and only occur in the married under exceptional circumstances. An instance has lately been detailed in the medical journals by a Prussian physician of a case of undoubted hereditary insanity which was greatly benefited, indeed temporarily cured, by a fortunate nuptial relation. Few who have watched a large circle of lady acquaintances, but will have observed that many of them increased in flesh and improved in health when they had

been married some months. An English writer of distinction, accounts for these favorable results in a peculiar manner. Success, he says, is always a tonic, and the best of tonics. Now to women, marriage is success. It is their aim in social life, and this accomplished, health and strength follow. We are not quite ready to subscribe to such a sweeping assertion, but no doubt it is applicable in a limited number of cases. Our own opinion is that nature gave to each sex certain functions, and that the whole system is in better health when all parts and powers fulfil their destiny.

Common proverbs portray the character of the spinster as peevish, selfish, given to queer fancies, and unpleasant eccentricities. In many a case we are glad to say this is untrue. Instances of noble devotion, broad and generous sympathy, and distinguished self-sacrifice, are by no means rare in single women. But take the whole class, the popular opinion, as it often is, must be granted to be correct. Deprived of the natural objects of interest, the sentiments are apt to fix themselves on parrots and poodles, or to be confined within the breast and wither for want of nourishment. Too often the history of those sisterhoods who assume vows of singleness in the interest of religion presents to the physician the sad spectacle of prolonged nervous maladies, and to the christian that of a sickly sensibility.

In this connection, we may answer a question not unfrequently put to the medical attendant. Are those women who marry late in their sexual life, more or less apt to bear living children than the married of the same age, and are they more or less likely to prolong their child-bearing period by their deferred nuptials? To both these inquiries, we answer no. On the contrary, the woman who marries a few years only before her change of life, is almost sure to have no children who will survive. She is decidedly less apt to have any than the woman of the same age who married young. If, therefore, love of children and a desire for offspring form, as they rightly should, one of the inducements to marry, let not the act be postponed too long, or it will probably fail of any such result.

THE CHANGE OF LIFE.

AFTER a certain number of years, woman lays aside those functions with which she had been endowed for the perpetuation of the species, and resumes once more that exclusively individual life which had been hers when a child. The evening of her days approaches, and if she has observed the precepts of wisdom, she may look forward to a long and placid period of rest, blessed with health, honored, yes, loved with a purer flame than any which she inspired in the bloom of youth and beauty. Those who are familiar with the delightful memoirs of Madame Swetchine or Madame Recamier will not dispute even so bold an assertion as this.

But ere this haven of rest is reached, there is a crisis to pass which is ever the subject of anxious solicitude. Unscientific people, in their vivid language, call it *the change of life*; physicians know it as the *menopause*—the period of the cessation of the monthly flow. It is the epoch when the ovaries cease producing any more ova, and the woman becomes, therefore, incapable of bearing any more children.

The age at which it occurs is very variable. In this country, from forty to forty-six is the most common. Instances are not at all unusual when it does not appear until the half century has been turned, and we have known instances where women past sixty still continued to have their periodical illness.

Examples of very early cessation are more rare. We do not remember to have met any, in our experience, earlier than thirty years, but others have observed healthy women as young as twenty-eight in whom the flow had ceased.

The physical change which is most apparent at this time is the tendency to grow stout. The fat increases as the

power of reproduction decreases. And here a curious observation comes in. We have said that when the girl changes to a woman, a similar deposit of fat takes place (though less in amount), which commences at the loins. This is the first sign of puberty. In the change of life the first sign is visible at the lower part of the back of the neck, on a level with the bones known as the two lowest cervical vertebrae. Here commences an accumulation of fat which often grows to form two distinct prominences, and is an infallible index of the period of a woman's life.

The breasts do not partake of this increase, but become flat and hard, the substance of the gland losing its spongy structure. The legs and arms lose their roundness of outline, and where they do not grow fat, dry up, and resemble those of the other sex. The abdomen enlarges, even to the extent occasionally of leading the wife to believe that she is to be a mother—a delusion sometimes strengthened by the absence of the monthly sickness. Finally, a perceptible tendency to a beard often manifests itself, the voice grows harder, and the characteristics of the female sex become less and less distinct.

Some who are more fortunate than their neighbours do not experience the least discomfort at the change of life. They simply note that at the expected time the illness does not appear, and forever after they are free from it. These are the exceptions. More commonly marked alterations in the health accompany this important crisis, and call for sedulous hygienic care. It is gratifying to know that nearly all these threatening affections can be avoided by such care, as they depend upon causes under the control of the individual. Another fact, to which we have already referred, is a source of consolation. It is an unexpected fact, one that we should hardly credit, did it not rest on statistical evidence of the most indisputable character. The popular opinion, every one knows, is that the period of the change of life is one peculiarly dangerous to women. If this is so, we might expect that if the number of deaths between the ages of forty and fifty years in the two sexes be compared, we should find that those of females far exceed those of males. This is, however, not the case. On the contrary,

the deaths of the males exceed in number those of the females.

Hasty readers may draw a false conclusion from this statement. They may at once infer that the change of life merits little or no attention, if it thus in nowise increases the bills of mortality. This was a serious error. All intelligent physicians know that there are in very many cases a most unpleasant train of symptoms which characterize this epoch in the physical life of woman. They are alarming, painful, often entailing sad consequences, though rarely fatal. All physicians are, however, not intelligent, and there are too many who are inclined to ridicule such complaints, to impute them to fancy, and to think that they have done their full duty when they tell the sufferer that such sensations are merely indicative of her age, and that in a year or two they will all pass away. Such medical attendants do not appreciate the gravity of the sufferings they have been called to relieve. Says a distinguished writer on the subject, after entering into some details in the matter, "I would not dwell on things apparently so trivial as these, had I not seen some of the worst misery this world witnesses induced thereby." Such a conviction should be in the mind of the physician, and lead him to attach their full weight to the vague, transitory, unstable, but most distressing symptoms described by him.

We shall speak of the various signs and symptoms which occur at and mark the change, and in commenting so to do, we call attention to an interesting illustration of the rhythm which controls the laws of life. As in old age, when we draw near the last scene of all, we re-enter childhood, and grow into second infancy, so the woman, finishing her pilgrimage of sexual life, encounters the same landmarks and stations which greeted her when she first set out. She obeys at eve the voice of her own nature which she obeyed at her prime. The same diseases and disorders, the same nervous and mental sensations, the same pains and weaknesses which preceded the first appearance of her monthly illness will, in all probability, precede its cessation. Even those affections of the skin or of the brain, as epilepsy, which were suffered in childhood, and which disappear as soon as

the periodical function was established, may be expected to re-appear when the function has reached its natural termination. Therefore if a woman, past the change, notices that she suffers from bleeding at the nose, headache, boils, or some skin disease, let her bethink herself whether it is not a repetition of some similar trouble with which she was plagued before the eventful period which metamorphosed her from a girl into a woman.

So true is what we have just said, that in detailing the symptoms which frequently occur at the change of life, we could turn back to the previous pages where we discussed the dangers of puberty, and repeat much that we there said as of equal application here. For instance, the green-sickness, *chloroisis*, is by no means exclusively a disease of girls. It may occur at any period of childbearing life, but is much more frequent at the *beginning* and the *end* of this term. Hardly any one has watched women closely without having observed the peculiar tint of skin, the debility, the dislike of society, the change of temper, the fitful appetite, the paleness of the eye, and the other traits that show the presence of such a condition of the nervous system in those about renouncing their powers of reproduction. The precautions and rules which we before laid down can be read with equal profit in this connection.

In addition to these symptoms which in a measure belong to the individual's own history, there are others of a general character which betoken the approaching change. One of them is an increasing irregularity in the monthly appearance. This is frequently accompanied with a singing sensation, a "feeling of goneness" as the sufferer says, at the pit of the stomach, often accompanied by flushes of heat, commencing at the stomach and extending over the whole surface of the body. The face, neck, and hands are suffused at inopportune moments, and greatly to the annoyance of the sufferer. This is sometimes accompanied by a sense of fullness in the head, a giddiness, and a dulness of the brain, sometimes going so far as to cause an uncertainty in the step, a slowness of comprehension, and a feeling as if one might fall at any moment in some sort of a fit.

This is not the worst of it. These physical troubles re-

act upon the mind. An inward nervousness, intensely painful to bear, is very sure to be developed. She fears she will be thought to have taken liquor, and to be overcome with wine; she grows more confused, and imagines that she is watched with suspicious and unkind eyes, and often she worries herself by such unfounded fancies into a most harassing state of mental distress. Society loses its attractions, and solitude does but allow her opportunity to indulge to a still more injurious extent such brooding phantasms. Every ache and pain is magnified. Does her heart palpitate, as it is very apt to do? Straightway she is certain that she has some terrible disease of that organ, and that she will drop down dead some day in the street. Is one of her breasts somewhat sore, which, too, is not unusual? She knows at once it is a cancer, and suffers an agony of terror from a cause wholly imaginary.

Vibrating between a distressing excitement and a gloomy depression, her temper gives way, and even the words of the Divine Master lose their influence over her. She becomes fretful, and yet full of remorse for yielding to her peevishness; she seeks for sympathy without being able to give reasons for needing it; she annoys those around her by groundless fears, and is angered when they show their annoyance. In fine, she is utterly wretched, without any obvious cause of wretchedness.

This is a dark picture, but it is a true one, inexorably true. Let us hasten to add that such a mental condition is, however, neither a necessary nor a frequent concomitant of the change. We depict it, so that friends and relatives may better appreciate the sufferings of a class so little understood, and so that women themselves, by knowing the cause of such complaints and the sad results which flow from them, may take the more earnest efforts to avoid them.

Other symptoms are a sense of choking, a feeling of faintness, shooting pains in the back and loins, creepings and chilliness, a feeling as if a hand were applied to the back or the cheek, a fidgety restlessness, inability to fix the mind on reading or in following a discourse, and a loss of control over the emotions, so that she is easily affected to

tears or to laughter. All these merely indicate that Nature is employing all her powers, to bring about that mysterious transformation in the economy by which she deprives the one sex forever of partaking in the creative act after a certain age, while she only diminishes the power of the other.

Those women especially may anticipate serious trouble at this epoch in whom the change at puberty was accompanied by distressful and obstinate disorders, those in whom the menstrual periods have usually been attended with considerable pain and prostration, and those in whose married life several abortions or several tedious and unnatural labours have occurred. Also those who from some temporary cause are reduced in health and strength, as from repeated attacks of intermittent fever or disorders of the liver and digestive organs. Still more predisposed are they who are subject to some of those displacements or local ulcerations which we have mentioned among the "perils of maternity." It becomes of great consequence that any such deviation from the healthy standard shall be corrected before a woman reaches this trying passage in her career.

In rather more than one out of every four cases the change of life is either ushered in or accompanied by considerable flooding. When this occurs at the regular period, is not in sufficient quantity to cause debility, and is not associated with much pain, it need not give rise to any alarm. It is an effort of nature to relieve the impending plethora of the system, to drain away the excessive amount of blood which would otherwise accumulate by the cessation of the flow. When it is remembered that every month for some thirty years of life the woman of forty-five has been moderately bled, we need not wonder that suddenly to break off this long habit would bring about plethora, which would in turn be the source of manifold inconveniences to the whole system. Therefore, this flooding may be regarded as a wise act of nature, and as such, allowed to take its course so long as it is not attended with the symptoms mentioned above. When this is the case, however, the physician should be consulted, as then the bleeding may be from inflammation, or ulceration, or even from that dreaded foe to life, cancer.

Instead of finding this exit, the blood occasionally is

thrown off by bleeding at the nose, or is spit up from the lungs, or is passed from bleeding piles. Due caution must be used about stopping such discharges too promptly. Rest, cool drinks, and the application of cold to the parts, are generally all that is needed.

We have just spoken of cancer. This is a subject of terror to many women, and their fears are often increased and deliberately played upon by base knaves who journey about the country calling themselves "cancer doctors." and professing to have some secret remedy with which they work infallible cures. It should be generally known that all such pretensions are false. It is often a matter of no little difficulty, requiring an experienced eye, to pronounce positively whether a tumour or ulcer is cancerous. These charlatins have no such ability, but they pronounce every sore they see a cancer, and all their pretended cures are of innocent, non-malignant disorders. Cancers are more apt to develop themselves at this period. Their seat is most frequently in the womb or the breast, and they are said to be especially liable to arise in those women who have suffered several abortions or unnatural labors. Unndoubtedly they are more frequent in the married life than the unmarried, and they evidently bear some relation to the amount of disturbance which the system has suffered during childbirth, and the grief and mental pain experienced. For this reason a celebrated teacher of obstetrics insists upon classing them among nervous diseases. The surgeon alone can cure them, and he hut rarely. Medicine is of no avail, however long and painstaking have been its researches in this direction. A touching story is related in this connection of Raymond Sully, the celebrated philosopher. When a young man he was deeply impressed with the beauty of a lady, and repeatedly urged his suit, which she as persistently repelled, though it was evident she loved him. One day, when he insisted with more than usual fervor that she should explain her mysterious hesitation, she drew aside the folds of her dress and exposed her breast partly destroyed by a cancer. Shocked and horrified, but unmoved in his affection, he rushed to the physicians and demanded their aid. They replied they could give none. He determined to find a

cure, if he had to seek in all parts of the earth. He visited the learned doctors of Africa and Asia, and learned many wonderful things, even, it was said, the composition of the philosopher's stone itself, but what he did not find, and what has never yet been found, was what he went forth to seek—a cure for cancer.

At this time, too, tumors or swellings of the ovaries are apt to commence. They are nearly always preceded by scanty or painful menstruation, and this, therefore, it is the duty of every woman, as she values the preservation of her future health, to remedy by every means in her power.

Generally, from the commencement of the change of life commences also a steady diminution of the sexual passions, and soon after this period they quite disappear. Sometimes, however, the reverse takes place, and the sensations increase in intensity, occasionally exceeding what they even were before. This should be regarded with alarm. It is contrary to the design of nature, and can but mean that something is wrong. Deep-seated disease of the uterus or ovaries is likely to be present, or an unnatural nervous excitability is there, which, if indulged, will bring about dangerous consequences. Gratification, therefore, should be temperate, and at rare intervals, or wholly denied.

To guard against the dangers of this epoch those general rules of health which we have throughout insisted upon should be rigidly observed. If during the whole of her sexual life the woman has been diligent in observing the laws of health, she has little to fear at this period. Some simple remedies will suffice to allay the disagreeable symptoms and the knowledge that most of them are temporary, common to her sex, and not significant of any peculiar malady, will aid her in opposing their attacks on her peace of mind. When plethora, flooding or congestion is apparent, the food should be light, chiefly vegetable, and moderate in quantity. Liquors, wines, strong tea, coffee, and chocolate should be avoided; an occasional purgative or a glass of some laxative mineral water should be taken, and cool bathing regularly observed. Exercise should be indulged in with caution, and care taken to avoid excitement, severe mental or bodily effort, and exhaustion. If the system is debilitated,

and the danger is rather from a want of blood than too much blood, nourishing food, tonic medicines, and perhaps some stimulant are called for. When the perspiration is excessive, flannel should be worn next the skin in the daytime, and a flannel night-dress at night. A tepid bath before retiring is also useful. The "goneness" and other unpleasant sensations referred to the pit of the stomach may be much relieved by wearing a well-made spice-plaster over the stomach, or binding there a bag of gum camphor, or if these fail, an opium plaster will hardly fail to be of service. Internally, we think nothing at all is needed; but as something must be taken, let it not be spirits or wine, but half a teaspoonful of aromatic spirits of ammonia in a few table-spoonfuls of water. There is too much of a tendency among some women to seek alleviation in intoxicating compounds, "bitters," "tonics," and so forth, at such times. They can only result in injury, and should be shunned. The pains in the back and loins often experienced can often be removed by rubbing the parts with hot mustard-water, and taking a gentle purgative, or by placing against the lower part of the spine a hot brick wrapped in a flannel cloth wrung out in warm water or laudanum and water.

Once safely through this critical period, the woman has a better chance for long life and a green old age than the man of equal years. Tables of human life show this conclusively. With the sweet consciousness of duty performed, she is now prepared to assist others by intelligent advice, cheerful counsel, and tender offices; she can now surround herself with that saintly halo of kind words and good works which wins a worthier love than passion offers; and, passing onward to the silence of eternal rest, she will leave in the memory of all who knew her pleasant impressions and affectionate reminiscences.

NOTES.

P. 27. HERMAPHRODITES AND ASEXUALISM.—Rokitansky decides Hohmann to be a case of *hermaphrodita vera lateralis*, and all who examine her say the same. See *Wiener Medicin. Wochenschrift*, October, 1868, and the *Medical and Surgical Reporter*, vol. xix., p. 487. A marked case of asexualism, proven so by a *post-mortem* examination, is reported in the *Buffalo Medical and Surgical Journal* for April, 1869, p. 338; and another in the *London Medical Times and Gazette* of about the same date. We might refer to many less recent but less authentic cases.

P. 31. AGE OF PUBERTY.—See case by Dr. T. H. Twiner, in the *Richmond and Louisville Medical Journal*. March, 1869, Raciborski, *De la Menstruation et De l'Age Critique Chez la Femme*, p. 130. The quotation is from Dr. Edward Smith, *Cyclical Changes in Health and Disease*—a profound work. Raciborski is the principal authority for this and the following section. Our own inquiries fully confirm his statements.

P. 37. INFLUENCE OF THE MOON ON MENSTRUATION.—On this question, see the researches of M. Parchappe, *Comptes Rendus de l'Académie des Sciences*, tom. xvi., p. 550. See also Dr. Shrye, *Tractatus de Fluxu Menstro* in the *Acta Lipsiensia* for 1686, p. 111, Dr. W. Charleton, *Inquisitio Physica de Causis Catameniorum* p. 78, and Galen, *De Diebus Decretoriis*, lib. iii., for other curious particulars.

P. 39. CHLOROSIS.—For the pathology of this disease, see Dr.

Gaillard Thomas, *Diseases of Women*, p. 625, and Dr. C. H. Baner, in the *Wiener Medicin. Zeitung*, No. 33, 1868. Occasionally the change at puberty leads to an affection very closely resembling typhoid fever, but which is strictly due to the sexual crisis, and often goitre commences at this period. See a review of Raciborski in the *Bulletin de Therapeutique*, June, 1869.

P. 41. MASTURBATION IN GIRLS.—See Miss Catherine E. Beecher, *Letters to the People on Health and Happiness*, p. 159. The late medical literature on the subject is abundant. See *Ueber die Behandlung der Masturbation bei kleinen Mädchen*, *Journal für Kinderkrankheiten*, Bd. li. p. 360, H. R. Storer, *Western Journal of Medicine*, July, 1868, and *Journal of the Gynecological Society*, vol. I. No. 1.

Pp. 45, 46. PRE-MATURE MARRIAGES.—See Dr. Duncan, *Fecundity, Fertility, etc.*, p. 241, Reich, *Natur und Gesundheitslehre des Ehelichen Lebens* p. 518.

P. 48. HOLY LOVE.—The distinction between *ἀγάπη* and *εὔρη* is too familiar to all scholars to need extended mention. See Trench, *Synonyms of the New Testament*, *sub voce*.

Pp. 40, 41. SINGLE LIFE IN ITS RELATION TO SANITY AND MORTALITY.—The extraordinary statements in the text are vouched for by Dr. Casper, *Medicinische Statistik*, vol. ii. p. 164, and Dr. Reich, *Geschichte Natur, und Gesundheitslehre des Ehelichen Lebens*, pp. 510, 511. We have compared the reports of a number of American asylums for the insane, and find the proportions very nearly as great as stated by these authorities.

Pp. 50, 51. INTERMARRIAGE OF RELATIVES.—The view we advocate on this point, we know, is neither the received nor the popular one. In the middle ages it was forbidden to intermarry within the seventh degree of consanguinity. But this and all other regulations were based on theological and political, not

physiological, grounds. Quite recently, Dr. Nathan Allen, of Massachusetts, has insisted on the danger of consanguineous marriages (*Journal of Psychological Medicine*, April, 1869.) But other very careful and recent students adopt the view of our text; for instance, Dr. F. J. Behrend, *Journal für Kinderkrankheiten*, December, 1868, p. 316; Dr. A. Voisin, in the reports of the Paris *Académie de Médecine*, 1864, 1865, and 1868; and Dr. H. Gaillard, in the last edition (1868) of the *Dictionnaire de Médecine et de Chirurgie Pratique*. All the statements in the text are supported with incontrovertible evidence by these writers. If we are asked how we meet the seemingly alarming array of allegations by Dr. Bemiss, the Kentucky physician referred to, in the *Transactions of the American Medical Association*, for 1859, we beg to refer to Dr. Behrend's articles, where the researches of Bemiss are severely, and to our mind, justly criticised. For Dr. Edward Smith's assertion, see his *Essay on Consumption*, p. 244. (Philadelphia, 1865).

Pp. 67, 68. COMMUNICATION OF VENEREAL DISEASES.—Many instances are recorded where a drinking-glass, a spoon, a fork, or a handkerchief has infected innocent persons with these terrible diseases; see Cullerier, *Atlas of Venereal Diseases*, p. 43. They are communicated from the male to the female, or from the female to the male with equal facility, and either parent can transmit them to the children. The Physician in Pennsylvania referred to, is Dr. Sigmund, in the *Humboldt Medical Archives*, 1868.

P. 69. SYMBOLISM.—See Dr. Carus, *Symbolik der Menschlichen Gestalt*, the most scientific work ever written on physiognomy, phrenology, and allied subjects.

Pp. 74, 75. Vide Raciborski, *De la Puberté et de l'Age Critique chez la Femme*, p. 133; Tilt, *Uterine Therapeutics*, p. 315. (Am. ed., 1869.)

P. 77. See Dr. William A. Hammond's *Treatise on Hygiene*, p. 438, for air-space required by a healthy person. The contagion of phthisis is maintained by many authorities, among others Dr. W. W. Gerhard of this city, vide *Pennsylvania Hospital Reports* for 1868, p. 266. Professor Castan has recently collected, in the *Montpelier Medicale* a variety of facts which seem to show that tuberculosis may be communicated from a diseased to a healthy person by transpiration, breathed air, and living together (*London Press and Circular* March 10, 1869.) In regard to the inoculation of tubercle, we have reference to the well-known experiments of M. Villemin, of the Hôpital Val-de-Grâce, Paris. In this connection we may record an instance of recent medical heroism. M. Lespiaud, attached to the surgical department of the Val-de-Grâce, in presence of several of his colleagues, extracted granular matter from the body of a phthisical subject, and introduced it under his own integument. This zealous investigator into the etiology of tuberculosis, has thus exposed himself, in a courageous way, for the benefit of science, to the effects of a most dangerous and merciless disease. See *New Orleans Journal of Medicine* for January, 1869, quoted from the *London Lancet*.

P. 78. THE DIGNITY AND PROPRIETY OF THE SEXUAL INSTINCT.—Dr. Edward John Tilt, of London, is the medical writer referred to, vide *Uterine Therapeutics*, pp. 95, 313. See also Bosquet *Nouveau Tableau de l'Amour Conjugal*, vol. ii. p. 2, etc.; Rousel, *Système Physique et Moral de la Femme*, p. 211; Menville, *Histoire Médicale et Philosophique de la Femme*, vol. i, p. 36, et seq.; Raciborski, *De la Puberté*, etc., p. 45.

P. 80. ON THE INDULGENCE AND RESTRAINT OF SEXUAL DESIRE.—Menville, vol. ii. p. 91; Bosquet, vol. ii. p. 280; *Economy of Life; or Food, Repose and Love*, by George Miles, (London, 1868.) Dr. Edward Smith, in his valuable work on *Cyclical Changes in Health and Disease*, has collected extensive statistics

showing the effect of the time of conception on the viability of the foetus. The quotation is from Carpenter's *Human Physiology*, p. 753. (Am. ed.)

P. 83. See London *Lancet* for March 6, 1869, p. 337, for report of discussion in the Pathological Society of London upon the physical degeneracy resulting from procreation during intoxication. Authorities could be cited at length upon this subject, but it is not necessary. See Hufeland's *Art of Prolonging Life*, p. 207. (Am. ed. 1867.)

P. 83. Quotation from Dr. T. Gaillard Thomas's excellent work on *Diseases of Women*, p. 55.

P. 85-91. STERILITY.—For statistics referred to, see Dr. Matthews Duncan, *Fecundity Fertility, and Sterility* (Edinburgh, 1866), p. 181, *et seq.*; Dr. Tilt, *Uterine Therapeutics*, p. 291; Dr. Edward Reich, *Gesundheitslehre des Ehelichen Lebens*, Th. ii.

Dr. J. Marion Sims, on the *Microscope as an aid in the Diagnosis and Treatment of Sterility*, *New York Medical Journal*, January 1869, p. 406; Charles Darwin, *The Variation of Animals and Plants under Domestication*, vol. ii., p. 198 (Am. ed.) *Philadelphia Medical and Surgical Reporter*, November 2, 1867, p. 384; A. Debay *Hygiène et Physiologie du Mariage*, p. 288 (Paris, Quarante-quatrième édition); Raciborski, *De la Puberte, etc.*, p. 451; Virey, *De la Femme sous ses Rapports Phys.*, etc., p. 332; Dr. Gunning S. Bedford, *The Principles and Practice of Obstetrics*, p. 107.

P. 91. THE LIMITATION OF OFFSPRING.—We have taken great pains to avoid giving false or dangerous impressions in this section. The references in the order of quotation are:—Dr. Tilt, *Hand-Book of Uterine Therapeutics*, p. 317 (Am. ed.) Dr. Duncan, *Fecundity, Fertility, Sterility, and allied topics*, pp. 289, 290; Dr. Hillier, *Diseases of Children*, p. 114; John Stuart

Mill, *Principles of Political Economy*, p. 591, (Eng. ed., 1866); Dr. Drysdale, *London Medical Press and Circular*, December, 1868, p. 478; Raciborski, *De l' Age Critique chez la Femme*, p. 484; *The Nation*, June, 1869; Dr. Ed. Reich, *Natur und Gesundheitslehre des Ehelichen Lebens*, p. 493; *Boston Medical and Surgical Journal*; February, 1867; *Philadelphia Medical and Surgical Reporter*, vol. xix. p. 305; Sismondi, *Principles of Political Economy*, book vii., chap. v.; Dr. MacCormac, in *London Medical Press and Circular*, March, 1869, p. 244; Dr. Gaillard Thomas, *Diseases of Women*, p. 58; *Leavenworth Medical Herald*, April, 1867; Dr. N. K. Bowling, in the *Nashville Journal of Medicine and Surgery*, October, 1868. We have rather let others speak than spoken ourselves, and have collected the opinions of many most distinguished physicians and statesmen, who thus pronounce against excessive child-bearing. Any intelligent physician will acknowledge the weight to be assigned to such names.

P. 102. Quotation from *Philadelphia Medical and Surgical Reporter*, August 8, 1868, p. 106.

P. 102. SIGNS OF FRUITFUL CONJUNCTION. — Carpenter, *Human Physiology*, p. 772; Dr. Gunning S. Bedford, *Principles and Practice of Obstetrics*, p. 304; Menville, vol. i. p. 295; Montgomery, *Signs and Symptoms of Pregnancy*, p. 90.

P. 105. INHERITANCE.—Darwin, *Animals and Plants under Domestication*, pp. 42, 473 (Am. ed.); Sir Henry Holland's *Medical Notes and Reflections*, p. 30; Pritchard, *Researches into the Physical History of Mankind*, vol. ii., p. 551; Carpenter, *Human Physiology*, p. 779; A. Debay, *Hygiène et Physiologie du Mariage*, p. 173; Flourens, *De la Longevité Humaine et de la Quantité de Vie sur le Globe*, p. 256 (Paris 1860); Hufeland, *Art of Prolonging Life*, pp. 91, 206; *Hammond's Hygiene*, p. 116; *American Journal of Medical Sciences*, July, 1865, p. 82; Fran-

vis Galton on *Hereditary Talent and Character*, in *MacMillan's Magazine*, vol. xii. pp. 157 and 318 ; Madden, *The Infirmities of Genius*, vol. ii. p. 107 ; London *Lancet*, December 22, 1868, p. 825 ; The *British Medical Journal*, January 11, 1868, p. 25 ; Dr. Prosper Lucas, *Traité de l'Herédite Naturelle* : Victor Hugo, *L'Homme Qui Rit*, le seconde chapitre preliminaire ; *Watson's Practice*, p. 1153 ; Dr. Daniel G. Brinton, *Guide Book to Florida and the South*, Pt. iii.

Dr. J. V. C. Smith, *Physical Indications of Longevity in Man*.

P. 120. Boston *Medical and Surgical Journal*, April 2, 1868.

P. 126. Dr. Arthur Mitchell, London *Medical Times and Gazette*, November 15, 1862.

P. 128. Duncan, *Fecundity, Fertility, and Sterility*, p. 69 ; Ramsbotham, *System of Obstetrics*, p. 461 (Am. ed.) ; Philadelphia *Medical and Surgical Reporter*, vol. xix., p. 508 : xx. p. 98.

P. 129. London *Medical Press and Circular*, August 28, 1867 ; *Journal de Bruxelles*, July, 1867, p. 48.

P. 130. Menville, i. p. 299 : Dr. Gunning S. Bedford, *System of Obstetrics*, p. 144, et seq. ; Montgomery, *Signs and Symptoms of Pregnancy* ; Dr. Edward Rigby, *System of Midwifery*, p. 47.

P. 139. MOTHERS' MARKS.—See a very interesting article by Professor Wm. A. Hammond in *The Quarterly Journal of Psychological Medicine and Medical Jurisprudence*, January, 1868, p. 1, in which he says, in regard to the influence of the maternal mind over the foetus *in utero*, "The chances of these instances, and others which I have mentioned, being due to coincidence, are infinitesimally small ; and though I am careful not to reason upon the principle of *post hoc ergo propter hoc*, I cannot, nor do think any other person can, no matter how logical may be his mind, reason fairly against the connection between cause and

effect in such cases. The correctness of the facts only can be questioned; if these be accepted, the probabilities are thousands of millions to one that the relation between the phenomena is direct." See also Dr. J. Lewis Smith, *Diseases of Infancy and Childhood*, 1869, p. 21; *Philadelphia Medical and Surgical Reporter*, vol. xix. p. 359.

P. 148-151. Raciborski, *De la Puberté*, etc., p. 491; Dr. Gunning S. Bedford *System of Obstetrics*, p. 442; *Dict. des Sciences Médicales*, t. L. iii; London *Lancet*, August, 1856, p. 131; Carpenter, *Human Physiology*, p. 779; *Beck's Elements of Medical Jurisprudence*, Art. Superfoetation; Rokitansky, *Pathological Anatomy*; *Philadelphia Medical and Surgical Reporter*, May 1, 1859, p. 335; Professor Pancoast, removed some years since from the cheek of a child some months old, a rudimentary second child.

P. 152. Dr. Bedford, *Obstetrics*, p. 264, London *Lancet*, January 23, 1869.

P. 152. IS IT A SON OR A DAUGHTER?—*Philadelphia Medical and Surgical Reporter*, vol. xvii. 495; Dr. Frankenhauser in the *Monatschrift für Geburtskunde*; Dr. Packman on *Impregnation*, London *Lancet*, July 18, 1863.

P. 156. Dr. Bedford, *System of Obstetrics*, p. 299.

P. 156. Taylor, *Medical Jurisprudence*, p. 586; *Report of Proceedings against the Rev. Fergus Jardine*, Edinburgh, 1839.


P. 159. Churchill, *On Women*, p. 451 (Am. ed.); Menville ii 114; *Tilt's Elements of Health*, p. 271.

P. 180. TO HAVE LABOR WITHOUT PAIN.—Professor T. Gailard Thomas says, "The rule should be to employ an anæsthetic in every case of labor, during the second stage, unless some contra-indication exists. After a delivery, under its influence, patients

recover more rapidly, are freer from complications, and show fewer signs of prostration." Vide *Lecture on the Management of Women after Parturition*, in the *Richmond and Louisville Medical Journal*, February, 1869, p. 145.

P. 181. *Philadelphia Medical and Surgical Reporter*, vol. xix. p. 388; Carpenter, *Human Physiology*, p. 810; Ramsbotham, *Obstetrics*, p. 111; *Detroit Review of Medicine and Pharmacy*, March, 1869, p. 150.

P. 185. THE MOTHER.—Dr. J. Lewis Smith, *A Treatise on the Diseases of Infancy and Childhood*, 1869, p. 28 et seq.; Dr. Thomas Hillier, *Clinical Treatise on the Diseases of Children*, p. 17 (Am. ed., 1868); Dr. Edward Smith, *Cyclical Changes in Health and Disease*; Dr. John Marshall, *Outlines of Physiology, Human and Comparative*, pp. 761, 765, 998 (Am. ed., 1868); Dr. Charles A. Cameron, *Lectures on the Preservation of Health*, London, 1868, p. 174; Dr. Charles J. B. Williams, *Principles of Medicine*, p. 480 (Am. ed., 1866); Dr. J. Forsyth Meigs, *Diseases of Children*; Dr. E. J. Tilt, *Elements of Health and Principles of Hygiene*, p. 50, et seq. (Am. ed., 1853); Dr. Andrew Combe, *The Management of Infancy*, p. 73, et seq. (Ninth ed., Edinburgh, 1860); *Report of Board of Health of Philadelphia*, for 1868, p. 43; *British and Foreign Medico-Chirurgical Review*, April, 1868, pp. 382, 454; *Southern Journal of the Medical Sciences*, November, 1867, p. 555; Dr. Thomas Hawkes Tanner, *Practise of Medicine*, p. 108 (Am. ed., 1866); Dr. Wm. A. Hammond, *Treatise on Hygiene*, p. 95, et seq.; *Philadelphia Medical and Surgical Reporter*, vol. xvi. p. 530, xix. pp. 37, 59, 119, 134, 382.



INDEX,

	PAGE
Abdomen, changes in.....	134
pain in	167
Abortion, crime of, how to stop	93
evils of	98
Anger, effect on the milk	193
Appetite, depraved	135
Arrowroot, how to prepare it for children.....	206, 218
Atavism explained	105
Bath, hour of, for infants.	213
drying skin after.....	214
use of soap in	214
value of, in infantile diseases	215
Bathing	162
Beautiful children, how to have	111
Beauty, value of.....	107
Bed, for married persons	76
most healthful.....	77
clothing of	78
in confinement.	170
Body, symbolism of	69
Boys, more born than girls	121
Blondes, age of puberty of	33
Braces, abdominal	245
Breasts, changes in	132, 168

	PAGE
Bringing up by hand.....	205
Brunettes, age of puberty of	33
Celibacy not chastity.....	50
results of	51
Change of life, regimen and perils of.....	252
Child, attention to.....	177
education before birth	147
can one cry before birth	152
Childbearing, excessive.....	94
Childbed, mortality of	180
Childbirth, imprudence after	183
to preserve form after	184
Children decreased number of.....	63
diet for.....	216
new-born weight and length of.....	181
three at a birth	128
four at a birth.....	128
five at a birth	128
Chlorosis	39
Cleanliness, curative influence of	247
Climate, effect on menstruation	32
Clothing during pregnancy	160
at confinement.....	169
of infants	211
Cold, effect of, on infants.....	211
Color of infant.....	144
Complexion	108
Conception, nature of	100
signs of.....	102
Confinement, preparations for.....	167
bed for	173
dress for	170

INDEX.

273

PAGE
 205
 33
 50
 51
 252
 177
 147
 152
 94
 180
 183
 184
 63
 216
 181
 128
 128
 128
 39
 247
 32
 160
 169
 211
 211
 144
 108
 100
 102
 167
 173
 170

PAGE
 167
 33
 61, 77, 112, 120
 96
 56
 59
 114
 110
 84
 236
 206
 216
 116
 92
 55
 116
 147
 142
 34
 71
 106
 216
 43
 161
 241
 114
 216, 218
 109
 86
 53

	PAGE
Food, during pregnancy	159
of infants and children	216
bill of fare, for.....	219
Foreigners, shall American women marry.....	62
Form, to preserve	184
Frigidity	88
Galen, anecdote of	101
Gardner, Lord, story of	155
Goftr, story of.....	129
Green sickness.....	39
Growth of children.....	235
Hair, its significance	70
transmission of	109
Hardening infants, best way of	212
Husband, age of	63
temperament of	65
character of	67
how to choose	59
how to retain affections of.....	103
Husband and wife	164, 200
Husbands, plurality of	56
Hysterics	41
Imagination, influence of, on child.....	143
Infancy, care of	209, 228, 230
deaths in	209
Infants' food	216
Infants, manner of carrying.....	228
how to lift	230
Inheritance	105
effects of	118
how to avoid	119
of talent	113

INDEX.

275

PAGE
 159
 216
 219
 62
 184
 88
 101
 155
 129
 39
 235
 70
 109
 212
 63
 65
 67
 59
 103
 164, 200
 56
 41
 143
 209, 228, 230
 209
 216
 228
 230
 105
 118
 119
 112

	PAGE
Injections	249
Intemperance, of several kinds	93
Irrigations	249
Knowledge, safety in.....	25
Labor, signs of approaching.....	171
symptoms of.....	171
false and true	172
cause of.....	172
duration of	182
dress during.....	174
how to calculate	157
how to have without pain.....	180
long	182
Late marriages, offspring of.....	251
Longevity hereditary.....	109
Longings in pregnancy	143
Love, its power on humanity	46
what is it	48
differs from lust	49
is a necessity	50
is eternal	52
at first sight.....	58
Manner of feeding infants.....	216, 217, 218
Mania, puerperal	238
Marital relations, times to suspend	83
when painful	84
Marriage, time of year for.....	72
time of month for	72,
Marriages, second	54
Maternity, perils of	237

	PAGE
Men as wet-nurses	198
Menstruation explained	30
Milk, influence of diet on.....	189
influence of pregnancy on.....	190
poisonous	191
effect of anger on	193
quantity required by infant	194
over-abundance of	196
scantiness of.....	196
value as food	43, 217
Miscarriage	136
causes and prevention of	138
Mind, changes in, in pregnancy	136
influence of	102
influence on nursing child	191
of mother, influence on child	144
the, during pregnancy	144, 163
Morning sickness	131
Mortality of infant life	209
causes of	210
Mother, the.....	185, 176
position in nursing.....	194
Mothers, influence on sons	114
Mothers' marks	139
Mutilations inheritable	117
Neck, form of	107
its significance.....	68
Night-dress of children.....	212
Night-covering of children	212
Night, the wedding.....	74
Nipples, to harden.....	168
Nubility, the age of	45

INDEX.

277

PAGE

PAGE

..... 198
 30
 189
 190
 191
 193
 194
 196
 196
 43, 217
 136
 138
 136
 102
 191
 144
 144, 163
 131
 209
 210
 185, 176
 194
 114
 139
 117
 107
 68
 212
 212
 74
 168
 45

Nursing	186, 202
care of health during.....	199
when improper	186
rules for	189
prolonged.....	201
position during	194
Nursing mother, qualities of good	195
Offspring, the limitation of	91
influenced by the mind	101
Over-nursing, signs of	201
Overlaying children, deaths from ..	211
how to prevent	211
Over-production, evils of	92
remedies for.....	95
Parr, Thomas	110
Perils of maternity.....	237
Perspiration, fetid	104
Plurality of wives or husbands	56
Pregnancy	130- 136
effect on health	165
signs of.....	130- 136
diseases of	166
double	148
length of	153
care of health during	158
causes of protracted	157
influence on the milk.....	190
Puberty, the age of	30, 31
what hastens and retards	32
the changes it works	35
mental changes	36

	PAGE
Puberty, completion of	36
dangers of.....	38
hygiene of.	42
Qualities transmitted by parents.....	108
Quickening	132
Races, mixture of	61
Religion, mistaken notions of	94
Revaccination	227
Second marriages	54
Secret bad habits	41
Sex of child, how to predict.....	152
Sexes, distinction of	26
persons of both	27
production of, at will	123
Sexual desire, indulgence and restraint of	80
moderation in	81
Sexual instinct dignity and propriety of	78
false notions about.....	81
influence on offspring.....	82
Sexuality, what it implies	26
Single life, the.....	250
Skin, culture of, in infancy	214
Sleep, at puberty	44
amount required in early life	221
during pregnancy	162
position in	163
Smallpox, death rate from	225
Soup, Liebig's	217
Spinal disease	39
Spring-time	72

INDEX.


279

PAGE




PAGE

	Sterility	85
	how to remedy	90, 91
	Stillbirths.....	183
	Stilling, Jung, anecdote of	58
	St. Pierre, anecdote of	66
	Sully, Raymond, anecdote of	258
	Swimming, benefit of.....	215
	Symbolism of the human body	69
	Syringes	248
	Talent, hereditary	112
	Teething, period of.....	233
	Temperament, transmission of.....	109
	Temperaments explained	65
	influence of	82
	Tight lacing.....	244
	Toilet, arts of, recommended	105
	Tour, the wedding.....	72
	Twins, how to predict	153
	why born	126
	Twin-bearing	125
	Thury, Prof., his discovery	123
	Vaccination, importance of	224
	age for	227
	Ventilation	162, 228
	Virgins, wet-nursing by	198
	Voice, change in puberty.....	35
	Weaning	208
	Wedding tour, the.....	72
	night, the.....	74
	Wet-nurse, how to select	203
	Wet-nursing by virgins and men.....	198

	36
	38
	42
	108
	132
	61
	94
	227
	54
	41
	152
	26
	27
	123
	80
	81
	78
	81
	82
	26
	250
	214
	44
	221
	162
	163
	225
	217
	39
	72



**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503



	PAGE
Wives, plurality of.....	56
Woman, physical differences from man.....	26
spherical.....	28
to be sought.....	56
Women, why redundant.....	120
diseases peculiar to.....	240
treatment of.....	242
Zurich, curious custom in.....	76

THE END

.....	56
.....	26
.....	28
.....	56
.....	120
.....	240
.....	242
.....	76

HEALTH BY GOOD LIVING.

CHAPTER I.

THE OBJECT OF EATING.

We eat to live ; and if we eat wisely of what He has provided who giveth us all things richly to enjoy, we shall live well, healthfully and long.

To eat wisely, we must adapt our food to our age, to the various occupations and callings of life, and to the temperaments of the system. This may appear to be a very discouraging complexity in the very outset, but it is only seeming ; for Infinite Wisdom and Fatherly Beneficence has implanted within us a kind of self-acting guide, has made it a part of our being, and, if it is wisely deferred to, and considerately followed, half the ordinary diseases of humanity would be blotted out, and a score of years added to the average duration of civilized life.

As soon as the little duck breaks its shell, it waddles towards the water, and sails away over the bosom of the tiny pond right gracefully.

The humble climbing vine will direct its course straight to the nearest bean-pole ; and the roots of flower, and shrub, and tree, as they delve down into the hard earth, will ferret out the richness and the moisture of the soil, taking the very shortest course to the more favored spots ; and so the infant, in the first hours of its existence, greedily partakes of its mother's milk, which contains in large proportions the elements which supply the first necessities of infantile existence. This wise and friendly guide to animal, and plant, and man, is called "*Instinct*," and is our kindly men-

tor and preserver from the first cry of infancy, until the fiat of the Maker calls the patriarch home to His bosom in heaven! This instinct is chiefly our guide during the undeveloped mental condition of infancy and childhood; at those accidental seasons of later life, when reason may be in abeyance from disease or other causes; and when action is necessary to the preservation of the body in the various emergencies to which humanity is subject, and which action must be taken before reason has had time to assert herself. This is familiarly illustrated in every-day life when the child, or even the man, stumbles and falls forward, throwing his hands before him, to preserve the more important part, the face, from disfigurement. The writer has seen men fall from the tops of houses and from a mile in height, and the body was always noticed to assume the shape of a ball, as if to present the smallest possible surface for the terrible contact. The cattle in the field in cold, windy, rainy weather, and in the sleet of winter, draw up the body or contract the back to a circular form, thus presenting less surface to the chilling blast. Men, in very cold winds, thus contract themselves in walking or in sitting down, in the out-doors, by which means less of the surface of the body is exposed to the wind, and, as a consequence, less heat is carried from the system. This is the work of instinct; but few, comparatively, knew the philosophy of it until explained to them as now.

It is this same Instinct, exhibited in another direction, which calls for food to sustain nature. The animal creation is probably guided by it altogether in eating, as to time, quality and quantity, and, as we see, is in a measure exempt from disease, dying more by age and violence than by sickness.

The animal, the infant, and the demented seem to be guided in their eating, mainly at least, by the instinct of a natural appetite; and if men were more under the same influence, and were less the slaves of appetites which are artificial and acquired, it will scarcely be denied that they would be largely exempt from many of the maladies which now afflict civilized society. We eat to live, and life is warmth, growth, repair, and power of labour. The first

necessity of human existence is warmth, alike indispensable to infancy, manhood and old age. At every period of life, at all seasons of the year, in the tropics and at the poles, the human body in health maintains the same temperature, which is about ninety-eight degrees, Fahrenheit. This warmth is derived from the food we eat, and that which yields heat in large proportions is called "carbonaceous," answering to one of the simple, original elements, "carbon," the more familiar representative of which is charcoal. Carbon or charcoal burnt before our eyes gives out heat; when taken into the system in the form of food, it undergoes a process of burning there also, and throws out a warmth which, diffused over the body, is called *vital heat*. The amount of such heat necessary to the health of a good sized man, and which is developed from the food eaten in twenty-four hours, would heat twenty gallons of ice-cold water to a boil, or from thirty-two degrees to two hundred and twelve.

Sugars, starches, and oils are the more concentrated forms of carbonaceous food, some of them having scarcely anything left after all the carbon has been withdrawn. And, as if to compel helpless infancy and feeble age to use the means necessary to keep the body warm enough to live, Providence has given to childhood an almost insatiable desire for sweets; and without the element of sweetness in its food, the healthiest born infant would die in less than a month. In vain would it nestle in its mother's bosom, in vain its exposure to the warming sunshine, and in vain the softest blankets and the finest furs to encase its body; for the warmth which sustains human life must come from within,—must be generated by the internal combustion of the carbonaceous elements of eaten food.

As we turn the downhill of life, we begin to grow chilly; the aged court the sunshine; they covet the chimney corner; or, sitting before the fire on the hearth, they stretch out their feeble, trembling arms, and spread abroad their thin and bony fingers, and, with open mouth, bent towards the cheerful blaze, as if drinking in the delicious heat; and, on reflection, it will be found that for long years there had been a growing love for meats, and fats, and butter, and oils; it was instinct leading the way for the generation of that

warmth which would be increasingly needed as years passed on, and which was to be more suitably derived from the carbonaceous elements of fat and oils than from sweets of sugars, so coveted and so rioted in by children; and it is just as unphysiological, and just as unwise, to deprive the old man of the fat meats on which he luxuriates, as to deny to childhood the sweets which constitute its heaven; hence the prejudice which deprives the young of sweets is founded in ignorance. Childhood must have warmth, and wise nature has implanted within it an overpowering appetite for the sweet foods from which that warmth is to be generated. Reason must be the guide, as will be seen hereafter, as to the times, and quantities, and qualities of the sweets to be taken.

It has now been shewn that we eat to keep ourselves warm. In Table I., at the end of this book, some of the more familiar and common articles of food are named with the amount of the carbonaceous principle in each. Not that we are to eat mathematically, by square or compass, by weight or measure, nor by any inflexible rule; those who do so will die early. There is not a straight line in all nature. A loving Providence has created us with wonderful adaptabilities; has allowed us a liberal margin of action; that by the aid of reason we may accommodate ourselves to the various exigencies of human life. He has not placed us in this beautiful world to be put in a strait-jacket. He has not made it death to us if we eat a minute before we are hungry, or drink a drop beyond the wants of the system, but has given our constitutions a certain pliability by which they are able to adapt themselves to the emergencies incident to our earthly condition.

We must not only eat to keep warm, we must

EAT TO GROW.

The blade of grass of to-day is taller than it was yesterday; the sapling, larger than a year ago; and the huge oak stretches its giant arms higher in the air, and wider, than a century since. All these grow in part by feeding on the air, by drawing its component elements to themselves, then con-

densing them into more solid substances, which are incorporated with themselves, and thus become part and parcel of the living body ; but, at the same time, the little roots below stretch out their tiny tendrils deep and broad, and by a mysterious agency dissolve the solid earth and its more solid metals into fluids and thinner glass, and then drawing them up into the growing body, they become solidified, and make a part of the living whole. In ways like these, atom by atom is added to the blade, and stalk, and towering tree, and thus do they grow day by day. Hence vegetation eats to grow, by appropriating exterior unliving things to its own living uses ; it takes the inanimate earth and air, and makes them a living part of its living self, and in turn is appropriated to the sustentation of a form of life as much higher than itself as it was above the baser dust on which it fed ; for upon this lower life of grass, and herb, and tree, the cattle on a thousand hills are fed, and they at last are given to man to eat, and thus become incorporated in turn into a still higher existence, are made a part and parcel of the living embodiment of man ; a candidate for an immortal state beyond, at so infinite a remove above the beasts which perish, that he is even now but a little lower than the angels, and is ordained to have a nobler name, a higher place, and a grander destiny than they !

In a deep, damp, dark dungeon, writes a lady of world-wide renown, I saw him chained to the cold, slimy stone floor ; his largest liberty was three steps back and forth ; that ugly clanking chain never by any possibility allowed him to go further ; and all day long, and sometimes all night, for so many mournful years, the weary, naked foot had fallen on the same hard spot on that pitiless stone, and had worn into it a deep hollow ; yes, the solid stone had worn away, but not the soft skin of that unhappy prisoner's foot ; it gave no sign of wearing out. The stone was dead matter, and when a portion of it, ever so infinitesimally small, was worn away, there was no power to replace it. The sole of the foot was a living thing. It wore away faster, much faster than the more solid stone ; but as soon as one particle was displaced, another was deposited in its stead ; as when a soldier falls in the front rank of battle, his brave

comrade from the rear takes his position, and the line remains always full. This particle supplied to the worn foot is brought to it in the blood which circulates to every pin-point of the body, but that particle is supplied from the food eaten. Hence, we not only eat for purposes of warmth and growth, but

WE EAT FOR REPAIR.

All machinery, the most perfect piece of mechanism which ever came from human hands, will wear out, because there is friction. Its cogs, its wheels, its bearings, its axles, and its cylinders all move upon one another, more or less directly. Such motion implies friction, and friction causes loss of substance necessarily. Millions of money are expended every year for the purchase of oils and other lubricants to lessen the tremendous wear and waste in the running of our locomotives, the trains on our railroads and the machinery of our numberless mills and manufactories. But the living human body came from the hands of the Infinite One. It is the perfection of mechanism, and has within itself the power of growth and development; and more, it makes it own repairs and provides its own lubricants; it works incessantly day and night, summer and winter, seed-time and harvest, for a hundred years. It never stops, it never wears out, until the work is completed for which it was made, and the Master-builder bids it run no more! It is made of its hundreds of muscles, and bands, and sockets, and hinges, and pulleys, all playing upon or dragging across each other. The very smallest of these motions involves waste; indeed, not a single crook of the finger, not a bend of the arm, not a twinkle of the eye, not a thought of the brain, but is at the expense of some solid portion of the human machine; and yet, at the end of a century, it remains a whole in all its parts; while the most perfect constructions of man come to a dead stop in a very few months, and would stand still forever unless some new cog, or pin, or pulley was supplied. But the tongue which speaks to-day, spoke a hundred years ago just as well, and the eyelid winks as easily at four score as in infancy; it does not even wink tiredly. And all this, not because there is no wastes of substance in this wonderful

frame of ours, but because they are as promptly repaired as made.

We not only eat for warmth, and growth, and repair, but for the generation of those internal forces of brain and body, of thought and action, of voluntary and involuntary motion, which together constitute man's efficiency as an immortal being. All now understand that food gives nourishment, and nourishment includes warmth, growth, repair, and strength or power to work as to body and brain. The ordinary articles of food have one or more of these elements in varied proportions. Some have all, as milk and eggs, and bread; and the instincts of the race have led to the adoption of these as articles of food the world over. But whatever we eat, three things must be supplied to us daily, carbon to keep us warm, nitrogen to give us flesh and strength, and salts, which, in combination with carbon and nitrogen makes them nutritious; these "salts" are represented by the ashes which are left if we or the food we eat were burned up. And any article of food which combines in it the three elements named, carbon, nitrogen, and salts, gives the idea of perfect food, of which bread, and meat, and milk are the most familiar samples.

POWER TO WORK.

The power for bodily labor and mental effort must be supplied from food which contains nitrogen, expressed hereafter by the single word *albuminate*, from its resemblance to albumen, the most familiar representation of which is the white of an egg. If the blood is cold, and is then heated, a portion of it melts, and becomes fluid; this is called "albumen." All understand that the blood is our life. It is the blood which builds us up, which gives animation to the whole human system. The element which does all this, is the albuminate portion; and this principle is found in all the food eaten by animals and men; it is found alike in plant, and bush, and tree; in the sap, and seed, and fruit; and more especially, and in largest quantity, in all the grains from which we make bread, which, from this fact, is emphatically the staff of life.

Foods which are rich in carbon, which give only warmth, such as starch, sugar, fats, and oils, give no strength, nor can they sustain life long, if not combined with albuminate and salts ; hence, if a man wants the power to work day after day, he must renew that power by eating food which gives it, which contains albuminate. And this is not by any means a mere theory or conjecture. It is the observation of men who, without science, have noticed, in the employment of large numbers of laborers on railroads, that those who had the best appetites did the best day's work ; mere size was a secondary consideration, except the size of the appetite, because the more food of a mixed kind, such as comes upon our tables ordinarily, a man consumes, the larger the quantity of albuminate taken into the system. A good feeder makes a good worker, hence the poorest of all economies is the stinting of those who are employed to do work ; and not only does a man become unable to do a good day's work on a scanty allowance of food, but he requires time for recuperation ; for after you begin to feed him well, several days are needed to enable him to come up to his proper work. And what has been said of power of body, is equally true as to the brain, for the man who studies hard, must eat abundantly, else not only debility of body follows, but the brain begins to consume itself, to feed on its own substance,—many a man has thought himself to death. The intense thinking made the brain feed upon itself, because nutriment was not supplied to it fast enough by generous food and a healthful and vigorous digestion ; for, as digestion fails, the brain ceases to work clearly, legitimately, logically, and to advantage. There is a consumption of the brain as well as of the lungs, and both mean death, unless wise remedies are applied, and in a timely manner.

The amount of power supplied to the human body in the course of a life-time from the food eaten will strike the unreflecting with amazement. Leave out of the account all the steps a man takes during his threescore years and ten ; leave out, too, all the work he does with his hands, and all the turnings of his body ; and take into calculation the force which only one little organ expends during a life-time, the busy, busy beating heart. It beats three thousand

million times without a stop, and, in doing so, propels from itself to the farthest extremities of the body which it serves, half a million tons of blood! and in every such propulsion exists a force represented by thirteen pounds. We eat for power to work.

only warmth,
ngth, nor can
buminate and
ork day after
l which gives
by any means
ation of men
mployment of
ose who had
ere size was a
e appetite, be-
mes upon our
ne quantity of
eder makes a
s is the stint-
and not only
y's work on a
for recupera-
veral days are
work. And
true as to the
t abundantly,
e brain begins
nce,—many a
ense thinking
ment was not
ad a healthful
ls, the brain
and to advan-
as well as of
remedies are

a body in the
ll strike the
the account
re years and
h his hands,
o calculation
luring a life-
ree thousand

CHAPTER II.

WHEN TO EAT.

THE instinct, observation, and experience of civilized society have led to the practice of eating three times a day, —morning, noon and night. Circumstances, habit, necessity, have caused the appointment of different hours for eating, in some cases without demonstrably hurtful results; but the great general rule, as to those who work, is as above stated, and for them the best time for

BREAKFAST

is the early part of the morning, before they go out to their daily labour. A habitual compliance with this single, simple rule would almost exterminate the greatest scourge of the Western Hemisphere, *fever and ague*; and this would of itself be a blessing of inconceivable value. Any reader who was in the habit of spending a night now and then with the hospitable old Dutch farmers around New York forty years ago, will remember that it was a custom among many of them to breakfast by daylight, especially in the winter-time, and very early in the morning in summer; who were healthier, and lived longer, than the old Knickerbockers?

In the earliest years of the writer, in the great Mississippi Valley, the word—

ANTI-FOGMATIC

was an expression of every-day life, which carried with it a practice of great value. It then meant an "early dram," a good drink of honest whiskey, for it was in the very heart of "Old Bourbon" where these things transpired; but the appellation originated in the custom of taking something into the stomach very early in the morning, when the damp

and pestiferous fogs and bad airs hung low over the country and the town ; for it came by degrees to be observed, that those who ate something very early in the day, were exempt from fever and ague. When it was not convenient to prepare a regular breakfast, it was thought something in its place might answer the same purpose ; and the most convenient substitute was a drink of whiskey, which then and there was very cheap, about two dimes a gallon. The "tavern" was the "grog-shop" in those days ; but even at that early time there was something in a name, and some respect for appearances ; and the sturdy old fellows, not willing to acknowledge they were going to get a drink of grog, would speak of it as an "antifogmatic," a rude combination of words intended to mean something which nullified the effects of the early morning fog upon the general system ; and a good many of those men who took their antifogmatics every morning, lived to the age of sixty, and seventy, and eighty years.

In one of the hottest of all hot summers ; in the sickliest locality of all sickly places in the United States, so sickly that it was called "the natural burying ground" ; on the low-banked, stagnant, and slimy bayous of the South,—then and there, where death was so common, and sudden, and frequent, that men thought human life a mere bauble, and, not satisfied with the fearful fatalities of sickness, rioted in their desperate recklessness, and were hewing each other to pieces with their bowie-knives, for it was then and there that "Jim Bowie" lived,—in such a summer, in such a place, the author, fresh with his diploma, first began the practice of medicine. Riding day and night, early and late, through broiling suns and drenching rains ; prompt at every call from one plantation to another, from country to town, from swamps to pine hills ; sleeping night by night on the very bank of the most sullen and stagnant and slimy of all the bayous of that region,—he never was sick for one single remembered half second. He never left the house under any circumstances, never went outside the door after daylight, until he had taken his breakfast. While one class of persons "died off like sheep," it was noticed that another class did not die at all ; they lived and lived on indefinitely long,

and finally dried up. Some of them the author knew ; they were old thirty years ago, are apparently no older now—the French Creole planters ; they would have a cup of strong hot coffee brought to their bedsides every morning before they rose to dress.

The principle under discussion is one of incalculable practical importance, especially in new countries, in all flat lying lands, on all river bottoms, and wherever vegetation is rank, luxuriant, and of rapid growth ; hence pains have been taken to present facts which cannot be disputed, and if they but make a just impression on the mind of the reader, the practical carrying them out will bring its own reward. Here, in a Northern State, in a Western State, in a Southern State, one practice, adopted by different nationalities in different latitudes, was followed by the uniform result of a remarkable exemption from diseases which prevailed in every direction among those who neglected that practice, to wit, of taking something into the stomach very early in the morning after a night's sleep.

WHY AN EARLY BREAKFAST ?

The longer the interval between eating, the weaker does the body, as a whole, become ; and so with each individual member and organ. Five or six hours is the usual average between breakfast and dinner, and between dinner and supper ; and the reader is conscious of a weakness or faintness commonly preceding the eating hour, especially if work of body or brain has been done.

Another observation has been made, that after a meal, in health, we feel better, stronger, more vigorous. But from supper to breakfast there is an interval of ten or twelve hours, about double that between the other meals ; and although there may not have been as much thought or work as between the others, still there has been enough to leave the body more or less faint or languid, as witness our own sensations when we are about getting up in the morning ; witness, too, our indisposition to activity or labor for some time after rising.

In proportion as the body is debilitated, every individual

part, member, or organ shares its proper portion of that debility. The whole body being more or less debilitated in the morning soon after we get up, the stomach and the heart are proportionally weak.

In proportion as the body is debilitated, it is susceptible to the influences of disease; this is true the world over, and is admitted alike by all classes of practising physicians and all schools of physiologists. Not only is the body more liable to disease in the morning from the long fast of the night and the consequent debility attending it, but it is more liable from the want of vigor of the circulation of the blood; it lacks power to repel disease and all destructive agencies. The man who starts out in the morning without his breakfast to cross the Pontine marshes near Rome, will die of disease in a few days,—of some form of malignant fever. He who takes a hearty breakfast, and rides through without a halt, will suffer no harm. Very ignorant people in Rome know this, although they may not be able to account for it philosophically.

When food is taken into an empty stomach, it is said to "stimulate" it; that is, the very contact of what was swallowed, with the coats of the stomach, excites a greater, a more active circulation of the blood, and in a very few minutes the body feels more or less of the strengthening influence of the nutriment derived from the food; hence there is increased action and strength all through the system, which has the effect to prevent the mischievous ingredient of the air from entering the circulation of the blood, for by entering, it becomes a cause of impurity, of stagnation, of poison, and of death.

Men have been able to discover the laws of action of the poisonous ingredient of the early morning air upon the debilitated body and the unresisting stomach; but every effort has hitherto failed to discover any of the physical properties of that ingredient. It has been so subtle that a bottle of the air has been taken and analyzed by the best chemical tests known, and the air so taken has not been found to contain any other ingredient than portions of air of the healthiest regions. This proved, not that there was not an additional element in this disease-producing morning

air, but that human skill and ingenuity could not detect it ; at the same time, the laws of its action were determined, and also the agencies by which that action could be antagonized with uniformity and certainty, as will be more specially detailed in treating the subject of "Miasm," in subsequent pages. Here it only concerns us to know that in temperate and tropical latitudes the ill effects of early morning air on the human system are measurably avoided by taking an early breakfast, warm and nourishing ; the theory being that food, or whatever drink causes a healthful stimulus or stimulating action in the stomach, does, at the same time, give the system power to resist the ill effects of the agencies in question. Thus far as to the healthful effects of taking an early breakfast in warm weather ; for it will be seen hereafter that the malignant ingredient which is present in the morning air in warm weather, is wholly absent in cold weather, unless in circumscribed localities, as within houses where a warmth is kept up sufficient to generate the specific poison alluded to.

BREAKFAST IN WINTER.

It promotes health to take a good warm, nutritious breakfast early on a winter's morning, because the heating material taken at supper has been used up during the night ; and if not early supplied in the morning by more food, the whole body is liable to cool down to a chill, which may produce inflammation of the lungs, and death within five days. Little children and old persons, and the feeble of every age, having but a small surplus of heat in winter, are especially liable to inflammatory diseases by being kept too long, in cold weather, without food. From supper to daylight is a long enough interval without food, except to the robust, active, and vigorous ; and even these latter are the safer for the shorter interval which the early winter breakfast gives.

Not only is health endangered by a late winter morning's breakfast allowing the system to cool down to a point too low for safety, but it occasions a loss of time in getting the internal heat raised to the safe and healthful standard ; for as long as a person feels cold all over, no work either of brain

or body can be performed to advantage. But the shorter plan is for any person of intelligence and observation to test the fact in his own person ; and then, having seen the demonstration of the truth, he can never be in doubt again, and will always feel fortified and strengthened, in after life, in having the right plan carried out as to all those who may come within his control.

But it is an economy of time also, to take an early breakfast in all seasons ; for then the first strokes of work are not only more vigorous and telling, but the strength of the system is not allowed to go so low, to become so used up, that valuable time is lost in bringing it to its natural and healthful standard ; all of which can be put to the test of practical experience in any two mornings, by such readers as want to know things for themselves ; for few indeed are the learners from the experience of others, and in a sense it may be said, as to matters like these, that we know only what we have experienced within ourselves.

THE BEST SUPPER TIME

is demonstrably, especially in warm weather, half an hour or more before sundown ; not as a mere convenience, nor is it a far-fetched theory ; it is a necessity in the very nature of things, if we wish to avoid a great variety of diseases.

First. Whatever elements of disease are found in the morning air in warm weather, are present also in the air about sundown, more particularly explained under the article about " Miasm."

Second. If supper is always delayed too long, the work of the afternoon has so exhausted the strength, the power to work, of the food eaten at dinner, that the system is left weak, and chilly, and cold, while the circulation is languid, and the spirits are depressed, as any one may perceive in the uniform dead expression which pervades the countenance of all workers when they reach home at night, and before supper has been taken. Every observant reader has repeatedly noticed two things : first, taking a meal increases the warmth of the system, even before it is finished ; second, it is attended with an enlivening influence on the mind, and heart, and

spirits ; while a third fact has forced itself upon the most unobservant, that, during a great part of the year, there is more or less of an ugly chilliness or heavy dampness pervading the air about sundown. These three facts, therefore, compel us to the conclusion, were there not more imperative reason, that the better time for supper is a while before sundown,—better for the head, the heart, and the body.

DINNER TIME

should be at noon, as to the great masses of society. An unfortunate necessity may impel some business men in the large cities to take dinners late in the afternoon, and some may follow the practice with apparent impunity ; but the risk and responsibility are their own, and there it is left, at least for the present. As a common thing, persons cannot take into the stomach more food than will last six or seven hours ; if more is taken, it cannot be acted upon to advantage by the stomach, nor can the person work well. Ordinary labor exhausts the strength contained in a common meal in the time specified. Persons may habituate themselves to eat more and to work more ; but taking everything into account, families, consisting of old and young, of strong and weak, of the robust and the sickly, will find it most convenient, as an average, to eat at about six hour's interval ; and this, with an early breakfast, brings the dinner at noon. The work since breakfast whets up the appetite for dinner ; the work after dinner grinds up the food, manipulates it in such a manner as to enable the body not only to obtain from it the power to work in the afternoon, but to give something of a surplus, to answer the wants of the system during the night, in connection with a light supper. Hence the world over, the noon dinner is the great meal of the day ; it supplies the wastes of the forenoon's work, and, as just said, gives power to labor through the afternoon.

LUNCHEON.

has had no place in these pages ; it is the common enemy in cities and large towns, for it engenders afflictive diseases

in many, and to not a few it is the fruitful cause of moral and social ruin and a disgraceful and premature death, as we shall see. The word means a lump of food eaten at not a regular meal. It is an eating "between times;" and as this is the main and most frequent cause of our national disease, "Dyspepsia," called at other times "Indigestion," the latter being from a Latin word, the former Greek, it is well to give the whole subject a critical investigation. In a chapter answering the question "When shall we eat?" it is pertinent to consider the kindred inquiry, when not to eat. All know that the body as a whole cannot work always, must have rest; so every portion of it must have rest. It does not require much effort to wink the eye, and yet it becomes tired if winked in quick succession for a minute or two.

The stomach is a combination of muscles, hence it is called an organ; it is in the nature of a machine, and all machines wear out very soon if rest is not allowed. The work which the stomach performs is to prepare the food for yielding its warmth, growth, strength, and repair to the whole body. A part of these are almost instantaneously withdrawn from the food while it is in the stomach; other parts, in its progress through other portions of the body downwards. It has been ascertained that an ordinary meal is digested, as far as the stomach is concerned, in about five hours; at the end of that time all the food has been passed out of it; it is empty, and in a sense goes to sleep, but not for long, for in an hour or two certain vessels connected with it become filled with a fluid, and their distention causes the sensation of hunger, and we want to eat again; no sooner is this done, than these vessels which caused the sensation of hunger, empty their contents in among the food, dissolving it and preparing it for yielding its nutriment to the system, as before described.

But if more food is eaten before the stomach has been emptied, the process of digestion is arrested as to the food which was first taken, and does not go on until the food taken later has been brought to the condition in which the first was, and then all goes on together.

It is, however, a law of our nature, that if the food

taken into the stomach remains there too long, being kept as it is at a temperature of about a hundred degrees, it begins to sour, just as any moist food would begin to sour if kept warm, neither hot nor cold, for the same time; by becoming sour, this food rots, is unfit to give nourishment and strength, and hence does not answer its legitimate purpose.

Another ill result is, the food being imperfectly digested, it gives an imperfect nutriment; and as this imperfect nutriment is the material out of which new blood is made, that blood is imperfect and impure; but, being distributed all over the body, it not only does not meet the requirements of the system, but causes an unnatural sensation or condition of things wherever it goes, more particularly to parts which, from any cause, have been injured or debilitated. Hence there is found an easy explanation of the many and varied complaints which dyspeptics have; scarcely any two being alike in the combination of their symptoms; all, however, agreeing in one thing, that they are wretched, that life is a burden, and enjoyment impossible.

This subject will be further pursued when Dyspepsia or Indigestion is more especially treated, the object in the remarks now being made to impress on the mind the necessarily injurious effects of eating between meals, for the obvious reason, the stomach has no time for rest, and must, like the body itself, or any individual portion of it, if kept constantly at work, lose its power of working, by being "worn out," exhausted, and destroyed.

"EATING DOWN-TOWN"

is a form of luncheon which business men adopt in some of our large cities, especially in New York, from apparent compulsion, it being considered impracticable to leave their employments in the middle of the day, when even minutes are sometimes of great value, for the purpose of dining with their families up-town, which would involve a clear loss of two or three hours. There could be no enjoyment in such a meal, because there would necessarily be an impending sense of hurry, and more of uneasiness and anxiety

to be at their business places, which sensation would alone be a very important power in generating dyspepsia of the most aggravated kind within a few months.

But the tendency of down-town luncheons upon the health and morals of all, ought to be pointed out, with a view to impress the reader's mind with the importance of devising some remedy for evils so great and so inevitable. Every merchant proposes to himself a general plan of "taking a snack," a "hasty plate of soup," or some other form of light repast at noon, so as to prevent the stomach becoming too empty, or the system from too great exhaustion from the long interval between breakfast and the regular dinner at four or five o'clock, or later. The object is good, and the philosophy of it is founded on true physiological reasons; but the manner of the performance makes all the difference in the world. In the first place, there is no regularity in the lunch; and regularity, order, is Nature's first law. Every business man will confess that the emergencies of trade and traffic are such that the time of taking lunch varies several hours, and sometimes is forgotten altogether, until it is too late to take one without interfering with the regular dinner in the afternoon. There is no habit of the body, no function of any organ, which will not be injuriously affected, if not destroyed, by irregular action or working. All know the value of regular sleep; and yet cases are given in medical works where persons have become deranged by continuously broken sleep, or have fallen into such a habit of wakefulness, that an uneasy sleep of three or four hours was all that could be had in any twenty-four. Nature can never be baffled with impunity. Perhaps no other one thing engenders so many and such a variety of diseases as constipation of the bowels, which is brought on, in innumerable cases, by the person resisting the calls of nature, for the sake of some fancied convenience or some unwisely imagined necessity. If this is done, even for a short time, Nature seems as it were to become indignant, and calls no more; and a habit is set up which will make the subject a martyr to some form of human suffering as long as life lasts. So with hunger and the stomach; if the sense of hunger is resisted, if the stomach is not supplied

with food at stated times, it loses its tone, its vigor, its power to work, and dyspepsia follows, to sour the disposition, to irritate the temper, to depress the spirits, to change the whole moral nature, causing unhappiness, not only to the sufferer, but more or less to all those who may have to meet him in business or in domestic life.

THE INSIDIOUS ENEMY.

Men do not dine down-town long, before they get into the habit of "taking something" at their meals. In fact, most of the eating-houses calculate to make as much in the way of profit on what their customers drink, as on what they eat; and boys, and clerks, and young men, very soon begin to feel that it looks manly to call for something at lunch. They think it adds to their importance in the estimation of the waiters to take a glass of wine, or beer, or other drink; just as a little earlier they thought it "manly" to smoke a cigar, or "take a chew." Men often invite their friends to go and take lunch with them, when it is expected, as a matter of course, some form of stimulant will be ordered; this is sooner or later reciprocated; and thus, the man who, a while ago, had taken a glass only occasionally, finds himself taking it every day; and if from any cause he does not get it, there is a disagreeable sensation of wanting something, and this is not appeased until the accustomed glass is supplied; and this is the beginning of the end, the miserable end, of filling the drunkard's grave, leaving a ruined estate, a broken-hearted wife and children in want, in destitution, and in desperation, and too often soon ready, in their recklessness, to do and dare anything. Very many cases have occurred in New York city, of gentlemen who once would have been shocked to have had a brandy bottle beside them at their own table, in the presence of wife and children, yet in a very short time have gradually fallen into the habit, at down-town lunch, of having a glass of ale, or beer or wine, ending in clear brandy.

WALL STREET SENSIBILITY.

It is said that Wall Street is the most sensitive spot on the globe. That is, it sees, on the instant, what effect

national occurrences, at home or abroad, tend to have on monetary affairs; so alive are men, and so acute, in seeing what is to their own interest. Capital is careful; and it may surprise the reader very much to know that the practice of drinking liquor in connection with lunch has become so general in New York with young men, and clerks, and others in subordinate positions, and the ill effects are so apparent, that quite a number of the largest banks in and about Wall Street have for more than a year been in the habit of having substantial lunches spread in their own buildings, under the very eyes of the more responsible bank officers, so that their business may not suffer from their clerks indulging in liquor with their lunch. And if monied men, for pecuniary considerations, expend large amounts every year to guard against the evils referred to, it is very certain that the necessity for it has been forced upon their attention by incontrovertible facts. And it is high time for parents and guardians, and even sisters and wives, to consider whether they have not a more than pecuniary interest in devising measures to counteract the mischief of dining down-town as to the male members of their household.

A physiological fact which will not be denied, is that neither body nor brain is in a condition for effort longer than six or seven hours after eating, and that to eat nothing from breakfast until five or six o'clock in the afternoon will certainly bring on serious, incurable, and even fatal diseases in a very short time. Two practical questions must then be determined. Is it necessary to be absent from home on business from morning until night? This question must be decided on the responsibility of the individual most interested. If it is necessary, as it is undeniably hurtful to study or work so long without food.

WHAT SHALL A MAN DO

who must be in business, and who has a family to support by that business? He must either have a regular dinner at noon, and a light supper with his family when they take their five o'clock dinner, or he must take a safe lunch at noon, take a regular dinner with his family not later than five, and

s vigor, its
the disposi-
s, to change
not only to
may have to

get into the
In fact, most
n in the way
n what they
y soon begin
ng at lunch.
estimation of
other drink;
" to smoke a
eir friends to
ted, as a mat-
ordered; this
e man who, a
finds himself
e does not get
g something,
glass is sup-
the miserable
ruined estate,
n destitution,
in their reck-
ny cases have
o once would
e beside them
children, yet
the habit, at
beer or wine,

itive spot on
what effect

nothing whatever besides, either eatable or drinkable, until breakfast next morning. But, this is not enough; with this alone the constitution will most assuredly be undermined sooner or later. The disposition of the time after a five o'clock dinner must be adapted to the circumstances. Something must be done which will promote the healthful digestion of dinner; and something can be done which is not only physically healthful and pleasurable, but which if persisted in, will greatly promote social enjoyment and domestic happiness. It should be arranged that dinner should be over at not a later hour than six o'clock, winter and summer. The first half-hour after dinner should be spent in pleasurable conversation, in leisure promenading, or sitting in an easy, erect position, reading something which requires no continuous thought, such as the short articles of a newspaper. The better plan is a leisure promenade in the open air in suitable weather, or in the verandas or halls of the house, or in some large, well aired room, warm enough to give a feeling of comfort; for it is greatly injurious to have a feeling of chilliness within an hour after eating, as it has sometimes induced fatal consequences in a few hours. But besides this, some more active exercise ought to be had before bed-time. A "drive" answers a good purpose; a ride on horseback is much better, and, perhaps better than all, as more frequently available, is an hour's visit to a friend or neighbor's family. Such a visit, properly conducted, has a larger number of great advantages than any of the forms of after-dinner pastime named. The rather dull routine of family employment is pleasantly interrupted by a social visit. There is an exhilaration in the exchange of items of news, of neighborhood gossip, and the comparison and expression of views in reference to practical life, which is in itself both interesting and useful. Many a family jar has been interrupted by the casual dropping in of a lively, talkative, and cheerful-faced neighbor; and their departure allows subjects of conversation or remark, which often obliterate nascent acerbities, and the memory of ruffled feelings. Families would be happier, neighborhoods would be happier, and society in general would be elevated, and refined, and humanized, if such interchange of visits were cultivated and practiced to ten times the extent now

customary. Many a time a neighbor's burden is removed by the hearing of greater ones which press upon others, or are made to appear scarcely worth a notice, by having another look at it from a different stand-point; and thus a blessing at least is made of what but half a moment before, in a soured or irritated state of mind, seemed an oppressive calamity. The very walk to and from a neighbor's, after tea is refreshing; has given that much more luscious out-door air to the system, and every step has added an increased activity to the circulation, and given additional elasticity to the mind, to the spirits, and to the domestic relations and affections. It often happens that going to a friend's house leaves us more contented and thankful at our own lot, in comparison with what was seen at our neighbor's, and we return to our own home better satisfied with it than when we left it an hour or two before; or something may be seen at that neighbor's table, or in the parlor, or something observed in the general surroundings, which added to our own homes, would increase its coziness or make it more convenient or attractive. An item about cookery may be learned, or the management of servants, or the regulation of the family, or the preparation or arrangement of clothing, from which both comfort and profit may be derived for the remainder of life; and, not least, a very large fund of quiet enjoyment may be had in the promotion of neighborly feeling, by making it a point to repeat all the good things and complimentary things, which have been dropped by lips away, in reference to those now spoken to. By this same thing, little, insignificant as it may seem, and so easy of performance, a very large amount of kindly feeling may be encouraged and diffused in neighborhoods, which would largely add to the general enjoyment, by promoting a mutual appreciativeness among the members of a community, the tendency of which is to cement friendships, and kindle and cultivate attachments and mutual kindly feelings, which will last through a long life, and be the means sometimes of hereditary friendships, which are to be a source of happiness to generations yet unborn; for, let it be remembered, we are social beings by nature, and the cultivation of such a natural quality will necessarily bring with it a large increase to human happiness and human good.

These things are recommended as a necessary means of promoting a more active and healthful digestion of the last meal of the day ; of antagonizing the evil effects which will inevitably result to all, sooner or later, of that tardy dinner which is felt by many to be imperative in connection with certain business customs in some of our large cities.

A man may eat a hearty dinner at five or six o'clock, and remain in-doors until bed-time, under the plea of being too tired or too sleepy to take a walk ; but, if it is not done, evil, unmitigated evil, will be the result sooner or later, and life will be cut short a score of years. Even a half-hour's walk up and down the street, or along the public highway, with a wife, a sister, or daughter, or guest, on a man's arm, after a late dinner, will bring a high advantage, will promote a better digestion, will procure a sounder sleep, and will do very much towards removing, or at least alleviating, that sense of fullness, or oppression, or smothering, which so many have experienced after a too hearty meal.

CURE OF A SURFEIT.

And if, when an excess at dinner has been committed through inadvertancy or the solicitation of over-kind hosts, or as complimentary to an accomplished hostess (for a woman feels complimented in the direct ratio of the heartiness of her guest's appetite and the amount of her provender which he disposes of) ; if, it is repeated, from these or other causes, too much has been eaten at a meal, and a sense of "fullness," as it is most frequently designated; is experienced,—it is most unwise to attempt to relieve a stomach already too full, by forcing into it one glass more of any fluid whatever, even although it be choicest wine or the purest brandy ever prepared for man's destruction. Let it be remembered, on this most every-day practical point, that the feeling of fullness or other discomfort from over eating arises from the fact that the stomach is too much distended to be able to act upon the food, so as to put it into a condition to be passed out of itself ; and a glass of wine or brandy, or even of cold water, aggravates the evil by increasing the fulness. The rational method of relief is to do some-

thing which aids the stomach in its natural action, and by which it will, in as speedy a manner as possible, relieve itself of a portion of its contents; and nothing so certainly or so safely insures such a result as a moderate walk, just active enough to prevent a feeling of chilliness and to secure a very gentle glow on the surface, or the slightest perceptible moisture, felt by the hand being placed on the forehead. A violent walk, a race, or a horseback ride, on a full stomach, aggravates the evil with perfect certainty; but a leisure walk causing a little moisture on the skin, and kept up until the feeling of relief is very decided, is the only philosophical method of getting rid of a surfeit. Medicines can be given which will accomplish the object in a very few minutes; an emetic will empty the stomach in double quick time. A good dose of castor oil will send the engorgement in another direction with railroad speed, but at the expense of a shock to the system which sometimes induces convulsions and death in a few hours, or leaves debilitating consequences, not to be recovered from, in some cases, for many weeks. Besides all this, medicine, even the mildest, is essentially a poison, and effects a desired result in proportion to its poisonous quality. It cures by setting up a disease greater than the original which it seeks to cure, and hence ought to be resorted to only when, in the judgment of a competent physician, it is necessary; hence the earnestness with which it is urged to use the safe, and mild, and certain means of a leisure out door walk, or other form of gentle exercise, for an hour or so after a late dinner, as a means of enabling the stomach to empty itself, and be at rest, by the time the body, as to all other parts, is ready to take its repose on the couch for the night, and thus secure a sleep which has in it no startling dreams, no dreadful nightmares.

HOW WALKING PROMOTES HEALTH.

Physiologists have ascertained that every step taken has an appreciable effect in promoting the activities of the whole alimentary canal, including the stomach and bowels. Their natural activity is health; their want of that is disease always, everywhere, and inevitably. Too great an activity of

the stomach and bowels is cholera, and all know that locomotion in the first stages of cholera is certain death; hence absolute rest on the bed is enjoined by all classes of physicians, because every step increases the activity. If, then, walking promotes a more active state of the bowels, when the condition of the system is such as to require increased activity, every step taken is to that end. Hence every step taken leisurely after a meal has been eaten, helps the stomach to get rid of it, by digesting it more rapidly, thus preparing it for a more speedy distribution throughout the system, for purposes of nutrition, warmth, strength, and vitality.

But there is another reason why a leisure walk or friendly visit to a neighbor is healthful, in connection with a late dinner. It relieves the system of a portion of its solid material in the shape of insensible perspiration, and the over-filled stomach participates in that relief. An effort has been made to show how gentle exercise benefits the body after a late dinner, or after any hearty meal; but any one may demonstrate it in his own person by comparing the sensations of two consecutive days at ten o'clock at night, or on the subsequent mornings, when a hearty late dinner has been taken, with such a walk following as has been recommended, and an equally hearty dinner without such a walk.

A CHEERFUL MIND.

Whatever may be the benefit of a leisure walk after a hearty meal, that benefit is very greatly intensified by performing that walk in company, especially if a joyousness of spirit is present, and is promoted by lively, exhilarating conversation, by mirthfulness, and a hearty forgetfulness of all disturbing thought as to business engagements. It may be safe to say that the benefit of exercise is doubled by its being taken in a jovial, joyous mood.

If several hours after a late dinner, were every day, as often as a late dinner is taken, spent as above, alternated with attendance on public meetings, lectures, parlor amusements, and other forms of agreeable pastime, late dinners may be made compatible with good health and a genial old

age, if wisdom and firmness are habitually shown in taking at noon

A PROPER LUNCH

suitable for all classes of business men, travellers, sportsmen, and others who cannot conveniently take dinner at noon, which is simply a "sandwich," with half a glass of water and an orange, or an apple. The term just used was applied to a favorite dish of the Earl of Sandwich, which was originally two pieces of bread and butter with very thin slices of ham or other salt meat between them. It is well to state how a sandwich may be best prepared, as it comes in place under a great variety of circumstances, and may be made delicious, if proper attention is given to its making up. If this is done, it is good enough for a king, and will be very much relished by any one who has been employed five or six hours in labour or brain-work.

A DELIGHTFUL SANDWICH

is made thus: Take two pieces of light bread, spread with butter. Between these, place very thin slices—three or four of them are better than one thick one—of salt or fresh meat, turkey or chicken, or a slice of each. If the sandwiches are for a party or for the table, several should be prepared and put in a pile. Press them with a clean board, so as to make them stick together, and trim the edges neatly with a very sharp knife. Wrap them firmly in a white, damp cloth, and put them in the picnic basket, where they will remain without jostling; or, if for the table, put them on a plate and cover them with a damp napkin until used. But, for one person, two ordinary pieces of bread and butter and several very thin slices of meat are enough; for it is not intended to be a full meal, but only enough to stay the appetite, so as to prevent the strength from going too low, and the appetite from becoming voracious.

To take this sandwich lunch with really beneficial and healthful results, it should be eaten about noon at some regular hour; not to make one's self a slave to the minute, but aim to have it within any hour, say from twelve to one, not

sooner than twelve, nor later than one ; this gives the business man the margin of an hour. It should be taken in an apartment alone, so as to be free from interruption or mental distraction, so that it can be eaten leisurely, quietly, and with deliberation ; then it will be thoroughly chewed, and will pass into the stomach without haste.

It may appear to be a small matter, but it is not, to insist that the lunch should be taken in a private apartment, where no one can intrude. A gentleman would scarcely care to have a friend, or customer, or client, or patient come bolting into his office to find him eating a piece of bread and meat, or be compelled, in his haste, to cover it over with a paper, or slide it hastily into a drawer, and feel as if he had been doing some little, mean thing ; any interruption of this kind would inevitably occasion a mental perturbation or flutter, exceedingly unfriendly to a healthful digestion. It is at all times of considerable importance that we should eat with quiet deliberation, or with an exhilaration of spirits, so as to keep all the fluids of the system in healthful activity. If, on the other hand, the mind is flurried or the lunch is taken hastily, the result is the same ; the nervous energy which ought to have been expended on the food is used up in the brain, in the mental activities, and the food is not digested ; it remains, in a measure, unaltered for hours. The regular dinner comes on ; we do not feel hungry, for the very good reason that there is food already in the stomach ; but as it is dinner hour we think we must eat anyhow, that it would be too long to wait until next morning ; and we do eat the dinner, mixing fresh food with what is in part in a state of decay, of chemical decomposition, or, in plainer terms, in a state of rotteness,—when there can possibly be no other result than a most unpleasant feeling of fullness, or oppression, or nausea, to be followed by a night of dreams, of unrefreshing sleep, and a “miserable” tomorrow, with entire unfitness for business ; it is even followed, and that not uncommonly, by an attack of cholera morbus, of bilious colic, or fatal apoplexy. Such results may sometimes be a year or two, or more, in coming ; but that they will come sooner or later to us, and are coming to those we know, at no long intervals, is as certain as any

uncompleted event can be, for nature will, at length, always assert herself in matters of this kind. These may be considered trifling things by some, but life and death often hang on trivialities such as these.

THE FATAL GLASS OF WATER.

A brave French general, overheated in having some artillery drawn up to the top of a mountain, felt himself almost overcome with thirst, and drinking freely of snow water, fell down and died instantly. Had he taken but a swallow or two at a time, at an interval of half a minute or so, no harm could have possibly resulted; and yet here was a valuable life lost by drinking a few table-spoonfuls of cold water in one minute instead of ten. So the manner in which a sandwich is eaten may be made agreeable and healthful, or be made a cause of considerable discomfort, according to circumstances.

THE REASON WHY

the lunch described, taken in the manner proposed, will result healthfully in several ways, accords with fixed physiological laws. It has been said that no man can work hard, in brain or body, with advantage and without harmful results, longer than six or seven hours. If the lunch is taken in five or six hours after breakfast, it finds the stomach empty and prepared to receive it; in fact, the man is hungry; the general system, by its own instinct, has sent a telegram to the stomach, that recruits are needed at the outposts, recruits of new atoms of matter to take the place of those which have been destroyed or used up within the last six hours, for that is the meaning of the sensation of hunger. The perfection of nutrition is hunger first, a small amount of plain, substantial food next; then follows the third process,—a healthful digestion, and a perfect blood, carrying life and strength to every part of the body. Such a meal in the middle of the day is much more healthful than a full meal, when it has to be followed by more work. A clergyman will always preach better with one sandwich between his sermons than

when he sits down to roast turkey with concomitant tempters; because, in the latter case, the nervous energy which is necessary to the digestion of a hearty meal rallies around the stomach, draining the brain of its forces. In the case of the laborer, he cannot work to advantage soon after a hearty meal, for the necessities of the stomach compel the nervous energies from the muscles of arm and limb and chest; and it is well that it is so by a fixed physiological law, for if the nervous power is withdrawn from the stomach soon after a hearty meal, life is endangered by convulsions, which will inevitably result if the power is kept away but for a few hours. Hence, by taking a moderate lunch at noon, the stomach takes hold of the small amount of food greedily and easily, manipulates it for the requirements of the system, which is at once ready to resume its accustomed labor. Gentlemen who have travelled much on horseback, day after day continuously, know full well that but a moderate amount of food must be given at noon to the noble animal; the heaviest meal is given to him after he has rested at night, or in the morning. A man, like the horse, could very easily eat a great deal more at midday, but the horse is allowed judiciously by his master; and the man can more readily allow himself by taking with him a specific or measured amount. The effect of this moderate meal is that it is wholly digested, that good and healthful blood is made out of it, and it stays the hunger of the system, and prevents that ravenous appetite which is the result of a dinner too long protracted. Thus when a lunch is taken at noon, strength is derived from it to last until dinner, while dinner itself is not partaken of ravenously; consequently it is partaken of leisurely, moderately, and time and opportunity are afforded for its easy digestion before the hour for retiring.

It is, then, not a late dinner which is in and of itself so pernicious,—not pernicious at all if the circumstances connected with it are judiciously arranged. What has made

DOWN-TOWN DINNERS

the deadly things they are, is their connection with a lunch, which is of itself a full dinner, and made more tempting and

more excessive by the liquors which are used with them and the high seasonings which make a part of them. After this full lunch, too often hasty, and taken with a perturbed state of mind, men dive again into their business, with every nerve strung to its highest tension, leaving the food to digest very slowly; in fact, so slow is the process that by the late dinner hour it has not yet been passed to the other parts of the system; and the man allowing himself to be under the hallucination that he has taken dinner, but only lunch, feels late in the afternoon that he must take his dinner, and forces it upon himself, or by strong potations gets up a fictitious appetite, which he gratifies to the full, and to his own certain undoing,—because he is not only taking a late dinner, but an early one too, which is more than one stomach can manage, and disease in some form or other, painful and protracted, is an inevitable result. It is thus seen that neither are lunches or late dinners, in and of themselves, the murderous things they are represented to be, but are made so by a confusion of ideas, and by the circumstances which are connected with them. Man is an adaptable animal, intended to live in all latitudes and in all climes, to be surrounded by a great variety of changing circumstances; and he can live healthfully and long under the equator or at the poles, if he will only conduct himself in wise accordance with his surroundings.

tant temp-
rgy which
ies around
the case of
er a hearty
e nervous
chest; and
, for if the
oon after a
which will
t for a few
noon, the
eedily and
he system,
labor. Gen-
y after day
amount of
; the heav-
ight, or in
easily eat a
allowanced
ore readily
r measured
t is wholly
t of it, and
at ravenous
protracted.
rived from
artaken of
ly, moder-
ts easy di-

of itself so
ances con-
as made

h a lunch,
pting and

CHAPTER III.

WHAT TO EAT.

IT has been already seen that the object of eating is to give warmth, growth, repair, and strength to the body, which things are to be derived from what is eaten, from what is taken into the stomach as food, and whatever gives the things just named is comprehended under the one word "nutrition:" whether the food eaten gives one, or two, or all of the things named, that kind of food is called nutritious. All food gives to the body one or more of three things: carbon, to warm, albuminates to give flesh or strength, and salts to make the carbon and albuminates impart nutrition. Whatever then can be gratefully or pleasurably taken into the stomach, and which, when there, can be so managed as to impart nourishment to the system in a healthful manner, should come under the designation of food, and may be eaten. Hence, in answer to the question, What shall we eat? it may be taken for reply, "We may eat whatever we have an appetite or taste for, which is capable of nourishing the body, of affording it warmth and strength in a healthful manner, that is, in a way which is not attended with any ill results." Brandy and other liquors give warmth, for they contain a large amount of carbon; and they give strength, but it is a strength without foundation; it really only enables us to appropriate from the body a part of its store of strength in advance. In one sense it is a paying or using the income before it is due; in another sense it is a living upon the principal. With a greater evil still, it leaves behind it injurious results: proportioned to the amount taken, it leaves debility; in other words, it went in debt and the debt has to be paid. Debility is not the only ill result; if its use is persisted in, actual disease is generated in various parts of the system, which either mars life and life's pleasures, or destroys it prematurely, according to the amount and

frequency of its use. Hence liquors cannot be considered food, because they do not impart the elements of food without attendant ill consequences. We may then eat of what gives us nourishment healthfully, and against the use of which as food there is no just restriction. Men can live on men; men can live on horses, or mules, or other animals, but restrictions are imposed which all good men will respect.

APPETITE.

We may eat what is nourishing, and, if there is an appetite, a taste for it, it will do more good than if taken with repugnance; it is more easily digested and prepared for imparting nourishment and life to the body.

There are somethings for which we seem to have a natural appetite. The infant loves milk the first day of its existence; the various preparations of bread and eggs and fish seem to be eaten with a relish by all nations; so are the fruits of the earth; but, men, and animals also, can be educated to eat, and eat with a relish, what once there was a decided aversion to even taste. Hence there is a natural appetite and an educated appetite; the latter is liable to be the cause of great mischief, as when persons learn to eat tobacco, clay, slate pencils, and the like. It would not, therefore, be correct to say that we should eat whatever there is an appetite for. The general statement simply is made, that we should eat what imparts healthful nutriment to the body. This is intended to apply to those who are well,—who enjoy good health. There are individual cases where it is advisable not to eat indiscriminately of the flesh of animals and birds and fish, of the grain of the field, of the fruits of the tree, and the various berries which grow on bushes, and the numerous vegetables which are richly supplied to our tables. Fat, as applied to man, is a disease arising from the fact that certain portions of nutriment which he receives, are not conveyed out of the system, but remain stored there, and accumulate sometimes in such immense quantities as to be of serious inconvenience to the individual, impeding locomotion, hindering greatly in the performance of daily work, causing an abiding and uncom-

fortable shortness of breath, and seeming to dispose the system to attacks of apoplexy, or other forms of sudden death. If such a person desires to reduce his weight to more convenient proportions, it becomes of practical interest to inquire

WHAT SHALL FAT MEN EAT ?

Fat in the human system is an accumulation of heat producing or carbonaceous material ; hence those desiring leanness should avoid to a reasonable extent the use of carbonaceous food, such as abound in oils, and fat, and starch, and sweets.

Another principle of action is that as a man requires a certain amount of food daily to supply the wastes of the system, if he wants to reduce his weight, he must eat less every day, than the system requires ; this would be a more speedy method than the mere avoidance of fatty foods. The bear of our country becomes fat in the autumn from the large supply of food which he finds in the forest at that season of the year, and, seeking for some retired spot, a cave, or a hollow log, he hides himself away, and, with his paw in his mouth, sleeps until spring, unconsciously, it is said, sucking it all the time. He remains the whole winter in a kind of a torpid, frozen condition ; but the fire of life had to be kept up all that time, which was done by the gradual use of the surplus fat with which he was supplied when he went into his winter-quarters ; now, instead of being rounded, and sleek, and fat, and strong, as he was a few months before, he is but little more than skin and bone, and, with the first sunshine of spring, he emerges from his winter home to hunt, and feed, and recuperate.

All know that in a very short time the shipwrecked sailor becomes reduced to skin and bone, when food has not been supplied to him. The rule, then, for the fat man, who wishes to reduce his bulk is to avoid fatty foods and eat daily less than the system actually needs, and the effects will be more palpable, if, in the mean time, he works hard or aims to spend a large portion of daylight in out-door activities. The advantage of this method is that he will not only not become weak in body or listless in mind, but

will find an amazing change in the activity of his limbs, in the soundness of his sleep, and in the life and buoyancy, and elasticity of his spirits; the brain, too, will act with extraordinary clearness, and all the sensibilities of the system will become etherealized, elevated, and refined; and in comparison with his former condition of obesity, breathing will become a bliss, and life a protracted sunshine; the only drawback will be that he will be hungry all the time, but then he don't want to be fat. Every acquisition has its efforts and its self-denials, and there is no exception in

THE ACQUISITION OF LEANNESS.

BANTING'S SYSTEM A CAUSE OF BRIGHT'S DISEASE.—Dr. Thomas Clemens of Frankfort (*Chemical Gazette*), reports three cases of his own, in which the patients had carried Banting-ism to an excess. So insidious was the invasion of the renal disorder, that when the patients first applied for medical aid, the symptoms of Bright's disease, fully developed, were found in each instance. All the cases were fatal, and each was accompanied with a rapid and profound disarrangement of the whole system, associated with symptoms referred to the brain and cord. Dr. Clemens believes that a tendency to the disease is caused by the loss of the fat of the kidney, together with an excessive supply of albuminous material into the blood.

It will aid the fat man, if some specific statements are made by which he may be able to proceed with safety and with system in attaining the object of his laudable ambition; these statements are the result of carefully conducted scientific experiments, made by eminent men by the requirements of governmental authority, hence cannot be doubted or denied.

The quickest way to reduce a man's fatness is to eat less. If he is in a hurry, eat nothing. A young man lost fifteen pounds in a few days, thus: On Tuesday, the 18th of May, he fell asleep in the steamship *Rising Star*, and the hatches were closed on him at Aspinwall; on Wednesday, the following week, about eight o'clock in the morning, an interval of nearly nine days, he was discovered on the arrival of the vessel at New York, not having tasted a particle of food or drank a drop of any kind of liquid in the interval. When discovered he was unable to stand up. Tea was given him,

but he could not retain it on his stomach; a spoonful or two of sherry wine was next administered; this was retained, and repeated at ten minutes' interval for several times; then more nourishing food was furnished in very small quantities at short intervals, and by this treatment, he recovered in a few days.

AN EGG A DAY.

It is known that a celebrated German scholar took refuge in a hay-loft from an infuriated soldiery; the next day a hen came, made a nest near him and laid an egg, which he ate; this was repeated daily for fourteen days, when the army having left the town, he emerged from his hiding place, and was able to walk to the house of a friend, having lost several pounds of flesh in the meantime. So that if a man lies still all the time, he may subsist on a very small amount of food, a common egg weighing but two ounces. If, however, a man is walking about, out of bed all day, but not working any, and is in good health, he requires a pound or sixteen ounces of nutriment. Different persons require different amounts; but taking fifty men promiscuously from any crowd, in good health, they will require from sixteen to eighteen ounces of actual nourishment; but it will take about six pounds of common food in its natural state, as it comes on the table, to yield one pound of nutriment. To make statements more easily remembered and yet sufficiently accurate, it is enough to say that while a man in good health requires a pound of nutriment every twenty-four hours, to keep him at his weight and strength, without work, three-quarters of this must be warming or carbonaceous food, and one quarter of a pound of albuminate, or muscle or flesh-making food, called also nitrates or nitrogenous food. In the experiments made, some persons lost four pounds in weight in two months; others lost two pounds only. But to show with what accuracy the experiments were conducted, it was determined to find out why some men lost twice as much as others in the same general circumstances; and it was revealed that the men who were fed on mush and milk at certain meals lost one half less

than those who took molasses with their mush ; because molasses is carbonaceous food, it only warms ; milk is albuminate, it makes flesh and gives strength, as it is one of the perfect foods, has all the elements of nutrition. If persons wish to diminish their bulk, weight, or fat, the general rules everywhere applicable to the sedentary are :—

1. Eat such amounts, morning, noon, and night, as will keep you hungry three fourths of your waking existence.

2. Let one sixth of your food be albuminate, that is strength and flesh giving, and five-sixths of the carbonaceous kind, such as give warmth.

3. If it is desired to hasten the result, either work a great part of the time in the open air, or think intensely ; for both work and thought consume the fat of a man.

HOW TO GET FAT.

It is a striking fact that most persons want to weigh more than they do, and measure their health by their weight, as if man were a pig, valuable in proportion to his heaviness. The racer is not fat ; a good plough horse has but a moderate amount of flesh. Heavy men are not those which experienced contractors employ to build railroads and dig ditches. Thin men, the world over, are the men for work, for endurance ; they are wiry and hardy ; thin people live the longest ; the truth is, fat is a disease, and, as proof, fat people are never well a day at a time,—are not suited for hard work. Still, there is a medium between being fat as a butter-ball and as thin and juiceless as a fence-rail. For mere looks a moderate rotundity is most desirable, to have enough of flesh to cover all angularities. To accomplish this in the shortest time, a man should work but little, sleep a great part of the time, allow nothing to worry him, keep always in a joyous, laughing mood, and live chiefly on albuminates, such as boiled cracked wheat, and rye, and oats, and corn, and barley, with sweet milk, and buttermilk, and meats. Sugar is the best fattener known.

Some years ago there was a very remarkable man in Wall Street ; his name was on every tongue throughout the country as “the man who made paper,” that is, signed other

men's names to notes payable to himself, and sold them to banks, bankers, and monied men in the street at large discounts. Most of the purchasers knew the names were forged; but tempted by the heavy discounts, and the "maker of paper" being known to take up his notes always before they were due, the ball rolled on and up to hundreds of thousands. It was stated on oath at the trial, and corroborated, that he always had the headache, and that he was never seen down-town without a cigar in his mouth; always thin, always complaining. He was sent to the penitentiary—was so faithful to the laws, and so attentive to his business, and withal so reliable, that a clerkship or some easy berth was given him of a very quiet, sedentary character. In the second month of his imprisonment he had gained fifteen pounds in weight. He was never allowed to smoke.

Within a year a man was charged with some infraction of the laws, and was sent to prison to await his trial, without the knowledge of his wife, to whom he had just before been married, after a short courtship. In about three months she ascertained where he was; and on being shown to his cell, she at first did not recognize him, he had "fleshed up so." These are cases among ten thousands of others which could be narrated, where persons have grown fatter on going to prison; the rules of prison-life fully accounting for the fact. They do nothing but eat and sleep. They eat regularly of plain meats and coarse breads.

From all the statements made, the conclusion is undeniable that a safe, healthful, and sure method of increasing flesh is to live a quiet, in-door life, sleep a great deal, eat regularly of plain meat and coarse breads, or any of the grains named, cracked in pieces, boiled well, and eaten with milk; keeping the system cool by the use of cold water, and maintaining a daily and free action of the bowels, which last is pretty sure to follow a diet composed mainly of coarse breads and cracked grains; because chemistry has demonstrated that the most nutritious and strengthening part of corn, oats, rye, barley, and wheat are in the outer part, in the shell or bran, which is unfortunately separated from the

inner portion, giving us the pure white and comparatively innutritious flour, while the most healthful and invigorating part, the bran, or outer shell, is thrown away, or given to hogs, horses, and cattle.

old them to
t large dis-
ames were
, and the
otes always
to hundreds
trial, and
and that he
his mouth ;
to the peni-
entive to his
ip or some
, sedentary
nent he had
c allowed to

infracton of
rial, without
before been
months she
n to his cell,
shed up so."
which could
on going to
for the fact.
regularly of

is undeni-
f increasing
at deal, eat
any of the
l eaten with
l water, and
s, which last
ly of coarse
has demon-
ning part of
ter part, in
ed from the

CHAPTER IV.

HOW MUCH TO EAT.

THE question of how much one ought to eat is perhaps one of the most frequent inquiries made of a physician ; but the reply depends on an infinite variety of conditions. The answer here will apply to those only who are in reasonable health, and eat but three times a day. To out-door laborers, as to breakfast and dinner, the general rule should be, eat as much as you want. But do not eat more than you want,—not one single atom more than you want ; for it is the ruin of life's happiness in multitudes of cases.

The domestic animals are frequently observed to leave food before them, blind instinct being their only guide ; and surely the nobler man, with his nobler reason, ought not to act with less wisdom.

When nature prompts a man to cease eating, it is because hunger is appeased ; as much food has been taken as there are stomach juices enough to take care of it. Every mouthful swallowed after that is without one drop of gastric juice to take care of it, to keep it from rotting ; and that single mouthful, being unprovided for, becomes tainted food, and corrupts, to that extent, the whole mass besides ; the whole amount of blood made from that meal is, to that extent, corrupted and made impure, and mixing with the blood already in the system, as it does in the heart and lungs, the whole mass of blood in the human body is tainted to extent of that mouthful swallowed which was not wanted, but was forced on the unresisting stomach for the pitiful purpose of "saving" what was not intrinsically worth one single cent. To "save" less than a penny, a rational man corrupts the whole mass of his blood, renders impure, makes his blood "bad ;" and all know that "bad blood" is the very fruitful cause of of human suffering, because where there is

BAD BLOOD

in the human body, it is liable to affect injuriously and painfully any portion of the system, or every portion of it, according to circumstances; hence those who eat too much are never well, are always complaining, and legitimately so, because their blood is never pure and healthful, but is always bad, always diseased, always corrupting. While it is a good rule for the man who works hard out-of-doors to eat as much as he wants at breakfast and dinner, he and all others ought to take

LIGHT SUPPERS,

if no special labor has to be done until next day. By a light supper is meant a bowl of mush and milk, or stirabout, or boiled cracked wheat, or corn, or other grain. Better, however, than all these would it be if the supper was rigidly confined to a single piece of cold bread and butter, and one cup of warm drink, of any kind of herb tea; and it is believed that nothing answers the purpose so well as the common "black tea" of commerce. Some prefer the "green tea;" but to many it has been too stimulating, and either causes some discomfort in the stomach, or interferes with the sleep at night. Many who are made restless all night by taking green tea for supper, can use the black tea without any disagreeable attendants.

Very few families have the moral courage to spread the tea-table without some addition to the bread and butter. This addition is in the shape of sauce, or preserves, or chipped beef, or sliced ham; and, at certain seasons, berries and cream are substituted. But it is undeniable that this practice of having "relishes" on the tea-table ruins the health and shortens the life of uncounted thousands; it makes our daughters confirmed dyspeptics before they are out of their teens. As to all who spend most of their lives in-doors, it is the bane of human happiness, is the universal curse of farmhouse life, and accounts for the belief of many eminent medical men, that with all the vaunted advantage of country life,

there is more sickness in farmers' families, more diseases of long standing in proportion to numbers, than in city families.

CITY HEALTHIER THAN THE COUNTRY.

The actual truth is that in the largest cities of the world, taking London as an example, the average of human life is longer than in the country.

The reason of this, as far it relates to farmers and other laborers, is, that at the close of the day they are tired; the circulation is weak and slow, the fire of life is low, they feel weary and sad, and very likely hungry. Under these circumstances they eat a hearty supper, which of itself tends to sleepiness, and that combined with the general weariness makes the tendency to sleep almost overpowering and quite irresistible. In addition, there is the almost deathly stillness at night in the country and a sense of loneliness; these combined, send the farmer to bed almost as soon as he has swallowed his supper, rarely perhaps out of bed later than nine o'clock; and while every muscle of the body yearns for rest and falls to sleep, the stomach has had a new task imposed upon it, which it cannot possibly perform short of five or six hours, which brings it toward daylight, the farmers' hour for rising, when breakfast comes on, and a new burden is imposed upon the unrested stomach—a burden which it is impossible for it to perform well; and to the extent this is not done, digestion is not perfectly performed, and the blood which is made out of this nutriment is imperfectly made,—gives out but part of its strength; the man works with proportioned effort and weariness, while the system is rendered more liable to disease, and is all the time, more or less, out of its natural condition. These effects are not instantaneously induced; but as silently and as certainly as the snowflake falls, and falls, and falls, until a mountain bank or avalanche is formed, so certainly will the elements of disease accumulate in the human system by the continued practice of eating which has been described. Such are some of the ill effects of eating late and heartily; and they are wise who will give the subject a full examination, and conduct themselves accordingly.

LEAVE OFF HUNGRY,

is not wise for workers, especially for those who labor out-of-doors, nor for such as use severe muscular effort anywhere ; but for women, and for all sedentary persons, for those who are seated a great part of the day, for invalids, and for all who have leisure, of either sex, it is a maxim of incomputable value. Such a habit would add largely to the average length of human life, would greatly ameliorate many of its maladies, and would do very much toward eradicating our national disease, dyspepsia. If an out-door laborer eats to his fill, he soon works it off and out of the system ; but those who are in-doors most of the time, have not this opportunity, and hence are liable to discomfort and actual suffering.

That we all could be well, and not eat near as much as we do, will perhaps not be denied. We all eat too much. Let the reader be persuaded to make the following experiment, and in the light of it make it the habit of his life on this point. Some day, when you have been helped at the table, stop short off when you have eaten three-fourths of what was on your plate, while you were somewhat hungry ; in half an hour you will feel as if you had eaten quite enough, and you will be no more hungry next morning than you have usually been, that is, from a single experiment of the kind.

At another time eat as much as you want, and within half an hour you will feel as if you had eaten too much, although while you were eating you seemed to have an appetite, and the food tasted well ; still you have a feeling of discomfort, of fullness, of oppression, of heaviness, or some other sensation, which causes the wish that you had not eaten so much, leaving the conviction that you had eaten too much ; and always, when this is the case, the stomach, in a sense, has not room to work ; it is so distended that it has not the power of contraction and motion, which are necessary to the healthful handling of the food ; nor are there fluids enough to dissolve it, with the inevitable result of imperfect digestion and an imperfect blood, wanting in its natural strength, wanting in its natural life.

It is scarcely possible that any person of even a moderate share of force of character and intelligence could practice for a single week the habit of rising from the table a little hungry thrice a day, and then comparing his general feelings of healthfulness with those experienced from the contrary habit of always overloading, and not be so overpoweringly convinced of the beneficial effects as to resolve that for the remnant of his days he would eat temperately, not to his utmost fill at any meal. And yet, in the fact of all this, it would not be safe to say that over one in a thousand readers of these pages will be induced to inaugurate the habit so highly extolled, simply because the animal predominates over the reason, the appetite is stronger than the soul, the body is servant of the propensities and passions ; and with all our strength of mind, with all the convictions of our rational powers, we debase ourselves to the lusts of the flesh. One of the most remarkable exhibitions of this slavishness to the love of eating that has ever occurred in human history is an item in the life of one of the world's worthies, who, as to mental power in logic and theology, is without a superior in modern history. He made this quaint confession, " Three times a day I go to the table determined to not exceed ; three times a day I come away finding that I have exceeded." Not vouching for the verbal exactness of the statement, the truth embodied is incontrovertible, that the great man who wrote an immortal work had not the mastery over his appetites, and the consciousness of it extorted the frank confession, itself an evidence of a great mind, that he frequently committed indiscretions in eating ; and this very fact may have been a main reason for his dying before he had reached his fortieth year : and philosophers, and divines, and great men of all cultivated nations have ever since regretted that he had not lived longer, that he might have given the world still greater things as the fruitage of a grand intellect. He died of small-pox, a disease which a strong constitution can withstand and throw off ; but no constitution can be strong, can have any store of vitality, where a man eats too much habitually.

EATING BY WEIGHT AND MEASURE.

is neither wise nor practicable, unless a man is a guide only for himself, because no two persons can be found of like circumstances. Age, sex, season, latitude, condition of the system, employment, all have a modifying effect. Half a pound of food would be quite enough for one person, while another might require a much larger amount. A Scotch gentleman of culture and intelligence spent three years with the Indians in the mountains beyond the Missouri, and, as a pastime, joined with them in trapping animals for their furs. He told the writer that the custom of the tribe with which he associated was to eat but once a day. They rose at daylight, visited their traps, and chased the animals until night, walking and running the whole day, not stopping to eat a morsel; but at night they would eat from nine to ten pounds of meat for supper, as a general rule, then talk around their camp-fires, smoke awhile, then lie down with their feet towards the fire. At the peep of day, they would leave their camps, and trap until night, as before. This was a custom adapted to their circumstances, and which seemed healthful.

A celebrity in Washington city, a kind of Beau Brummel, ate but once a day; and when, by being invited to an evening party, it was necessary to participate in the feasting, making a second meal to him, he would eat nothing at all the day following, so that he might average but one meal a day. He died not long since, at the age of about eighty years. These cases show the adaptability of the human constitution to different habits, under peculiar circumstances. At the same time, those who pursue a regular occupation of body or brain, and work hard, would do better and live longer by eating three times a day; because, if as much is eaten at one meal as would last until next day, it would be such a load for the stomach that nothing less than absolute rest for quite a number of hours would answer for the proper digestion of the food: like a gorged anaconda, there would be a kind of torpid, inanimate condition of the system, until the load could be worked off.

The inhabitants of northern latitudes eat incredible quantities at a time. Captain Parry weighed the food eaten in one day by a Greenland boy: the amount consumed was ten pounds of bread and meat, a pint of spirits, and over a gallon of water. Sir John Ross says that a full-grown man in those northern latitudes will consume twenty pounds of meat and grease in a day. A Russian admiral states, from personal knowledge, that a Siberian ate in one day the hind quarter of an ox, twenty pounds of fat, and a proportionate quantity of melted butter for his drink. In order to be able to make a more specific statement, the Admiral Saritcheff sent for this man with the determination of weighing the food he might eat in a day, but he had taken his breakfast already; however, he sat down to a second meal, and ate twenty-eight pounds of thick rice porridge with three pounds of butter in it. Incredible as these statements may appear to us in our temperate latitudes, they are undoubtedly true. These shiftless people have sometimes to pass days together without a particle of food, and thus, when they do get a supply, must not only make up for lost time, but also take in a quantity which may last the several days ahead which may intervene before they can obtain another supply of food. It must be taken into account, also, that in those regions of eternal ice and snow, where the thermometer often falls to sixty degrees below zero, and where they have no stoves or furnace-heated apartments, with double windows and weather strips, an immense amount of carbonaceous food must be consumed to generate the amount of heat requisite to maintain a living temperature.

As has been stated, a man may live for two weeks on one egg a day, for food and drink; so that the question of how much to eat, whether one pound or thirty at a time, depends altogether on the circumstances of the case. At the same time, the reader will desire some more specific statement, from which may be derived practical information as applicable to his own case. In this connection, it may be interesting to know how much a man should eat by measurement, who is of average size, and in reasonable health; but even this depends upon the fact whether he is a worker or an idler. It is very necessary to determine these points with

great accuracy, because, when the government has to feed a thousand or fifty thousand a day,—some soldiers, some laborers, and some prisoners, or poor-house inmates who cannot work,—it is important, in order to avoid immense and useless waste, as also to preserve the health and strength of the different classes, to know with considerable precision, even to an ounce, how much each class of persons requires.

The element of food which is required to sustain the body and give strength for work is called albuminate, as before stated; and the quantity eaten in one day should contain a full quarter of a pound of albuminate for a day laborer weighing a hundred and forty pounds. Some articles of food contain more of this principle than others. Lean meats and fish, and pease and beans contain a large amount of albuminate; fruits and vegetables have but little, but they have a great deal of the warming element, carbon, which is as necessary to life as the other; hence the wisdom of eating different kinds of food at our meals: meats to give strength, vegetables and butter to give warmth.

HOW MUCH TO EAT IN A DAY.

As an average-sized laboring man must have a full quarter of a pound of albuminate every day, he would, in order to obtain this have to eat a pound each of roast beef, potatoes, bread, milk, and fruit; but in this there would also be found enough carbon or warmth to answer the wants of the system, or a pound and a quarter; that is to say, an ordinary day laborer by eating five pounds of meat, bread, and vegetables, or mixed food, would supply his system with a quarter of a pound of strengthening elements, and a pound and a quarter of warming elements. But in the food above named there would be also a small amount of salts, which would be represented by the ashes if it were burned up; this portion of salts, although containing no warmth or strength in itself, is yet necessary to be combined with the carbon and albuminate in order to enable them to give nourishment to the system.

PRISON FARE.

In some of our state prisons about four pounds of solid food are allowed each man every day; while emigrants onship-board have two and a half pounds of solid food daily, not requiring as much as day laborers, as, instead of working, they are lounging about the vessel, or sleep, consequently make but little waste. In the American army each man is allowed four pounds of solid food, with tea and sugar, and every few days some extras,

DIET FOR THE SICK.

In some hospitals, patients who are reasonably well have one pound of bread and half pound of meat, with some tea or gruel, or, as in England, some beer. To persons not so well, the daily allowance is three quarters of a pound of bread, and a quarter of a pound of meat. Hence it is seen that in answer to the question—

“HOW MUCH MUST I EAT?”

there is all the difference between one pound of solid food and six pounds, and that a man can sustain life for weeks, if he is very quiet and still, on an egg a day, which is but two or three ounces of food. In the celebrated case of

LEWIS CORNARO,

an Italian, the specific amount of solid food which he allowed himself each day was a scant quarter of a pound of albuminate and a pound of carbon.

It is said, and generally credited, that this man, a nobleman of fortune, had so abused himself by riotous living, being a drunkard and a glutton, that at the age of forty years his physical condition was such, that medical men considered his case hopeless; that he could not live under any circumstances and that therefore he might as well live as he pleased, and enjoy himself the best way he could for the short remnant of

his days. Some accidental circumstance caused him to try the effects of a regular diet, upon which he seemed to improve, and, being encouraged thereby, he persevered in the system marked out, with the result that he recovered his health, lived an exemplary and useful life, and died lamented by the public at the age of nearly one hundred years.

The answers to the question how much to eat, depend so largely on the circumstances of age, sex, season, latitude, and employment, that it would be impracticable to name any amount as applicable to the majority of any class of persons; in fact, it is one of those questions which each man should aim to answer for himself, that answer being founded on his own close observation and sound judgment. The following rules, however, will perhaps meet all cases as to general habits:—

1. Eat at regular specified times, and at no others.
2. Hard workers, especially those who are most of the time in the open air, should eat as much as they want at breakfast and dinner.
3. Those who are in-doors most of the time, as women, literary men, and students, should never eat full as much as they want. This would be a safe rule for all sick persons also.

SUMMER DIET.

As the object of eating is to sustain the strength, and to keep warm, carbonaceous or warming food is not as much needed in summer as in winter, any more than as much fuel should be burned in warm weather as in cold. And as carbonaceous foods comprise fats and fat meats, and sugars and starches, in the form of buckwheat cakes and molasses, butter and oils, reason dictates that these should be sparingly used in summer time; and Nature by her instincts, blind though they be, yet unerring, prompts to the same abstemiousness in the use of these articles, and, as if afraid to leave us to ourselves, she takes away our appetite for them, and craves in their stead, more yearningly, as the heats of midsummer come on, the cooling vegetable, and spinach, and fruit, and berry, and melon; and not only so, but has, in her parental beneficence, arranged that these shall succeed each other in their

delightful variety. The berry and the melon have no carbon at all, and most of the fruits have but a trace ; and if man in his wisdom, even with the light he has, would but eat on the principles indicated, he might rid himself of a large share of summer diseases. But we resolutely shut our eyes against the light, and ruthlessly and recklessly pander to our passions and our appetites, to our own undoing.

The most casual observer has noticed in himself, and as to others, that as the winter disappears and the spring opens, the appetite begins to abate. As we enter the dining-room and scan the spreading of the table, a feeling of disappointment or dissatisfaction passes over us, which is too often expressed by a frown or a scowl. The reason is, our appetite is not waked up ; Nature seems to whisper that the food before us has not the elements now needed. It is the same bread and butter, and potato and roast beef ; but we have no craving for them. On a cold winter's day we would have eyed them with peculiar satisfaction, and would have sat down to the table with pleasurable expectancy ; but now we would almost as lief leave the room, but for form's sake we sit down and eat, but with no avidity. This goes on for several days with abating strength, and perhaps several undeniable feelings or sensations, or, in other words, symptoms ; and the phantom begins to arise that something must be wrong in the system. We are sensible that we have no appetite, that is, in comparison with what we have had, and we straightway conclude that something is the matter with us, and, bringing to remembrance that when we had a good appetite we were well, the conclusion is hastily adopted that the reason we are not well is because we have no appetite, and that if we had an appetite we would be well ; and, pursuing the false train of argument and conclusion, the opinion is settled upon as an undeniable fact, that we must take something to give us an appetite ; and we begin to "take" right vigorously. We take "dinner pills;" we "take" a drink ; we take some tonic, some bitters ; we take anything and everything that promises the desired result ; but the result is never reached, because the argument is founded on a fallacy palpable enough for any one to see. We are fighting against Nature, who is attempting to diminish our appetite while we are doing all we can to increase it.

SPRING DISEASES.

As the weather gets warmer, less food is needed to keep the body warm ; w, in our blindness, endeavor to keep up the same heat, to burn as much internal fuel in July as in January. If we do eat as much the system cannot appropriate it, is rejected, it is cast out ; but in making the effort to cast it out, natural force is expended which ought to have been saved, weakening ourselves unnecessarily while we were weak and languid before ; and these were the very feelings which prompted us to be doing something to make us feel better, to improve our general condition, and to increase our strength. The means we used were to force upon the stomach much larger amounts than were craved, thus imposing upon that much abused organ the additional labor, not only to expend the strength of the of the system unnecessarily, but to cause irritations, and fevers, and inflammations, which bring wreck and ruin to thousand every spring and summer,—the deaths in the warm months being nearly double those in the cooler ones of October and November. Health increases in the autumn. The health, and strength, and bodily enjoyment of all communities increases as the weather begins to cool in the first days of October ; the appetite gradually improves, because Nature sees that as the weather is getting cooler outside, there must be more fuel consumed within, and she instinctively calls for more food ; and the strength increases proportionably ; we gain more flesh, and it come new hopes and new ambitions, and a new power of action. Hence it is an indisputable physiological truth that if the instincts of Nature were yielded to in the spring ; were cherished in her desire to take less and less food as the weather grows warmer, as they are yielded to in the autumn in taking more, a very large amount of the diseases of spring and summer would be avoided. The great practical lesson to be learned in reference to the subject, a question of health and disease, yes, in multitudes of cases a question of life and death, is simply this : as the winter passes, and the balmy spring-time comes on, do nothing to increase the appetite ; eat no more than is called for ; do not

be uneasy because you have little or no relish for your food; eat less and less every day. The very best way to increase your pleasure of eating is to change the quality of the food; use articles less carbonaceous, less warming; send from your table the pork and bacon, and fat meats and oils, and sugars and starches, the sago and the tapioca pudding, and the dumplings and the rich pastries; get hold of the early "greens," the spinach, the salads, the turniptops, the radish, the early berry and the early fruit, and lean meats; pay increasing attention to the cleanliness of the skin; be more in the open air, sleep in better ventilated rooms, let your windows be raised higher at night, and your inner doors be left wider open.

KEEPING LENT

strictly, without the dispensations usually granted, is founded on a wise physiology. If all persons for a month in early spring were to abstain from all meats whatsoever, as the spirit of the doctrine of Lent requires, it would add greatly to the health of communities, by enabling the system to throw off the impurities of the body acquired by the hearty eating of winter, would cool off the heated blood, and thus destroy the germs of spring and summer diseases; and thus it is that the proper practice of the precepts of religion promotes not only the spiritual but the physical health of man. These are simple measures; they are practicable, cost no money, and are available to all; and if heeded in a rational manner, death would be kept from many a dwelling, and lifetime sorrows would be lightened in many bosoms.

CHILDREN'S EATING.

It is a painful fact that the foundations of lifelong dyspeptics are laid in childhood, leading to another truth of terrible significance,—a truth carefully educed by scientific men of all cultivated nations,—that in a very large proportion of cases, the seeds of consumption are sown in the constitution while the young are in their teens. Consumption is a disease of debility; and just as soon as the digestion becomes impaired, the requisite strength is not withdrawn from the

food, debility begins, the power to resist disease is weakened, colds are easily taken and renewed ; soon it is seen that before one is cured, another is taken ; they run into one another, a continued cold, a continued cough, the beginning of the end.

Errors of eating on the part of children have a more serious bearing on the constitution than in grown persons, because they have less vitality, less power of life ; these errors lead to a great variety of diseases, and it may answer an important purpose to state the diseases which are associated with the stomach and its connections ; all of which may be prevented by a proper attention to the eating, and may be cured in the same manner. It may be that when parents see what a long list of maladies can be avoided if a wise attention is paid to the diet of their children, they may be stimulated by fear and affection, as well as by a sense of duty, to give special supervision over their children, in connection with the food they eat.

THE DIGESTIVE ORGANS

commence with the entrance of the lips ; next the mouth, throat, stomach, intestines, and kidneys ; their functions being, first to prepare the food for the stomach, by chewing ; in the stomach it is converted into a fluid mass, which passing along the tract of the bowels, undergoes certain changes, and in this changed condition the nutritive portions are transferred to the parts requiring them ; while the refuse—the waste—which cannot be used in any way, is passed out of the body through the kidneys, and in the daily actions of the bowels at the watercloset and privy. The following are

DISEASES OF DIGESTION.

Appetite, no.
 Appetite, excessive.
 Appetite, depraved.
 Appetite, perverted.
 Biliousness.
 Cholera morbus.

Colic.
 Costiveness.
 Diabetes, or excessive urine.
 Diarrhoea, or loose bowels.
 Dysentery, or bloody flux.
 Dyspepsia, or indigestion.
 Fistula.
 Gall-stones.
 Gravel.
 Headache.
 Heartburn.
 Jaundice.
 Nettle-rash.
 Piles.
 Sick-headache.
 Sour stomach.
 Summer complaint.
 Toothache, in many of its forms.
 Throat diseases of several kinds.
 Worms—round, tape, pin.

Reckless, indeed, must be those parents who can be indifferent as to their children's food, after they have learned that such a formidable array of maladies can be prevented from entering their households by a proper supervision of what is placed before their children at the family table.

REGULARITY OF CHILDREN'S EATING

is absolutely imperative, if we wish them to grow up in good health. The point on which the exceedingly injurious effects of irregular eating depends, has already been alluded to. Order is heaven's first law. All things move better, safer, and more smoothly, if regularity and system be everywhere observed. If the stomach be too long without food, the child becomes so ravenous that it is sure to eat fast and over much, bringing on convulsions in very many cases.

If one meal is followed too soon by another, the certain result is either vomiting or acidity, tending to induce violent attacks of loose bowels of all grades, from cholera infantum to the most malignant forms of Asiatic cholera. After a child has been weaned, and up to seven years of age, there

should not be a greater interval than five hours between the regular meals of daylight ; but from weaning up to ten years, it would be better between breakfast and dinner to allow a single piece of bread and butter, or an apple, and the same between dinner and supper, or sundown. Those who would avoid the disagreeable surprise of being waked up in the middle of the night by the cries and sufferings, and oftentimes dangerous maladies of their children, will make it imperative that after four years of age they should not be allowed to eat anything whatever after supper, which should never be later for them than three or four hours before bed-time. After ten years of age, children can be very easily trained to take nothing between the three regular meals of the day.

FORCING CHILDREN TO EAT

would seem to be a barbarity, and yet very many sensible and affectionate persons educate their children, from very early years, to this same unwise and always injurious act, by teaching them that they must not leave anything on their plate, on the plea that waste is always wicked. But it is a much greater waste to crowd a mouthful into the stomach when there is no appetite for it, than to give that same mouthful to some domestic animal, to pig or poultry, or the faithful dog. If no such animals are about the house, let such remnants be given to the poor, or buried in the ground to enrich the soil, or, if thrown in the garden some insect or bird would make a glorious feast upon it. In either of these ways, every particle would be utilized ; but when crowded into an unwilling stomach, it not only cannot be applied to the beneficent purposes named, but it is a positive physical injury to the child, and endangers its life, because, as has been already stated, when there is no sensation of hunger, it is because there are no juices in the stomach to take care of any single half-mouthful that may be "forced" into it by being swallowed without a relish, or inclination, or appetite ; and in all such cases it undergoes no natural, healthful, useful change, but remains a foreign matter, to irritate, and inflame, and shock the whole system, ending many times in deranged stomach and bowels, convulsions, cholera morbus, and death.

A CRYING PARENTAL FOLLY

is to compel a child to eat an article of food for which he has no appetite, nay, may have a positive disgust at the very thought of swallowing the hated mouthful. Parents do this from the very best of motives, thinking that it would add to the child's health or comfort in after-life to have learned to eat the article in question.

It is just as great an outrage to compel a man to eat a piece of fried snake as to compel a child to eat a piece of fat meat, when his stomach revolts at it ; the inhumanity of it is greater, because the man may defend himself, while the child, all unresisting and helpless, is made to comply by the one whom he loves best in all the world.

The instincts of childhood should be held in a measure sacred to them ; and it may be safe to say that what nature craves, the body has use for ; what nature abhors the same body has no use for.

Every man is at liberty to ride any hobby he chooses to death ; if he wants to ride it to his own undoing, he may have the right to do it, with some restrictions ; but to "have a theory," and kills his child in the attempt to carry it out, to make it practical, is not to be applauded.

If a man wishes to train his child to relish any article of food which he does not relish now, a safe method of bringing it about is to take a long walk or ride, far from any human habitation, and after the child has been some time complaining of being very hungry, present the article in question to him, and let him taste it if he will, and in a little while taste it again ; in this way he may be educated to love it in a very short time. The conclusion of the whole matter is this ; to compel the swallowing of a mouthful of food against the appetite or inclination for it, is certainly a wicked waste of that much ; it gives no healthful nourishment to the body, is a violence to nature, a shock to the system, and invites loathsome, painful, and even fatal maladies.

YOUNG LADIES' EATING.

Young ladies' boarding-schools are among the greatest

afflictions of this country. Now and then one is found which is conscientiously conducted in its various departments ; but their influences, as a class, are penicious to mind, morals and constitution. It is to the last named the reader's attention is specially directed.

A gentleman of great wealth sent a much loved daughter of seventeen to a boarding school in the East. The cookery, the quality and quantity of provisions, were such as to drive a number of the pupils to almost desperate practices ; the gnawings of hunger were often such that they banded together to have other provisions brought secretly to the house ; the result was, that eating something at the regular meals of the establishment to save appearances, and also their own provisions "between times," the stomach had no rest, and became so dyspeptic that study was a misery and a mockery ; and years after, when the lady became a mother, she bewailed to the writer the misfortune that had befallen her, and from which she was still suffering, and had no other prospect than carrying it with her to her grave ; not only was her own constitution impaired, but the taint of it was passed over to all her children. The point sought to be impressed here is the too frequent eating ; it will inevitably destroy all healthful action of the stomach : the result of which is bad blood, and the long catalogue of ailments which of necessity follow in the train, and which were enumerated a few pages past.

At boarding-schools a table is set which may be good in quality, and answer very well for a single occasion ; but the insufferable sameness of dishes for weeks and months together, which is constantly observable in most of these establishments, soon palls upon the appetite, and the pupil many a time leaves the table able to eat scarcely anything. The teachers may prepare what they think is suitable, but it should be remembered that in these schools persons of different temperaments and tastes, coming from different sections of the country, cannot be expected to relish the same kind of food ; and to expect them to eat what they cannot partake of without a species of compulsion is unreasonable. In any collection of young ladies there may be peculiarities, called, by medical men, "Idiosyncrasies," which they can neither dismiss nor control ; and in schools,

ch he has
the very
ts do this
ld add to
earned to

a to eat a
iece of fat
nity of it
while an
oly by the

a measure
at nature
s the same

chooses to
g, he may
as ; but to
ot to carry

y article of
f bringing
ny human
complain-
question to
while taste
t in a very
s this ; to
gainst the
l waste of
the body,
nd invites

e greatest

as well as in other public institutions, the head managers soon become unsympathetic, cold, calculating, and heartless, and in just that proportion are unfit to have control over the tender consciences and feelings of the young girl just from under a loving mother's eye. At home, parental affection respects these peculiarities of appetite, and wisely humours them. Whatever is placed on the table of a boarding-school must be eaten or let alone ; and the pupil is forced to leave the room hungry, the only alternative being to obtain food elsewhere ; and the selection is sure to be unsuitable, as it will very certainly be in the shape of cakes, candies, and other sweetmeats, which clog the stomach, overtax it, and destroy its powers for life. The truth of the main statement, that at young ladies' boarding-schools the food is not in sufficient quantity nor variety to answer the needs of the pupils, will be readily substantiated by the testimony of nine girls out of ten who have lived in these establishments.

This subject becomes a matter of very grave importance when it is taken into account that the consequences of becoming a dyspeptic at school are to be felt by the future husband ; by children yet unborn, who are, as a result, to be brought into the world with impaired constitutions, with hereditary maladies, which may be handed over to remote generations.

A SICK WIFE

often brings pecuniary ruin to the ambitious young husband, who, striving to get ahead in the world, finds that his ailing companion not only keeps him from his business, but, by the anxieties in reference to her health, his mind becomes incompetent to attend to his affairs as ought to be done. In addition, the wife being an invalid, servants take advantage of the situation, idle away their time, neglect their duties, waste provisions, and soon the house is no home ; discouragement and despondency take the place of the cheerful hopefulness of the marriage day ; excitements are sought outside, to drown the forebodings of the hour ; unsuitable companionships are formed ; bad habits are gradually fallen into ; estrangements and recriminations ensue ; mutual confidences cease, and domestic, social, and pecuniary ruin follow in the train. Who shall deny that histories of the kind are

constantly being made, like the one narrated, as the result of the discouragements and drawbacks of a sickly young wife ?

MORAL EVILS OF BOARDING-SCHOOLS.

If affectionate parents need additional reasons for hesitating to send their daughters to a boarding-school, they are found in the direction of an impaired morality. It is not possible to prevent young ladies, who are thrown together in the equal companionships of the boarding-school, from relieving themselves of its tediousness and sameness in unoccupied hours, by reading novels, by studying rivalries in dress, and talking of the young men of their acquaintance.

NOVEL-READING.

The pernicious effect of reading novels on the mind of school-girls need not be argued. No intelligent mind can doubt it for a single moment ; for besides unfitting them for the details of dry study, false views of life are inculcated, and erroneous ideas as to morals and religion,—ideas not in accordance with the teachings of the Sacred Volume,—and such are everywhere to be found in works of fiction in every age, perhaps more especially in our own. It is impossible for a teacher to keep novels out of the boarding-school, because it is a rule of fear, and they will be smuggled in : it is useless to deny this proposition.

FINE DRESSES.

Human nature must be changed, if the subject of dress should not employ a large portion of the thoughts of young ladies at school. In Germany, the best girl schools require that all shall be dressed alike, in pretty much the same fabrics, although various in color, in make, in pattern ; the daughter of the mechanic, the farmer, and the merchant dresses as do the children of the titled names of the country. With us, all dress to the extent of their means ; and when a girl finds her school-mate attired more expensively than herself, she becomes at once dissatisfied ; she allows it to be a source of constant mortification ; a feeling of inferiority

takes possession of her ; corresponding representations are sent home ; too indulgent parents strain a point ; and the result is, that in the matter of dress alone, more money is often required than would pay the entire expenses of tuition, drawn too, from resources at home which are not honestly adequate. Thousands of struggling parents know well how they have practiced painful economies and even humiliating self-denials for many months, in order to meet the demands made upon them ; and thus are foundations laid for that unreasoning extravagance in dress which is to be followed up for life, and inculcated upon the children yet to come,—extravagances which are constantly bringing families, first to “management,” then to subterfuge, to equivocal practices, to downright dishonesties, to shame, to degradation, and to unmistakable poverty.

TALKING ABOUT THE MEN,

is among the immoralities of the female boarding-school. It is natural to do so. It is proper for young women to do so. But to such things there should be certain “metes and bounds,” beyond which young ladies should not go ; but beyond which, very far beyond, they do go, because it is “forbidden,” which constitutes it a sufficient reason to be indulged in, in the present state of human nature ; and the more it can be indulged, the sweeter it is. This is so, because the government is one of hard, dry restraint ; of cold duty, instead of love. It is very true that these same things transpire at home, immediately under a mother’s supervision, but nothing like to the extent above referred to, for there is always the angel of a mother’s love hovering over home, of a mother’s interest, and happiness, and affection ; these restrain the girl, while she imperceptibly gathers from her parents’ influences certain feelings of propriety, of delicacy, of purity, which are not found in the school-room or under a stranger’s roof.

BROKEN TIES.

There is one consideration which ought to over-shadow all the influences that prompt to the sending of young girls

wh
and
var
ins
sam
nat
laid
flue
hou
imp
tow
fam
to h
whi
and
at a
is le
new
daug
fluer
hold
able
year
ness,
separ
stran

Th
and p
eye d
who
there
moth
Besid
daug
low,
direct
An
decid

who have mothers, away from home too obtain an education, and which undoubtedly over-balances all the supposed advantages of such a step: it breaks the family tie. All our instincts rebel against the separation of members of the same household. If kept together until marriage, children naturally grow up lovingly; the ground for associations is laid, the very remembrance of which throws a hallowed influence over all after-life, making us look back to our father's house and its surroundings with the purest of all satisfaction; impelling us, too, to cast our eyes, and hopes, and aspirations toward that great future when we shall be reunited, a whole family in heaven! It is altogether impossible for children to have the same pure and loving affection for one another which they ought to have, and would have if kept together, and which they will not have if separated for many months at a time,—often separated. In addition, parental influence is lessened; the child's love is chilled; affections are divided; new attachments are formed; and, to a great extent, the daughter is weaned from father, mother, home and sacred influences which should be inseparable from it. The household will be soon enough broken up under the most favorable circumstances, without our hastening the sad event long years before the time, thus losing these long years of sweetness, and substituting for it the sacrifices and solitudes inseparable from a daughter being away at school, among strangers.

MAIDENLY PURITY.

There is a maidenly reserve, and delicacy, and sweetness, and purity attached to girls who are kept under a mother's eye daily, until marriage, which never can belong to those who are brought up in boarding schools, simply because there is an indefinable something in a mother's teachings, a mother's magnetism, which a stranger can never possess. Besides all this, the mother is the natural educator of the daughter; and if we change that relation, harm must follow, which is irreparable, not merely in one, but in many directions.

And lest what has been said might not be enough to decide the parent who reads these lines against the serious

tations are
t; and the
re money is
es of tuition,
ot honestly
w well how
humiliating
he demands
aid for that
be followed
to come,—
ilities, first to
al practices,
tion, and to

g-school. It
men to do so.
“metes and
not go; but
because it is
reason to be
re; and the
This is so,
restraint; of
t these same
r a mother's
ve referred to,
ove hovering
ss, and affec-
tibly gathers
propriety, of
school-room

over-shadow
f young girls

error of sending a daughter away from home to be educated at the very period when the pure white page is just opened for life-time impressions, a single fact may be stated which means more than the superficial imagine, because it carries with it considerations not altogether proper for this place ; and it is this, that medical men who have large experiences in connection with these establishments, and who are to a great extent, and necessarily, made the father confessors of those whom they attend professionally, have not failed to say that boarding schools for girls and young ladies, as a class, are ruinous alike to the physical health and moral purity of those who attend them, as a general rule. But even with this, the author trembling leaves the subject because parental pride and ambition come in and whisper something about improved manners, and acquaintanceships, and attachments, which may shape the future life advantageously ; meaning thereby that by going to a boarding school their daughters may form associations which may lead to a more desirable marriage than if they remained at home ; forgetting for the moment that the trial and risk are great enough of giving away a daughter into the hands of one whom, and whose family connections, you have known from childhood ; but how much greater must they be to put that daughter out of your protection, and beyond your authority, and into the power of a young man of whose very existence you had no knowledge until within a year, or a month ! Better, safer far, is it to bring up a daughter who in her innocence, and purity, and culture, shall be worthy of any man, and then let her take her chances at home, from among the families you have all known from childhood ; for let it be remembered, that no young man's qualities and character can ever be so well known, so fully appreciated, as by the neighbors, and friends, and associates among whom he has been brought up. Long years of personal association must pass before you can as well understand the character of a stranger, if ever, as of those who have lived in the same neighborhood, the same village, or town, or city.

THE GIRL AT HOME.

It is a perfect martyrdom for a mother to see her chil-

dren growing up under her very eyes the victims of painful maladies, of slowly fatal diseases ; the dreadful neuralgia, the agonizing asthma, the sure-killing consumption,—its hoarse, hollow cough, every sound of which, from the most distant room, strikes a pang into the mother's heart, and how she listens to it in an agony of foreboding through the livelong hours of the weary night,—and the clammy, grave-like night sweats, in the progress of weary weeks and months ; how she witnesses them morning after morning sapping away the very life itself ; to know that there is no remedy, and that the malady, like a mountain avalanche, moves slowly onward, and that no power short of that which made all worlds can arrest its resistless progress, not for a minute of time ; and yet

CONSUMPTION

is sown in the constitution during the teens, while the child is under the parental roof, in three cases out of four, and which was avertible. The same may be said of dyspepsia ; the foundation of most of the cases is laid while children are at school, under parental control ; and it is done through

ERRORS OF EATING

at home, which are gradually fallen into and practiced, until imperceptibly diseases creep in and burrow in the system secretly. In very many cases the constitution is undermined, and the health of the whole body irreparably impaired, before any danger is perceived ; and then, when too late, the parents wake up to the impending calamity, and spend large amounts of money in seeking medical advice from eminent men, in trying the benefits of this system of practice and that system ; then long journeys are taken, first at home and then abroad, but how vainly, many, very many know, and, with breaking hearts, are willing to acknowledge ; for at last, the loved ones come home only to die.

THE INSIDIOUS ENEMY.

Impairments of the constitutions of our children usually

foreshadow themselves in an irregularity of appetite at breakfast, generally no appetite at all. When this is first observed, there is no disease, but simply a functional disorder, a temporary derangement of the stomach, which does not even require medicine, and is very easily remedied. Thus: when a child is noticed to eat but very little breakfast, simply require that nothing whatever be eaten until the regular dinner time; let dinner be confined to a piece of bread and butter, a piece of meat, one vegetable, and half a glass of water, and nothing else, nor anything more until tea time, which should consist of a single piece of cold bread and butter, and a cup of any kind of warm drink, perhaps half and half of boiled water and boiled milk, mixed after the boiling, with sweetening to suit, and not a particle besides until next morning.

The hour for retiring should be ten o'clock in summer and nine in winter, leaving the bed at the end of nine hours at farthest. An hour after dressing has been completed, a breakfast should be taken of one cup of weak coffee or black tea, one piece of bread and butter, and one piece of meat, or a soft boiled egg, or a dish of berries in their natural raw state, without cream or milk, or sugar; or as much of the above as there is an appetite for, not urging to eat a mouthful beyond the inclination.

A while after breakfast, let several hours be spent in the open air, in walking or riding with lively companions, or in shopping if in the city; if in the country, and the weather and season are suitable, the same time spent on horseback, or in visiting a neighbour's family several miles away, or in berrying; in short, in any exhilarating occupation or employment in the open air; and in proportion as there is a pleasurable object in view, the advantages will be very greatly increased. Let the dinner be the same as on the preceding day, with one or two hours of out-door activities in the afternoon, whether in work or games, or other agreeable pastimes, with tea as on the preceding day. Continue this course until your daughter can eat a hearty breakfast in a joyous mood, and then she is well.

Health by Good Living ;

By W. W. HALL, M.D.,

EDITOR OF HALL'S "JOURNAL OF HEALTH."

This book is to show how High Health can be attained and Common Diseases cured by "Good Living," which means, Eating with a Relish the Best Food Prepared in the Best Manner.

The best food includes Meats, Fish, Poultry, Wild Game, Fruits, and the Grains which make bread. The best cookery preserves the natural tastes and juices.

As there can be no good living without a good appetite, how to get that great blessing, without money and without price, is pointed out, and, it is hoped, in very clear and plain terms.

SOME OF THE SUBJECTS TREATED ARE :

The object of eating ; Power to work ; Early breakfast ; Dinner-time ; Luncheon ; Eating "down town ;" What shall a man do ? What shall fat men eat ? How to get fat ; Bad blood ; Diet for the sick ; Spring diseases ; Children's eating ; Forcing children to eat ; Young ladies' eating ; Cold feet and headache ; Biliousness ; A lazy liver ; Mischievous tonics ; The out-door air ; Why are we dyspeptic ? Discomfort after eating ; Cole Slaw ; Certain cure of neuralgia ; Nervous debility ; Air and exercise ; Food, cure, &c. &c.

IT TELLS HOW

To cure dyspepsia ; How to cure neuralgia ; How to cure biliousness ; How to cure nervousness ; How to cure exhaustion ; How to get a good appetite ; How to get lean ; How to get good sleep ; How to maintain high health ; How to avoid disease. And all these without medicine, without money, without price.

IT TELLS ABOUT

Luncheons, and how to take them ; Late dinners, and how to take them ; How drunkards are made at eating-houses ; How girls are spoiled at boarding-schools ; How health is lost ; How home love is lost ; How novel reading ruins them ; How love of dress is instilled ; How young men are talked about ; How bad matches are made ; How good wives are made at home ; How home influences purify.

Price \$1—Free by Post on Receipt of Price.

MACLEAR & Co, Publishers,

TORONTO.

Agents wanted in every part of Canada for these and other Works. Liberal discounts made.

ORIGIN AND HISTORY
OF THE
BOOKS OF THE BIBLE,

BOTH THE
Canonical and the Apocryphal,
SHOWING WHAT THE BIBLE IS NOT, WHAT IT IS, AND HOW TO USE IT.
(NEW TESTAMENT.)
WITH ILLUSTRATIONS.

BY PROF. CALVIN E. STOWE, D.D.,

FOR MORE THAN THIRTY YEARS BIBLICAL PROFESSOR AT ANDOVER, CINCINNATI, AND
OTHER THEOLOGICAL SEMINARIES, AND ACKNOWLEDGED TO BE ONE OF THE

BEST INFORMED BIBLE STUDENTS OF THE AGE.

This Work is one of Patient Research, Diligent Study, and Ripe
Experience, being in fact
THE LIFE WORK OF THE AUTHOR.

IT TREATS OF

1. The common popular objections to the Bible at the present day. What the Bible is Not, What It Is, and How to Use It.
2. The evidence upon which we receive the *Sacred Books*, and description of the Ancient Manuscripts of the New Testament, with fac-simile illustrations.
3. Brief Biographies of *One Hundred Ancient Witnesses* to the New Testament, whose testimony is most important, much of it cited in this work.
4. The testimony for the *Historical Books*, and a full examination, separately, of the four Gospels.
5. The Apocryphal Gospels, and fragments of Gospels supposed to be lost.
6. Modern substitutes for the Gospel History, with an examination of the works of Strass, Weiss, Gfroerer, Bruno Bauer, F. C. Baur, Renan, and Schenkel, intended to meet the undermining process with regard to the authority of Scripture, so prevalent at the present day.
7. Acts of the Apostles, the Apocryphal Acts, and the fourteen Epistles of Paul. The Catholic and the Apocryphal Epistles. Revelation of St. John and the Apocryphal Revelations.
8. The Bible Prophets and the Classical Oracles contrasted.
9. The Apocryphal Books of the Old Testament, and the reason of their exclusion from the Canon.

It is a work of real value, not sectarian at all, not even Theological, but is just what it purports to be, a *History of the Books of the Bible*, sufficiently critical to meet the wants of the Professor, the Clergyman, and the Student, and yet so simplified as to be a book needed by EVERY FAMILY AND SUNDAY SCHOOL TEACHER AS THE COMPANION OF THE BIBLE.

This book is new and fresh from the pen of the Author, who has long been urged to its preparation by Presidents of Colleges, and leading Ministers and Scholars of the various Christian denominations, and has given his best energies to its completion.

Extra English Cloth Binding for the low price of . . . 50
Fine Leather Library Binding, " " " " . . . 1.00

Sold by Subscription only. Those ordering will not be obliged to take the work unless it corresponds with the description in every particular.

ADDRESS

MACLEAR & CO.

BLE,

W TO USE IT.

D.,
CINCINNATI, AND
OF THE

ly, and Ripe

day. What the
description of the
ions.
New Testament,
n, separately, of
be lost.
of the works of
enckel, intended
cripture, so pre-

Epistles of Paul.
and the Apocry-

their exclusion

deal, but is just
ently critical to
d yet so simpli-
BACHER AS THE

ong been urged
and Scholars of
s to its comple-

50
00

ta. the work

& CO.

THE

PHYSICAL LIFE OF WOMAN:

Advice to the

MAIDEN, WIFE, AND MOTHER.

—BY—

GEO. H. NAPHEYS, A.M., M.D.

*Member of Philadelphia County Medical Society;
Corresponding Member of the Gynecological Society of Boston;
Author of "Compendium of Modern Therapeutics," &c. &c.*

"Je veux qu'une femme ait des clartés de tout."
MOLIÈRE.

PRICE \$1.50.—POST FREE ON RECEIPT OF PRICE.

TORONTO:

MACLEAR AND COMPANY.

1871.

THE LIFE AND WRITINGS
—OF—
CHARLES DICKENS:

A MEMORIAL VOLUME.

—BY—

R. A. HAMMOND, LL.D.,

AUTHOR OF

“LIFE IN EGYPT,” “TOUR IN THE HOLY LAND,” &c. &c.

CONTAINING

PERSONAL REMINISCENCES,
AMUSING ANECDOTES,
LETTERS & UNCOLLECTED PAPERS
IN PROSE AND POETRY.

By “BOZ;” never before Published.

WITH AN INTRODUCTION

BY

ELIHU BURRITT.

PRICE \$1.50.—POST FREE.

MACLEAR & CO, PUBLISHERS, TORONTO.

THE SIEGE OF DERRY

AND

DEFENCE of ENNISKILLEN;

A Narrative of the Great and Leading Events which transpired in Ireland during that Momentous Period in our National History,

BY

THE REV. JOHN GRAHAM,

RECTOR of MEGILLIGAN, DIOCESE of DERRY (formerly CURATE of LIFFORD);

First Published in Londonderry in 1823. To which is added a most Eloquent Account of the

BATTLES OF THE BOYNE, AUGHRIM,

&c., &c.

The Siege and Capitulation of Limerick,

BY LORD MACAULAY.

WITH A BRIEF INTRODUCTION

By the Rev. W. M. PUNSHON, M.A.

ONE VOLUME, OCTAVO, 312 PAGES, STRONG CLOTH BOARDS, FINE THICK PAPER, AND NEW TYPE.

PRICE \$1.50—POST FREE ON RECEIPT OF PRICE.

MACLEAR & CO., PUBLISHERS,

TORONTO.

Agents wanted Everywhere for this and other Books.

FIVE THOUSAND A YEAR;

AND

HOW I MADE IT

IN

FIVE YEARS' TIME, STARTING WITHOUT CAPITAL

BY

EDWARD MITCHELL.

**A True Story, which may be repeated by thousands in
our own country.**

PRICE 25Cts.—POST FREE ON RECEIPT OF PRICE.

TORONTO:

MACLEAR & CO., PUBLISHERS.

Established in Canada, in 1843.

MACLEAR & CO.,

TORONTO,

PUBLISHERS

—OF—

Standard and Popular Works,

SOLD CHIEFLY BY AGENTS.

Students, Professional Men, Teachers,

OR ANY ONE,

MALE OR FEMALE,

WILL FIND IT TO THEIR ADVANTAGE TO APPLY TO
US FOR TERMS BEFORE GOING ELSEWHERE.

*We pay Liberal Premiums to any one sending us bond fide
Working Agents.*

HUNTER, ROSE & Co.'s

PUBLICATIONS.

MAN AND WIFE: A NOVEL. By Wilkie Collins. Crown 8vo.,
574 pp. Oxford style, \$1; paper cover, 75c.

KING ARTHUR: A POEM. By Edward Bulwer, Lord Lytton,
Revised Edition (in the press). Crown 8vo., 460 pp. Cloth
illuminated, gilt edges, \$1.75; cloth embossed, \$1.50.

LIFE OF THE DUKE OF KENT, embracing his Correspondence
with the DeSalaberry Family. By Dr. Anderson, Quebec.
Demy 8vo. Cloth, \$1.

"DOT IT DOWN;" A STORY OF LIFE IN THE NORTH-WEST.
By Alexander Begg, Winnipeg. Crown 8vo., 380 pp. Cloth
embossed, \$1.50.

In the Press.

A HISTORY OF THE RED RIVER TROUBLES. By Alexan-
der Begg. Crown 8vo.

Co.'s

. Crown 8vo.,

; Lord Lytton,
460 pp. Cloth
\$1.50.

s Correspondence
Anderson, Quebec.

HE NORTH-WEST.
, 380 pp. Cloth

LES. By Alexan-

